Periodical
RB1
.C5
Index
v.74-81

CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

CUMULATIVE AUTHOR AND SUBJECT INDEX

Volumes 74–81

(Covering 1977)

DEC 23 9 29 PM '81
UNIVERSITY OF HAWAII LIBRARY

ELSEVIER/NORTH-HOLLAND

1981

PERIODICAL
RBI
C5
Index
V. 74-81
U.H. LIBRARY

ANNOUNCING

Volume 9 and a New Revised Edition in the well established series:

LABORATORY TECHNIQUES IN BIOCHEMISTRY AND MOLECULAR BIOLOGY

edited by **T. S. Work** *and* **R. H. Burdon** *(formerly edited by* **T. S. Work** *and* **E. Work)**

Volume 9

by **G. Allen**

Sequencing of Proteins and Peptides

1980 xiv + 322 pages
US $29.75/Dfl. 61.00 *(paperback)*
ISBN 0-444-80254-1
US $79.50/Dfl. 163.00 *(hardback)*

The purpose of this monograph is to provide in one volume detailed descriptions of the techniques used in the determination of amino acid sequences of proteins by manual methods, together with a discussion of the theoretical background.
Major advances in the field have necessitated a high degree of selectivity, but references are given to alternative methods which may occasionally prove useful.
This book is a worthy contribution to an excellent series, and for scientists working in this area it will be an invaluable aid.

Volume 1, Part III 2nd Revised Edition Immunochemical Techniques for the Identification and Estimation of Macromolecules

(edited by **T. S. Work** *and* **E. Work)**
by **J. Clausen**
1981 xiv + 370 pages
US $29.75/Dfl. 61.00 *(paperback)*
ISBN 0-444-80244-4
US $83.00/Dfl. 170.00 *(hardback)*
ISBN 0-444-80245-2

Reviews of previous edition

"This is a splendid little book... It is rational and lucid and attractively laid out."
Chemistry and Industry

The rapid expansion in the field of immunochemistry has necessitated the publication of a fully revised 2nd edition of the present manual. The aim of this book is to present practical advice on application of the rapidly expanding mass of data on immunochemistry, and more specifically to examine the possibilities of employing immunological microtechniques in histological biochemical analyses.
Several chapters i.e. those dealing with lectins, HLA-antigens and with the application of crossed immunoelectrophoresis for characterization of membrane proteins, have been extensively revised and extended. Furthermore, new chapters dealing with the complement system, enzyme immuno-assay systems, immunofluorescence methods and immunoadsorbent techniques have been added and the recent developments in the methodology already presented in the first edition have been included.
This fully revised edition will prove invaluable as a practical aid to biochemists using the techniques of immunochemistry in their research.

Other Volumes in the series

Volume 8
by **R. L. P. ADAMS**
Cell Culture for Biochemists

Volume 7
Part I
Preparation and Characterisation of Mammalian Plasma Membranes
by **W. H. EVANS**
Part II
An Introduction to Affinity Chromatography
by **C. R. LOWE**

Volume 6
Part I
Density Gradient Centrifugation
by **R. HINTON** *and* **M. DOBROTA**
Part II
An Introduction to Radioimmunoassay and Related Techniques
by **T. CHARD**

Volume 5
Part I
Techniques of Sample Preparation for Liquid Scintillation Counting.
by **B. W. FOX**
Part II
Isoelectric Focusing.
by **P. G. RIGHETTI** *and* **J. W. DRYSDALE**

Volume 4
Part I
Chemical Modification of Proteins
Selected methods and analytical procedures
by **A. N. GLAZER, R. J. DELANGE** *and* **D. S. SIGMAN**
Part II
Separation Methods for Nucleic Acids and Oligonucleotides.
by **H. GOULD** *and* **H. R. MATTHEWS**

Volume 3
Part I
Determination of Sequences in RNA
by **G. G. BROWNLEE**
Part II
Techniques of Lipidology
by **M. KATES**

Volume 2
Part I
Automated Enzyme Assays
by **D. B. RODDYN**
Part II
Cellulosic Ion Exchangers
by **E. A. PETERSON**

Volume 1
Part I
Electrophoresis of Proteins in Polyacrylamide and Starch Gels
Part II
Gel Filtration Chromatography
(second Revised Edition)
by **L. FISHER**

ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS

P.O. Box 211, Amsterdam, The Netherlands
Distributor in the U.S.A. and Canada:
ELSEVIER NORTH-HOLLAND INC., 52 Vanderbilt Ave., New York, NY 10017
The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations.

FL 163

CLINICA CHIMICA ACTA

CUMULATIVE AUTHOR AND SUBJECT INDEX

Vol. 74—81 (1977)

CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
ociété suisse de chimie clinique, Schweizerische Gesellschaft für Klinische Chemie, *Switzerland*

Editor-in-Chief:

S.C. Frazer, Aberdeen

Editorial Secretary
Th. Strengers, P.O. Box. 4073, 1009 AB Amsterdam, The Netherlands

Editors:
for the Americas — M. Rubin, Washington, D.C.
for the British Commonwealth — R. Gaddie, Cupar, Fife
for all other territories, including Europe — E.J. van Kampen, Groningen

Editor of the International Federation of Clinical Chemistry section:
N.E. Saris, Helsinki

CUMULATIVE AUTHOR AND SUBJECT INDEX
Vols. 74–81

ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS
AMSTERDAM

Cumulative author and subject index

Vols. 74—81 © Elsevier/North-Holland Biomedical Press, 1981

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means. electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owner.

AUTHOR INDEX



Digitized by the Internet Archive
in 2026

https://archive.org/details/clinica-chimica-acta_1981_74-81_cumulative-index

A

Abe, H., see Sato, N. (80) 243
Abe, H., see Suematsu, T. (79) 267
Abraham, C.V., Bakerman, S.
Isolation and purification of Rh(e) antigen (76) 177
Abraham, P.R., see Berger, G.M.B. (81) 219
Adams, E.C., see Johnson, P.K. (77) 331
Adler, M., see Webin, B. (76) 35
Agam, G., Gutman, A., Djaldetti, M.
Abnormal platelet glycogen metabolism in multiple myeloma patients (79) 437
Agnese, S.T., see Shaw, W. (76) 15
Agrimonti, F., see Angeli, A. (77) 1
Akaboshi, I., see Matsuda, I. (80) 483
Akagi, K., see Yamanaka, M. (78) 191
Akamatsu, A., see Wada, M. (78) 295
Akanuma, Y., see Nagasaki, T. (75) 371
Akkerman, J.W.N., see Siegenbeek van Heukelom, L.H. (74) 271
Akkerman, J.W.N., see Staal, G.E.J. (78) 121
Albano, O., see Francavilla, A. (75) 351
Albers, J.J., Warnick, G.R., Hazzard, W.R.
Type III hyperlipoproteinemia: A comparative study of current diagnostic techniques (75) 193
Alcindor, L.G., Melin, B., Benhamou, G., Piot, M.C.
Dosage de la lécithine-cholestérol acyltransferase. Intérêt de la précipitation des beta-lipoprotéines par le sulfate de dextrane (81) 177
Alexander, F., see Vandeputte, M. (75) 205
Alfi, O., see Ng, W.G. (74) 227
Allain, O., Foussard, E., Boyer, J.
Rélations entre le taux de zinc dans le sang et l'activité de l'ALA-dehydratase érythrocytaire chez l'homme (The relationship between zinc levels in blood and the activity of δ-aminolevulinic acid dehydratase in human erythrocytes) (78) 183
Amerijckx, J.P., see Malmendier, C.L. (77) 227
Amery, A.K., see Lijnen, P.J. (79) 51
Anari, M., see Müller, P. (80) 487
Andersen, K.-J., Romslo, I.
Interaction of conjugated bile acids and detergents with a radiosorbent assay of vitamin B-12 (76) 219
André, J.C., Baudot, Ph., Niclause, M.
Application of synchronous excitation spectrofluorimetry to drug analysis (76) 55
Angeli, A., Frajria, R., Richiardi, L., Agrimonti, F., Gaidano, G.
Simultaneous measurement of circulating cortisol, corticosteroid binding globulin (CBG) binding capacity and "apparent free cortisol concentration" in human peripheral plasma using gel-exchange with Sephadex G-25 (77) 1
Angelico, M., see Capocaccia, L. (75) 99
Anker, N., Mondrup, M.
Carbonic anhydrase isoenzyme B in erythrocytes of anemic and non-anemic uremic subjects (79) 341
Antoku, S., see Ueda, E. (80) 447
Anttinen, H.
Collagen glucosyltransferase activity in human serum (77) 323
Anttinen, H., Oikarinen, A., Kivirikko, K.I.
Age-related changes in human skin collagen galactosyltransferase and collagen glucosyltransferase activities (76) 95
Aoki, K., see Toyoda, S. (79) 291
Aoyama, H., see Hayakawa, T. (75) 137
Applegarth, D.A. Davidson, A.G.F., Haworth, E.M., Quist, E.E., Zuk, R., Roufogalis, D.B., Clark, D.G.
Cystic fibrosis: The effect of medium from cultured cystic fibrosis fibroblasts on ATPase activity (74) 183
Applegarth, D.A., see Chan, K.Y.H. (74) 71
Aprison, M.H., see Tachiki, K.H. (75) 455
Aquino, L., see Chambers, J.P. (80) 67
Arakawa, Ts., see Motokawa, Y. (79) 173
Ashman, L.K., Ludbrook, J., Marshall, V.R.
Comparison of whole plasma and perchloric acid-extracted plasma assays for carcinoembryonic antigen (74) 77
Asplin, C.M., Goldie, D.J., Hartog, M.
The measurement of serum free insulin by steady-state gel filtration (75) 393
Attili, A.F., see Capocaccia, L. (75) 99
Au, K.K., see Ho, W.K.K. (75) 415
Aubry, M., Bieth, J.
Kinetics of the inactivation of human and bovine trypsins and chymotrypsins by α_1-proteinase inhibitor and of their reactivation by α_2-macroglobulin (78) 371
Avogaro, P., Cazzolato, G., Kostner, G.,

Holasek, D.R.A.
Familial hyper-alpha-lipoproteinaemia. Further studies on serum lipoproteins and some serum enzymes (77) 139
Awad, J., see Moorjani, S. (77) 21
Ayalon, D., see Werbin, B. (76) 35
Ayers, G.J., Goudie, J.H., Reed, K., Burnett, D.
Quality control in the simultaneous assay of anticonvulsants using an automated gas chromatographic system with a nitrogen detector (76) 113
Ayim, E.M., see Verjee, Z.H. (81) 41
Aynsley-Green, A., see Gitzelmann, R. (79) 219
Aznar, J., Valles, J., Santos, M.T., Menezo, J.L., Sorni, G., Buesa, E.
Study of the lipids in the skin lesions in Urbach-Wiethe disease (80) 573

B

Baba, S., see Kameno, Y. (77) 245
Baba, S., see Otsuki, M. (77) 349
Baba, S., see Otsuki, M. (79) 1
Bacardi, R., see Rubiés-Prat, J. (75) 117
Bador, H., Colobert, L., Giroud, M., Lesbre, F.
Production d'interféron et participation de l'α_2-macroglobuline à la réponse immunologique au cours de l'hépatite virale humaine de type A (Production of interferon and α_2-macroglobulin involvement in immune response during human viral hepatitis A) (78) 217
Baggio, G., see Müller, P. (80) 487
Bagnoli, F., see Rotilio, G. (81) 131
Bailleul, V., Richet, C., Hayem, A., Degand, P.
Propriétés rhéologiques des sécrétions bronchiques — mise en évidence et rôle de polypeptides riches en proline (PRP) (Rheological properties of human bronchial secretions: Demonstration of proline-rich polypeptides and their role) (74) 115
Baillie, T., see Gompertz, D. (74) 153
Bakerman, S., see Abraham, C.V. (76) 177
Bakhru-Kishore, R., Kelly, S.
A microfluorometric assay of the lysosomal arylsulfatases in leukocytes (75) 483
Bakker, H.D., see van der Heiden, C. (80) 519
Bakkeren, J.A.J.M., see Trijbels, J.M.F. (79) 371
Baldessarini, R.J., see Groshong, R. (80) 113
Bali, J.P., see Ho-Ngoc-Chau (75) 41
Ballantyne, D., White, C., Strevens, E.A., Lawrie, T.D.V., Lorimer, A.R., Manderson, W.G., Morgan, H.G.
Lipoprotein concentrations in untreated adult onset diabetes mellitus and the relationship of the fasting plasma triglyceride concentration to insulin secretion (78) 323
Ballantyne, D., see Ballantyne, F.C. (75) 487
Ballantyne, D., see Stromberg, P. (79) 163
Ballantyne, F.C., Bedford, D.K., Ballantyne, D., Third, J.L.H.C., Stromberg, P., Packard, C.J.
Electrophoretic mobility in agarose of very low density lipoprotein subfractions in type III hyperlipoproteinaemia (75) 487
Ballantyne, F.C., see Stromberg, P. (79) 163
Bamji, M.S., see Khan, L. (75) 163
Baraton, G., Revol, A.
Activateur des sphingohydrolases et nature du déficit en sphingomyélinase dans la maladie de Niemann-Pick type A, B et C (Activators for sphingohydrolases and the nature of the sphingomyelinase deficiency in Niemann-Pick disease types A, B and C) (76) 339
Barbhaiya, R.H., Turner, P., Shaw, E.
A simple, rapid fluorimetric assay of amoxycillin in plasma (77) 373
Barbieri, U., Gandolfi, C.
Digoxin radioimmunoassay: A comparison of the assay performances using tritiated and ^{125}I-radioiodinated tracers (77) 257
Barlow, G.B., Sutton, J.L., Wilkinson, A.W.
Metabolism of nicotinic acid in children with burns and scalds (75) 337
Barlow, G.B., Whitear, S.H.
Urinary alkaline ribonuclease activity in children with burns and scalds (78) 331
Barns, R.J., Elmslie, R.G.
Determination of enteropeptidase activity in human duodenal aspirates (79) 55
Barrett, J.T., see Caldwell, C.W. (81) 305
Bartels, P.C., Goedemans, W.Th., Roijers, A.F.M.
A radioimmunoassay for thyroxine in Sephadex columns. Investigations on the influence of some buffers on the binding of thyroxine to serum proteins (81) 63
Barth, H.O., see Müller, P. (80) 487
Bartlett, K., see Gompertz, D. (74) 153
Bartolini, P., Marques de Assis, L., Schwartz, I., Pieroni, R.R.
An accurate determination of human growth hormone content in different pituitary extracts, using a radioimmunoassay with polyacrylamide gel electrophoresis as a bound-free separation system (79) 223
Bartstra, H., see Staal, G.E.J. (78) 121
Bastianon, V., see Del Principe, D. (75) 325
Bastomsky, C.H., Kalloo, H., Frenkel-Leith, D.B.
A simple ligand-binding assay for thyrox-

ine-binding globulin on reusable sephadex columns (74) 51
Bastomsky, C.H., McQuaid, M.P., Greenidge, N.E.
Minimal effects of free fatty acids on the competitive protein-binding assay of serum thyroxine on reusable Sephadex columns (75) 475
Batstone, G.F., see Coombes, E.J. (79) 271
Baudot, Ph., see André, J.C. (76) 55
Baumann, P., Perey, M.
The analysis of free tryptophan in human blood with the ultrafiltrator: A comparison with other methods (76) 223
Bayer, P.M., Gergely, Th., Gabl, F., Deutsch, E.
Serum-induced changes in electrophoretic mobility of creatine phosphokinase isoenzymes? (79) 261
Beale, D.J., see Cramp, D.G. (76) 233
Beale, D.J., see Cramp, D.G. (76) 237
Beaven, M.A., see Horakova, Z. (79) 447
Beck, O., Palmskog, G., Hultman, E.
Quantitative determination of 5-hydroxyindole-3-acetic acid in body fluids by high-performance liquid chromatography (79) 149
Becker, K.L., see Snider, R.H. (76) 1
Backman, G., see Doellgast, G.J. (75) 501
Beckman, L., see Doellgast, G.J. (75) 501
Bedford, D.K., see Ballantyne, F.C. (75) 487
Bedford, D.K., see Stromberg, P. (79) 163
Beemer, F.A., see Schutgens, R.B.H. (80) 1
Begley, J.A., see Morelli, T.A. (77) 365
Behal, R., see Verjee, Z.H. (81) 41
Behrendt, J., see Weinstock, I.M. (80) 415
Bellinger, M.R., see Rechnitz, G.A. (76) 295
Bengtsson, C., Svanborg, A. (79) 299
Benhamou, G., see Alcindor, L.G. (81) 177
Benraad, Th.J., see de Man, A.J.M. (79) 489
Ben-Yoseph, Y., see Shapira, E. (78) 359
Bereziat, G., see Trugnan, G. (79) 583
Berger, G.M.B., Abraham, P.R.
Selective protamine sulphate inactivation of lipoprotein lipase and hepatic lipase in human post-heparin plasma: specific lipase levels in normals and in Type I hyper lipoproteinaemia (81) 219
Bergeron, L., Talbot, J., Gauvin, R., Loiselle, J.-M., Page, M.
Insuffisance rénale et interference dans le dosage de l'albumine sérique par une méthode de liaison de colorant (Inaccuracy of serum albumin measurements in renal failure patients using a dye-binding method) (75) 49
Bergren, W.R., see Ng, W.G. (74) 227
Berkeš, I., see Majkić, N. (80) 121
Berntssen, W.J.M., see Schutgens, R.B.H. (80) 1
Berrens, L., see Bruynzeel, P.L.B. (80) 151
Berthillier, G., see Savy, V. (79) 317
Bertina, R.M., van der Linden, I.K.
Inhibitor-neutralisation assay and electroimmuno assay of human factor IX (Christmas factor) (77) 275
Beukema, J., see Zijlstra, J.B. (78) 243
Bezoc, J.F., see Ronco, G. (81) 119
Bichler, A., Daxenbichler, G., Geir, W.
Determination of amniotic fluid palmitic acid concentration for the estimation of fetal lung maturity (74) 133
Bicknell, E.J., see van't Hoff, W. (80) 373
Bienzle, U., Pjura, W.J.
Alteration of membrane proteins during erythrocyte ageing (76) 183
Bierme, R., see Gherardi, M. (78) 465
Bieth, J., see Aubry, M. (78) 371
Biewenga, J.
Heterogeneity in electrophoretic mobility and in molecular size of lactate dehydrogenase-immunoglobulin G complexes (76) 149
Bijvoet, O.L.M., see Walton, R.J. (81) 273
Billimoria, J.D., see Owen, J.S. (79) 349
Bishop, M., see Wood, K. (80) 299
Biskup, N., see Nerenberg, S. (74) 237
Bivehed, H., Thunell, S.
A gel filament as an analytical tool: The testing of an affinity chromatographic, product-immobilizing linear gel for determination of enzymatic activity (77) 131
Blackburn, P., Peterson, C.M.
Urinary amino acid excretion by patients with β-thalassemia (80) 503
Blass, J.P., Cederbaum, S.D., Kark, R.A.P.
Rapid diagnosis of pyruvate and ketoglutarate dehydrogenase deficiencies in platelet-enriched preparations from blood (75) 21
Blau, N., Rosenmund, H.
A new semiautomated fluorometric method for estimation of small amounts of L-dopa in human urine (75) 213
Blazey, N.D.
The preparation of ^{125}I-labelled digoxin suitable for use in the digoxin radioimmunoassay (80) 403
Blomhoff, J.P., see Ritland, S. (75) 129
Blomqvist, N., Lindstedt, G., Lundberg, P.A., Walinder, J.
No inhibition by Li^+ of thyroxine monodeiodination to 3,5,3′-triiodothyroxine and 3,3′,5′-triiodothyronine (reverse triiodothyronine) (79) 457
Bock, K.D., see Maruhn, D. (75) 427

Boire, G., see Potier, M. (76) 309
Boitieux, J.L., see Desmet, G. (74) 59
Boivin, P., see Kahn, A. (75) 71
Bond, P.A., Cundall, R.L.
Properties of monoamine oxidase (MAO) in human blood platelets, plasma, lymphocytes and granulocytes (80) 317
Bonham, J.R., see Dale, G. (77) 407
Börjesson, J., see Gerhardt, W. (78) 29
Börjesson, J., see Ljungdahl, L. (78) 43
Borkenstein, M., see Gleispach, H. (80) 381
Borst-Eilers, E., see Staal, G.E.J. (76) 155
Borud, O., see Chalmers, R.A. (77) 117
Bos, G., see Smith, S.J. (81) 75
Bourdon, R., see Scherrmann, J.M. (79) 401
Boyer, J., see Allain, O. (78) 183
Boyo, A.E., see Onitiri, A.C. (81) 57
Bracci, R., see Rotilio, G. (81) 131
Bradley, D.D., see Krauss, R.M. (80) 465
Brady, R.O., see Gal, A.E. (77) 53
Brassine, C., see Hawkins, E.P. (75) 303
Bray, P.T., Clark, G.C.F., Moody, G.J., Thomas, J.D.R.
Sweat testing for cystic fibrosis: Characteristics of a combination chloride ion-selective electrode (77) 69
Bray, P.T., Clark, G.C.F., Moody, G.J., Thomas, J.D.R.
Sweat testing for cystic fibrosis: Errors associated with the in-situ sweat test using chloride ion selective electrodes (80) 333
Brecher, A.S., see Twining, S.S. (75) 143
Brennan, M., see McCullars, G.M. (74) 33
Brivet, F., see Trugnan, G. (79) 583
Broadhead, D.M., Butterworth, J.
The diagnosis of Gaucher's disease in liver using 4-methylumbelliferyl-β-D-glucopyranoside (75) 155
Broadhead, D.M., see Butterworth, J. (78) 335
Brohult, J., Fridell, E., Sundblad, L.
Studies on alkaline phosphatase isoenzymes. Relation to gamma-glutamyltransferase and lactate dehydrogenase isoenzymes (76) 205
Brombacher, P.J., Cremers, H.M.H.G., Mol, M.J., Muijrers, P.H.J., van der Plas, P.M., Verheesen, P.E.
A gas chromatographic method for the estimation of phenprocoumon, 3-(1-phenyl-propyl)-4-hydroxycoumarin (Marcoumar®, Liquamar®), in human serum or plasma (75) 443
Brouhard, B.H., LaGrone, L., Travis, L.B., Cunningham, R.J.
Rapid antibody production and sample preparation for radioimmunoassay of prostaglandin A (75) 287
Brouwer, H.J., see Holtkamp, H.C. (76) 125
Brown, P., Nolph, K.D.
Chemical measurements of inulin concentrations in peritoneal dialysis solution (76) 103
Bruinvis, L., see Kamerling, J.P. (77) 397
Brunori, M., see Rotilio, G. (81) 131
Bruusgaard, A., Sørensen, H., Gilhuus-Moe, C.-C., Skålhegg, B.A.
Bile acid determination with different preparations of 3α-hydroxysteroid dehydrogenase (77) 387
Bruynzeel, P.L.B., Houben, L.A.M.J., Berrens, L.
Comparison of serum IgE determination by conventional radioimmunoassay (RIST) and by a modified (sandwich) technique (PRIST) (80) 151
Buesa, E., see Aznar, J. (80) 573
Buff, K., see Rembold, H. (76) 329
Buhl, S., see Rozen, R. (77) 379
Buhl, S.N., Jackson, K.Y., Vanderlinde, R.E.
The effect of temperature on the kinetic constants of human lactate dehydrogenase 1 and 5 (80) 265
Burckhardt, W.A., see Hokin-Neaverson, M. (76) 399
Burgett, M.W., Fairfield, S.J., Monthony, J.F.
A solid phase fluorescent immunoassay for the quantitation of the C3 component of human complement (78) 277
Burnett, D., see Ayers, G.J. (76) 113
Burt, D., see Yamuna, S. (79) 277
Butterworth, J., Broadhead, D.M.
Diagnosis of Pompe's disease in cultured skin fibroblasts and primary amniotic fluid cells using 4-methylumbelliferyl-α-D-glucopyranoside as substrate (78) 335
Butterworth, J., see Broadhead, D.M. (75) 155
Buttery, J.E., see Lim, H.H. (75) 9
Buttery, J.E., see Lopez, J.B. (77) 91
Buttery, J.E., see Quek, E.S.C. (75) 497
Buursma, A., see Dijkhuizen, P. (78) 479
Buursma, A., see Dijkhuizen, P. (80) 95
Bygren, P., see Wieslander, J. (78) 391
Byrne, B.M., see Zijlstra, J.B. (78) 243

C

Caillat, D., see Favier, A. (79) 419
Caillibot, V., see Rozen, R. (77) 379
Caldwell, C.W., Barrett, J.T.
Enzyme immunoassay for hepatitis B and its comparison to other methods (81) 305
Calvert, G.D., Legg, E.F.
The effect of bile salts on the esterolytic assay of trypsin (80) 535
Campbell, J.C.W., Suelter, C.H., Puite, R.H.
5′-AMP aminohydrolase activity in erythrocytes from normal and dystrophic individuals (79) 379
Cangiano, C., see Capocaccia, L. (75) 99
Capocaccia, L., Cangiano, C., Attili, A.F., Angelico, M., Cascino, A., Rossie Fanelli, F.
Octopamine and ammonia plasma levels in hepatic encephalopathy (75) 99
Carey, W.F., see Nelson, P.V. (77) 337
Carlson, S.E., Goldfarb, S.
A sensitive enzymatic method for the determination of free and esterified tissue cholesterol (79) 575
Carter, T.J.N., see Kricka, L.J. (79) 141
Cascino, A., see Capocaccia, L. (75) 99
Castellucci, G., see Rufini, S. (79) 615
Castles, J.J., see Clifford, A.J. (74) 255
Cazzolato, G., see Avogaro, P. (77) 139
Caygill, C.P.J.
Detection of peptidase activity in albumin preparations (78) 507
Cederbaum, S.D., see Blass, J.P. (75) 21
Chakraborty, D.P., Chatterjee, A.
Urinary indole profile of Bufo melanostictus during hydroquinone-induced leucoderma and its regeneration (79) 399
Chalmers, R.A., Lawson, A.M., Borud, O.
Gas chromatographic and mass spectrometric studies on urinary organic acids in a patient with congenital lactic acidosis due to pyruvate decarboxylase deficiency (77) 117
Chambers, J.P., Aquino, L., Glew, R.H., Lee, R.E., McCafferty, L.R.
Determination of serum acid phosphatase in Gaucher's disease using 4-methylumbelliferyl phosphate (80) 67
Chan, K.Y.H., Applegarth, D.A., Davidson, A.G.F.
Plasma arginine esterase activity in cystic fibrosis of the pancreas (74) 71
Chao, W., Yokoyama, M.M.
Determination of B lymphocyte population using antibody-coated polyacrylamide beads (78) 79
Chatterjee, A., see Chakraborty, D.P. (79) 399
Chilcutt, D.A., see Dubovsky, J. (76) 41
Choy, Y.M., see Leung, K.C. (74) 43
Christensen, E., see Kølvraa, S. (77) 197
Christensen, N.G., Johannessen, B., Romslo, I.
A rapid assay for urinary porphyrins by dual-wavelength spectrophotometry (81) 229
Christensson, T.
Serum urate in subjects with hypercalcaemic hyperparathyroidism (80) 529
Christensson, T., Einarsson, K.
Serum lipids before and after parathyroidectomy in patients with primary hyperparathyroidism (78) 411
Christian, G.D., see Kumar, A. (74) 101
Christomanou, H., Sandhoff, K.
A sensitive fluorescence assay for the simultaneous and separate determination of arylsulphatases A and B (79) 527
Chromý, V., Gergel, J., Vozníček, J., Krombholzová, L., Musil, J.
Assay of serum free fatty acids by extraction-photometric procedure (80) 327
Clark, D.G., see Applegarth, D.A. (74) 183
Clark, G.C.F., see Bray, P.T. (77) 69
Clark, G.C.F., see Bray, P.T. (80) 333
Clausen, J., see Rastogi, S.C. (78) 55
Clerc, M., see Doutriaux, C. (74) 125
Clifford, A.J., Steine, L., Castles, J.J.
Activities of purine pathway enzymes in gouty human fibroblasts aged in vitro (74) 255
Cloarec, M., see Trugnan, G. (79) 583
Codaccioni, X., see Fruchart, J.C., (79) 549
Cohan, J.L., see Raam, S. (79) 533
Cohen, D.M., Mourão, P.A.S., Dietrich, C.P.
Differentiation of mucopolysaccharidoses by analyses of the excreted sulfated mucopolysaccharides (80) 555
Colobert, L., see Bador, H. (78) 217
Concustell, E., Cortés, M., Ferragut, A., Gener, J.
Inorganic phosphorus measurement: an improved method (81) 267

Conn, A., see Vitek, V. (75) 401
Cook, D.B., Pierides, A.M., Shannan, G.
Seasonal variation of serum 25-hydroxy-vitamin D in patients with chronic renal failure treated by regular haemodialysis (76) 251
Coombes, E.J., Shakespeare, P.G., Batstone, G.F.
Age and sex related reference values for serum ribonuclease (79) 271
Coppen, A., see Wood, K. (80) 299
Coppola, L., see Del Principe, D. (75) 325
Corberand, J., see Gherardi, M. (78) 465
Cornillot, P., see Gattegno, L. (77) 317
Cortés, M., see Concustell, E. (81) 267
Cotton, R.G.H., see Watson, B.M. (78) 417
Cowley, R.A., see Vitek, V. (75) 401
Cramp, D.G., Tickner, T.R., Beale, D.J., Moorhead, J.F., Wills, M.R.
Plasma triglyceride secretion and metabolism in chronic renal failure (76) 237
Cramp, D.G., Tickner, T.R., Varghese, Z., Beale, D.J., Moorhead, J.F., Wills, M.R.
Plasma lipoprotein patterns in patients receiving dialysis therapy for chronic renal failure (76) 233
Cremers, H.M.H.G., see Brombacher, P.J. (75) 443
Crowther, S.M., see Mishkel, M.A. (74) 139
Cundall, R.L., see Bond, P.A. (80) 317
Cunningham, R.J., see Brouhard, B.H. (75) 287
Curzon, G., Kantamaneni, B.D.
Fluorimetric determination of plasma unesterified fatty acid (76) 289

D

Dale, G., Bonham, J.R., Riley, K.W.A., Wagget, J.
An improved method for the determination of acetylcholinesterase activity in rectal biopsy tissue from patients with Hirschsprung's disease (77) 407
Dallaire, L., see Potier, M. (76) 309
Damiano, A.M., see Del Principe, D. (75) 325
Danielsson, B., Ekman, R., Johansson, B.G., Petersson, B.G.
Plasma lipoprotein changes in experimental cholestasis in the dog (80) 157
Danielsson, B., Gadd, K., Mattiasson, B., Mosbach, K.
Enzyme thermistor determination of glucose in serum using immobilized glucose oxidase (81) 163
Dankert, J., see Zijlstra, J.B. (78) 243
Danks, D.M., see Niederwieser, A. (76) 345
Danpure, C.J., see Ward, R.J. (81) 87
Dart, G.C.
Urinary enzymes in viral hepatitis (78) 499
Davidson, A.G.F., see Applegarth, D.A. (74) 183
Davidson, A.G.F., see Chan, K.Y.H. (74) 71
Davies, D.S., see Murray, S. (79) 63
Davis, C.M., Meyer, C.J., Fenimore, D.C.
Improved gas chromatographic analysis of chlorpromazine in blood serum (78) 71
Dawson, G., Oh, J.Y.
Blood glucosylceramide levels in Gaucher's disease and its distribution amongst lipoprotein fractions (75) 149
Dawson, G., see Rushton, A.R. (80) 133
Daxenbichler, G., see Bichler, A. (74) 133
Dean, P.D.G., see Kerr, E.J. (77) 77
De Bree, P.K., see Siegenbeek van Heukelom, L.H. (74) 271
De Broe, M.E., Wieme, R.J., Logghe, G.N., Roels, F.
Spontaneous shedding of plasma membrane fragments by human cells in vivo and in vitro (81) 237
De Bruyn, A.M., see Van Gent, C.M. (75) 243
De Bruyn, C.H.M.M., Raymakers, C., Wensing, A., Oei, T.L.
Galactose-1-phosphate uridyl transferase activities in erythrocytes from a patient with galactosemia: Discrepancy between two methods (78) 145
De Bruyn, C.H.M.M., see Siegenbeek van Heukelom, L.H. (74) 271
Dechavanne, M., see Lagarde, M. (79) 255
De Cock, J., see Vandeputte, M. (75) 205
Deelder, R.S., see van den Berg, J.H.M. (78) 165
Degand, P., see Bailleul, V. (74) 115
Degand, P., see Lamblin, G. (79) 425
De Goeij, A.F.P.M., Smit, S., Van Steveninck, J.
Porphyrin synthesis in blood cells of patients with erythropoietic protoporphyria (74) 27
De Groot, C.J., see Kamerling, J.P. (77) 397
De Keyzer, M.H., see van Stekelenburg, G.J. (76) 161
De Kort, A.F.M., see Trijbels, J.M.F. (79) 371
Del Principe, D., Menichelli, A., Damiano, A.M., Coppola, L., Bastianon, V.
The effect of 2,3-diphosphoglycerate on oxygen consumption burst in thrombin-stimulated platelets (75) 325
De Man, A.J.M., Benraad, Th.J.
Aldosterone secretion rate: Radioimmunoassay versus double isotope dilution derivative assay (79) 489
DeMet, E.M., see Halaris, A.E. (78) 285
Dennis, P.M., see Sykes, S. (79) 309
De Sandre, G., see Moret, V. (77) 359
Desch, G., Descomps, B.
Dosage rapide par chromatographie en phase gazeuse de l'acétate dans le plasma et les bains d'hémodialyse de suppléance (Rapid gaschromatographic method for determination of acetate in plasma and hemodialysis baths) (76) 193
Descomps, B., see Desch, G. (76) 193
Desjardins, P.R., see Leroux, (80) 253
Desmet, G., Boitieux, J.L.
Méthodologie simple de séparation et de purification de l'antigène de surface de l'hépatite B à partir du sérum (A simple method for the separation and purification of the surface antigen of hepatitis B from serum) (74) 59
Desmet, G., see Ronco, G. (81) 119
Desnick, R.J., see Goldberg, J.D. (77) 43
Desplanque, J., see van der Heiden, C. (80) 519

Deutman, A.F., see Trijbels, J.M.F. (79) 371
Deutsch, E., see Bayer, P.M. (79) 261
De Wael, J., Raaymakers, C.E., Endeman, H.J.
Simplified quantitative determination of total fecal bile acids (79) 465
Dewailly, P., see Fruchart, J.C. (79) 549
De Zeeuw, R.A., see Westenberg, H.G.M. (79) 155
Dietrich, C.P., see Cohen, D.M. (80) 555
Dijkhuizen, P., Buursma, A., Gerding, A.M., van Kampen, E.J., Zijlstra, W.G.
Carboxyhaemoglobin. Spectrophotometric determination tested and calibrated using a new reference method for measuring carbon monoxide in blood (80) 95
Dijkhuizen, P., Buursma, A., Gerding, A.M., Zijlstra, W.G.
Sulfhaemoglobin. Absorption spectrum, millimolar extinction coefficient at λ = 620 nm, and interference with the determination of haemiglobin and of haemiglobincyanide (78) 479
Di Natale, P., Leder, I.G., Neufeld, E.F.
A radioactive substrate and assay for α-L-iduronidase (77) 211
Dingeon, B., Roullet, A.
Isoenzymes de la créatine phosphokinase sérique; méthodes rapides commercialement disponibles (Isoenzymes of serum creatine phosphokinase; commercially available rapid methods) (75) 343
Dirat, M.F., Valdiguie, P.
Les glycoprotéines des liquides pleuraux (Glycoproteins of pleural effusions) (77) 219
Dixon, K., see Spencer, K. (77) 189
Djaldetti, M., see Agam, G. (79) 437
Doellgast, G.J., Beckman, G., Beckman, L.
On the identity of the "D-variant" with L-leucine-sensitive phenotypes of human placental alkaline phosphatase (75) 501
Doellgast, G.J., Fishman, W.H.
Inhibition of human placental-type alkaline phosphatase variants by peptides containing L-leucine (75) 449
Doi, K., see Yamamoto, T. (81) 287
Dollery, C.T., see Murray, S. (79) 63
Donckerwolcke, R.A.M.C., see van Stekelenburg, G.J. (76) 161
Donnell, G.N., see Ng, W.G. (74) 227
Dotsenko, V.L., see Yarovaya, G.A. (78) 85
Doutriaux, C., Clerc, M., Giordano, C.
Inventaire des fractions oligoclonales du liquide céphalo-rachidien dans la panencéphalite sclérosante subaiguë en Afrique à l'aide d'un immunsérum spécifique: Premier résultats (Inventory of oligoclonal fractions of subacute sclerosing panencephalitis cerebrospinal fluid in Africa with a specific immune serum: First results) (74) 125
Drost, R.H., Plomp, Th.A., Teunissen, A.J., Maas, A.H.J., Maes, R.A.A.
A comparative study of the homogeneous enzyme immunoassay (EMIT) and two radioimmunoassays (RIA's) for digoxin (79) 557
Dryon, L., see Vandeputte, M. (75) 205
Dubin, A., see Silberring, J. (79) 609
Dubovsky, J., Geary, Jr., W.T., Chilcutt, D.A.
Estimation of hydroxylysine in urine and serum of patients with chronic uremia (76) 41
Duffy, G.J., see Duffy, M.J. (74) 161
Duffy, G.J., see Duffy, M.J. (74) 167
Duffy, M.J., Duffy, G.J.
Measurement of estradiol receptors in human breast tumors by polyacrylamide gel electrophoresis (74) 161
Duffy, M.J., Duffy, G.J.
Estradiol receptors and glucose-6-phosphate dehydrogenase activity in human breast tumors (74) 167
Duran, M., van Biervliet, J.P.G.M., Kamerling, J.P., Wadman, S.K.
D-Lactic aciduria, an inborn error of metabolism? (74) 297
Duran, M., see Kamerling, J.P. (77) 397
Durst, R.A.
Automated analyzer for the determination of potassium and sodium in whole blood (80) 225
Dusci, L.J., see Hackett, L.P. (74) 187
Dyggve, H.V., see Rastogi, S.C. (78) 55

E

Eccleston, E., see Wood, K. (80) 299
Egger, E., see Jung, K. (79) 515
Eggermont, E., see Staal, G.E.J. (78) 121
Ehrhart, L.A., see Wada, M. (78) 295
Eickhoff, K., Heipertz, R.
The determination of serum immunoglobulin concentrations on the basis of their light-chain antigenic properties (78) 343
Eickhoff, K., see Heipertz, R. (77) 307
Einarsson, K., see Christensson, T. (78) 411
Ekman, R., see Danielsson, B. (80) 157
Elmslie, R.G., see Barns, R.J. (79) 55
Emery, A.E.H., see Yamuna, S. (79) 277
Emmerson, B.T., see Johnson, L.A. (80) 203
Endeman, H.J., see de Wael, J. (79) 465
Engel, K., see Hansen, A.C. (79) 507
Engler, R., Pointis, J., Rondeau, Y., Judon, C., Waks, M.
Détermination immunochimique de l'hémoglobine humaine dans les liquides biologiques (Immunochemical determination of human hemoglobin in biological fluids) (77) 159
Erickson, R.P., see Sandman, R. (80) 471
Esseveld, M.R., see Smith, S.J. (81) 75
Eto, Y., see Toyoda, S. (79) 291

F

Fabia, F., see Gattegno, L. (77) 317
Fagard, R.H., see Lijnen, P.J. (79) 51
Fairfield, S.J., see Burgett, M.W. (78) 277
Falezza, G.C., see Moret, V. (77) 359
Fantl, V., Gray, C.H.
Automated urinary steroid profiles by capillary column gas-liquid chromatography and a computing integrator (79) 237
Farooqui, A.A., Mandel, P.
The clinical aspects of arylsulphatases (74) 93
Favier, A., Caillat, D.
Dosage par chromatographie gazeuse avec détection en photométrie de flamme de l'acide alpha-céto-gamma-méthylthiobutyrique urinaire dans les hyperméthioninémies (Determination of urinary α-keto-γ-methylthiobutyric acid in hypermethioninemia by use of gas-chromatography and flame photometry) (79) 419
Fechner, C., see Jung, K. (79) 515
Felice, L.J., Kissinger, P.T.
A modification of the Pisano method for vanilmandelic acid using high pressure liquid chromatography (76) 317
Fellenberg, A.J., Pollard, A.C.
A rapid and sensitive gas-liquid chromatographic procedure for the micro determination of sodium valproate (sodium di-n-propylacetate) in plasma or serum (81) 203
Fellier, H., see Gleispach, H. (80) 381
Fenimore, D.C., see Davis, C.M. (78) 71
Fenuku, R.I.A.
Source of raised serum alkaline phosphatase activity during prolonged lactation (79) 265
Ferragut, A., see Concustell, E. (81) 267
Fidge, N.H., see Wahlqvist, M.L. (77) 269
Fifield, R., see Teasdale, C. (78) 135
Fiolet, J.W.T., Willebrands, A.F., Lie, K.I., ter Welle, H.F.
Determination of creatine kinase isoenzyme MB: Comparison of methods and clinical evaluation (80) 23
Fishman, W.H., see Doellgast, G.J. (75) 449
Fleetwood, J.A., see van 't Hoff, W. (80) 373
Foidart, J.M., see Gosselin, L. (81) 209
Foot, C.H., see Wiener, K. (75) 177
Fosbrooke, A.S., see Roberts, D.C.K. (78) 311
Fournier, E., see Scherrman, J.M. (79) 401
Foussard, E., see Allain, O. (78) 183
Frajria, R., see Angeli, A. (77) 1
Francavilla, A., Pansini, F., Sansone, F., Albano, O., Martellotta, G.
Effect of glucagon infusion on plasma cyclic AMP in patients with cholestatic hepatitis and obstructive jaundice. New test of hepatic cholestasis (75) 351
Frank, H.L.L., see Kahn, M.J.P. (80) 513
Frenkel-Leith, D.B., see Bastomsky, C.H. (74) 51
Fridell, E., see Brohult, J. (76) 205
Friedland, J., see Silverstein, E. (74) 21
Friman, C., Hellström, P.-E., Juvani, M., Riska, H.
Acid glycosaminoglycans (mucopolysaccharides) in the differential diagnosis of pleural effusion (76) 357
Frisón, J.C., see Rubiés-Prat, J. (75) 117
Fruchart, J.C., Ponthieu, A., Porchet, N., Dewailly, P., Sézille, G., Codaccioni, X., Puech, F.
Détermination précise du rapport lécithine/sphingomyéline dans le liquide amniotique: Proposition d'une méthode de référence (Exact determination of the lecithin/spingomyelin ratio in amniotic fluid. Suggestion of a reference method) (79) 549
Fudenberg, H.H., see Virella, G. (79) 503
Fujimi, S., see Yamanaka, M. (78) 191
Fujita, K., Hirano, M., Tokunaga, K., Nagatsu, I., Nagatsu, T., Sakakibara, S.
Serum glycylproline p-nitroanilidase activity in blood cancers (81) 215
Fukuoka, K., see Suzuki, Y. (75) 91
Funabashi, T., see Koizumi, S. (77) 301
Fung, K.P., see Ho, W.K.K. (75) 415
Fung, K.P., see Leung, K.C. (74) 43
Furbis, F.S., see Gal, A.E. (77) 53
Fuyamada, H., Hino, M., Nagatsu, T., Ogawa, K., Sakakibara, S.
Serum glycylproline p-nitroanilidase activity in human hypertension (74) 177
Fuyamada, H., see Hayakawa, T. (75) 137
Fyfe, D.A., see Ward, R.J. (81) 87

G

Gabl, F., see Bayer, P.M. (79) 261
Gabriel, P., see Veys, E.M. (75) 275
Gadd, K., see Danielsson, B. (81) 163
Gaidano, G., see Angeli, A. (77) 1
Gajewski, A., see Raghavan, S. (81) 47
Gal, A.E., Brady, R.O., Pentchev, P.G., Furbish, F.S., Suzuki, K., Tanaka, H., Schneider, E.L.
A practical chromogenic procedure for the diagnosis of Krabbe's disease (77) 53
Galand, C., see Kahn, A. (75) 71
Gandolfi, C., see Barbieri, U. (77) 257
Ganno, S., see Ueda, E. (80) 447
Garčic, A., see Zahradníček, L. (80) 431
Gattegno, L., Fabia, F., Cornillot, P.
Carbohydrate content of human red cell membrane in patients with cirrhosis of the liver (77) 317
Gaull, G.E., see Rassin, D.K. (79) 197
Gauvin, R., see Bergeron, L. (75) 49
Geary, Jr., W.T., see Dubovsky, J. (76) 41
Geir, W., see Bichler, A. (74) 133
Gener, J., see Concustell, E. (81) 267
Gerbrandy, J., see Smith, S.J. (81) 75
Gerding, A.M., see Dijkhuizen, P. (78) 479
Gerding, A.M., see Dijkhuizen, P. (80) 95
Gergel, J., see Chromý, V. (80) 327
Gergely, Th., see Bayer, P.M. (79) 261
Gerhardt, W., Ljungdahl, L., Börjesson, J., Hofvendahl, S., Hedenäs, B.
Creatine kinase B-subunit activity in human serum. I. Development of an immunoinhibition method for routine determination of S-creatine kinase B-subunit activity (78) 29
Gerhardt, W., see Ljungdahl, L. (78) 43
Geuskens, L.M., see Vader, H.L. (75) 253
Geuskens, L.M., see Vader, H.L. (80) 361
Gharib, A., see Lagarde, M. (79) 255
Ghebregzabher, M., see Rufini, S. (79) 615
Gherardi, M., Bierme, R., Corberand, J., Vergnes, H.
Heterogeneity of erythrocyte pyruvate kinase deficiency and related metabolic disorders in patients with hematological diseases (78) 465
Gibson, D.A., see Groshong, R. (80) 113
Gibson, R.G., see Mihas, A.A. (76) 389
Gielow, L., see Maruhn, D. (75) 427
Gilardoni, A., see Lemberg, A. (80) 385
Gilhuus-Moe, C.-C., see Bruusgaard, A. (77) 387
Gill, W., see Vitek, V. (75) 401
Giordano, C., see Doutriaux, C. (74) 125
Giroud, M., see Bador, H. (78) 217
Gitzelmann, R., Aynsley-Green, A., Williamson, D.H.
Blood cell glycogen synthetase activities in hepatic glycogen synthetase deficiency (79) 219
Gitzelmann, R.P., see Zachmann, M. (77) 147
Gjone, E., see Wille, L.E. (77) 423
Gleispach, H., Kreutzer, B., Fellier, H., Borkenstein, M.
How to collect blood for the measurement of HGH, LH, FSH, cyclic AMP, folic acid, cortisol and testosterone (80) 381
Glew, R.H., see Chambers, J.P. (80) 67
Glück, B., see Neumeier, D. (79) 107
Godse, D.D., see Takahashi, S. (81) 183
Goedemans, W.Th., see Bartels, P.C. (81) 63
Goetze, E., see Winkler, L. (76) 187
Goheen, B., see Kaman, R.L. (81) 145
Golbus, M.S., see Ng, W.G. (74) 227
Gold, P.H., see Vitek, V. (75) 401
Goldberg, D.M., Spooner, R.J., Hobson, B.
Accuracy of a calculating system in transcribing output from a reaction rate analyser (76) 371
Goldberg, J.D., Truex, J.H., Desnick, R.J.
Tay-Sachs disease: An improved, fully-automated method for heterozygote identification by tear β-hexosaminidase assay (77) 43
Goldfarb, S., see Carlson, S.E. (79) 575
Goldie, D.J., see Asplin, C.M. (75) 393
Gompertz, D., Tippett, P., Bartlett, K., Baillie, T.
Identification of urinary metabolites of sodium dipropylacetate in man: potential sources of interference in organic acid screening procedures (74) 153
Gordon, R.B., see Johnson, L.A. (80) 203
Goren, R., Simons, L.A.
Plasma cholesterol esterification in hypertriglyceridaemia (74) 289
Gorter, G., see Staal, G.E.J. (78) 121
Gosselin, L., Foidart, J.M.
Accurate photodensitometric measurement of the lecithin: sphingomyelin ratio after elimination of the acidic phospholipids from extracts of amniotic fluid specimens (81) 209

Gossler, K., Schaller, K.H., Zschiesche, W.
Quantitative Bestimmung von Hippursäure im Urin mit der Hochdruck-Flüssigkeits-Chromatographie (Quantitative determination of hippuric acid in urine using high pressure liquid chromatography) (78) 91
Got, R., see Savy, V. (79) 317
Goudie, J.H., see Ayers, G.J. (76) 113
Goudswaard, J., see Virella, G. (79) 503
Graisely, B., see Trugnan, G. (79) 583
Gray, C.H., Lim, C.K., Nicholson, D.C.
The differentiation of the porphyrias by means of high pressure liquid chromatography (77) 167
Gray, C.H., see Fantl, V. (79) 237
Greenidge, N.E., see Bastomsky, C.H. (75) 475
Gregersen, N., Kølvraa, S., Rasmussen, K., Grøn, I.
Demonstration of N-dicarboxyl-monoglycines in dicarboxylic acidurias by mass fragmentography (78) 173
Gregersen, N., see Kølvraa, S. (77) 197
Gregori, C., see Schapira, F. (78) 1
Groen, A., see Hindriks, F.R. (74) 207
Groen, A., see Zijlstra, J.B. (78) 243
Grøn, I., see Gregersen, N. (78) 173
Grøn, I., see Kølvraa, S. (77) 197
Groshong, R., Gibson, D.A., Baldessarini, R.J.
Monoamine oxidase activity in cultured human skin fibroblasts (80) 113
Grube, D., see Schlegel, W. (80) 305
Grussendorf, M., Hüfner, M.
Induction of the thyroxine (T_4) to triiodothyronine (T_3) converting enzyme in rat liver by thyroid hormones and analogs (80) 61
Grussendorf, M., see Hüfner, M. (78) 251
Grützmann, K.D., see Jung, K. (79) 515
Grützmann, K.D., see Jung, K. (81) 299
Guilbaud, J., see Lafarque, P. (80) 17
Guilbault, G.G., see Kiang, S.W. (78) 495
Gupta, J.D., Gupta, V.
Serum aspirin esterase activity in women with habitual aspirin intake (81) 261
Gupta, V., see Gupta, J.D. (81) 261
Gutman, A., see Agam, G. (79) 437
Gyorkey, F., see Sato, C.S. (78) 365

H

Hackett, L.P., Dusci, L.J.
Determination of paracetamol in human serum (74) 187

Haddad, Jr., J.G., see Rojanasathit, S. (78) 425

Hafkenscheid, J.C.M., Hectors, M.P.C.
Serum versus heparinized plasma for alanine aminotransferase and aspartate aminotransferase of normal individuals (78) 23

Hagenaars, A.M., see Schuurman, H.J. (79) 363

Hagihara, B., see Sato, N. (80) 243

Hainsworth, I.R., see Simpson, E. (77) 415

Halari, M.E., see Halaris, E.A. (78) 285

Halaris, A.E., DeMet, E.M., Halari, M.E.
Determination of plasma 3-methoxy-4-hydroxyphenylglycol by pulsed electron capture gas chromatography (78) 285

Hall, C.A., see Morelli, T.A. (77) 365

Hall, P.W., Ricanati, E.S., Vacca, C.V.
Characterization of human β_2-microglobulin by isoelectric focusing (77) 37

Hall, R., see van 't Hoff, W. (80) 373

Hammersen, G., Levy, H.L.
Starch gel electrophoresis for galactose-1-phosphate uridylyltransferase applied to dried filter paper blood specimens (77) 295

Handa, S., see Suzuki, Y. (75) 91

Handa, T., see Skillen, A.W. (77) 431

Hansen, A.C., Engel, K., Kildeberg, P., Wamberg, S.
An improved procedure for the electrochemical determination of serum ionized calcium (79) 507

Hao, K., Takeuchi, T., Sato, S., Sugimura, T.
Effects of albumin and other proteins during assay of amylase activity (79) 75

Harrington, W., Liu, A.-S., Lonsdale, D., Igou, D.
Urinary organic acid profiles of Reye's syndrome patients (74) 247

Hartog, M., see Asplin, C.M. (75) 393

Harwood, J., see Wood, K. (80) 299

Hatzfeld, A., see Schapira, F. (78) 1

Hawkins, E.P., Nijs, M., Brassinne, C.
Steroid receptors in the human prostate. Detection of tissue-specific androgen binding in prostate cancer (75) 303

Haworth, E.M., see Applegarth, D.A. (74) 183

Hayakawa, T., Hino, M., Fuyamada, H., Nagatsu, T., Aoyama, H., Izawa, Y.
Prolyl hydroxylase activity in human normal skins and post-burn scars (75) 137

Hayashi, M., see Ito, A. (78) 267

Hayashi, N., see Sato, N. (80) 243

Hayem, A., see Bailleul, V. (74) 115

Hayem, A., see Laine, A. (79) 541

Hazzard, W.R., see Albers, J.J. (75) 193

Heath, D.A., see Woods, K.L. (78) 129

Hectors, M.P.C., see Hafkenscheid, J.C.M. (78) 23

Hedenäs, B., see Gerhardt, W. (78) 29

Heinegård, D., see Wieslander, J. (78) 391

Heipertz, R., Pilz, H., Eickhoff, K.
Evaluation of a rapid gas-chromatographic method for the simultaneous quantitative determination of ethosuximide, phenylethylmalonediamide, carbamazepine, phenobarbital, primidone and diphenylhydantoin in human serum (77) 307

Heipertz, R., see Eickhoff, K. (78) 343

Heldenberg, D., see Werbin, B. (76) 35

Hellström, P.-E., see Friman, C. (76) 357

Henderson, H., see Whiteman, P. (79) 99

Hendrie, H.C., see Tachiki, K.H. (75) 455

Hennings, G., see Rembold, H. (76) 329

Hensley, W.J., see Wood, M.H. (77) 343

Hesch, R.-D., see Höffken, B. (78) 261

Hindriks, F.R., Wolthers, B.G., Groen, A.
The determination of total cholesterol in serum by gas-liquid chromatography compared with two other methods (74) 207

Hino, M., see Fuyamada, H. (74) 177

Hino, M., see Hayakawa, T. (75) 137

Hinton, R.H., Mullock, B.M.
Bile proteins in the serum of jaundiced rats (78) 159

Hinton, R.H., see Mullock, B.M. (79) 129

Hirakawa, S., see Ito, A. (78) 267

Hirani, S., Winchester, B.G., Patrick, A.D.
Measurement of the α-mannosidase activities in human plasma by a differential assay (81) 135

Hirano, K., see Miki, K. (79) 21

Hirano, K., see Sugiura, M. (75) 387

Hirano, K., see Sugiura, M. (78) 381

Hirano, K., see Sugiura, M. (81) 125

Hirano, M., see Fujita, K. (81) 215

Hirao, N., see Yamanaka, M. (78) 191

Hirschowitz, B.I., see Mihas, A.A. (76) 389

Hiwada, K., Kokubu, T.
Comparison of soluble and membrane-bound neutral arylamidases from renal cell carcinoma (80) 395
Hiwada, K., Tanaka, H., Nishimura, K., Kokubu, T.
Separation of human renin substrate in plasma from renin and a major contaminating albumin using a concanavalin A-Sepharose column (74) 203
Hiwada, K., Terao, M., Kokubu, T.
Placental form of membrane-bound neutral arylamidase found in renal cell carcinoma (79) 569
Hiwada, K., Terao, M., Nishimura, K., Kokubu, T.
Comparison of human membrane-bound neutral arylamidases from small intestine, lung, kidney, liver and placenta (76) 267
Hiwada, K., Yamaguchi, C., Inaoka, Y., Kokubu, T.
Neutral arylamidase in urine of healthy and nephrotic children (75) 31
Ho, W.K.K., Wen, H.L., Fung, K.P., Ng, Y.H., Au, K.K., Ma, L.
Comparison of plasma hormonal levels between heroin-addicted and normal subjects (75) 415
Hobson, B., see Goldberg, D.M. (76) 371
Hodgkinson, A., see Robertson, W.G. (80) 347
Hoelen, G.E.J.M., see Van Munster, P.J.J. (76) 377
Hoellinger, H., see Scherrmann, J.M. (79) 401
Höffken, B., Ködding, R., Hesch, R.-D.
Conversion of T_4 to T_3 and rT_3 and their cytoplasmic binding: pH dependency (78) 261
Hoffmann, J.J.M.L., van den Broek, W.G.M.
Application of isoelectric focusing in α_1-antitrypsin phenotyping (75) 233
Hofstetter, R., see Neumeier, D. (79) 107
Hofvendahl, S., see Gerhardt, W. (78) 29
Hofvendahl, S., see Ljungdahl, L. (78) 43
Hokin-Neaverson, M., Spiegel, D.A., Burckhardt, W.A., Jefferson, J.W.
Age and sex differences of erythrocyte sodium pump activity in normal human subjects (76) 399
Holańska-Nalepa, J.
Assessment of a comparison of colorimetric methods used for oxytocinase determination (75) 5
Holasek, D.R.A., see Avogaro, P. (77) 139
Holm, J., see Ingemann Hansen, S. (75) 321
Holme, R., see Ritland, S. (75) 129
Holtkamp, H.C., Mantel, P.A., Brouwer, H.J., Liem, T.L., van Zwam, J.C., Leijnse, B.
A simple automated method for the fluorometric titration of calcium in biological fluids (76) 125
Holtman-van Meurs, M., see Van Munster, P.J.J. (76) 377
Hommes, F.A., see Kamerling, J.P. (77) 397
Ho-Ngoc-Chau, Bali, J.P., Solère, M.
A propos du dosage des acides biliaires dans le sérum et dans la bile par chromatographie gaz-liquide (On GLC of bile acids in serum and bile) (75) 41
Horakova, Z., Keiser, H.R., Beaven, M.A.
Blood and urine histamine levels in normal and pathological states as measured by a radiochemical assay (79) 447
Hori, A., see Nagatsu, T. (75) 221
Horiuchi, Y., see Murata, K. (75) 59
Horrocks, P.M., see van 't Hoff, W. (80) 373
Houben, L.A.M.J., see Bruynzeel, P.L.B. (80) 151
Houpert, Y., see Lahrichi, M. (79) 479
Houpert, Y., see Tarallo, P. (81) 283
Howard, P.L., see Wlodarski, F.M. (76) 171
Hrnčíř, Z., Tichý, M., Šimša, J., Salavec, M., Vavřina, J.
Levels of immunoglobulin E (IgE) in paired examinations of serum and synovial fluid in rheumatoid arthritis and reactive synovitis of local origin (81) 287
Hüfner, M., Grussendorf, M., Ntokalou, M.
Properties of the thyroxine (T_4) monodeiodinating system in rat liver homogenate (78) 251
Hüfner, M., see Grussendorf, M. (80) 61
Hughes, L.E., see Teasdale, C. (78) 135
Hultberg, B.
Comparative activity of sulphatases in human liver on two synthetic substrates (80) 423
Hultberg, B., Sjöblad, S.
Lysosomal enzymes in medium from cultured skin fibroblasts from normal individuals and patients with lysosomal diseases (80) 79
Hultman, E., see Beck, O. (79) 149
Humbert, P., see Lamblin, G. (79) 425

I

Ichihara, K., Yamamoto, T., Kumahara, Y., Miyai, K.
Am improved processing of radioimmunoassay data by means of desk-top calculator. (1) Comparison of regression procedures applied to selected kinds of radioimmunoassay (79) 331

Ichihara, K., Yamamoto, T., Miyai, K.
An improved processing of radioimmunoassay data by means of a programmable desk-top calculator. II. A study of indices for discrimination of standard curve with large aberrance (80) 37

IFCC Section (1977) No. 1, (74) following p. 190
Privisional recommendation on quality control in clinical chemistry. Part 6. Quality requirements from the point of view of health care (74) F1

IFCC Section (1977) No. 2, (75) following p. 180
Provisional recommendation on quality control in clinical chemistry. Part 3. Calibration and control materials (75) F11

IFCC Section (1977) No. 3, (80) following p. 394
Provisional recommendations on IFCC methods for the measurement of catalytic concentrations of enzymes. Part 3. Revised IFCC method for aspartate aminotransferase (L-aspartate: 2-oxoglutarate aminotransferase, EC 2.6.1.1) (1977) (80) F21

Igou, D., see Harrington, W. (74) 247

Iino, S., see Miki, K. (76) 79

Iino, S., see Miki, K. (79) 21

Iizuka, R., see Nagatsu, T. (75) 221

Ikuta, K., see Nagatsu, T. (75) 221

Imai, K., see Osuga, T. (75) 81

Imura, H., see Takahashi, K. (75) 435

Inagaki, S., see Nagatsu, T. (75) 221

Inaoka, Y., see Hiwada, K. (75) 31

Ingemann Hansen, S., Holm, J., Lyngbye, J.
Mechanism of folate binding in milk (75) 321

Inthuprapa, M., see Van 't Hoff, W. (80) 373

Iodice, A.P., see Marshall, J.J. (76) 277

Issa, F.S., see Mullock, B.M. (79) 129

Itagaki, E., see Koizumi, S. (77) 301

Ito, A., Naganeo, K., Mori, Y., Hirakawa, S., Hayashi, M.
PZ-Peptidase activity in human uterine cervix in pregnancy at term (78) 267

Ito, K., see Nakano, H. (81) 257

Ito, Y., see Sugiura, M. (78) 381

Itoh, S., see Takayama, M. (79) 93

Izawa, Y., see Hayakawa, T. (75) 137

J

Jackson, K.Y., see Buhl, S.N. (80) 265
Jacobs, H.K., see Leroux, M. (80) 253
Jagenburg, R., Olsson, R., Regårdh, C.-G., Rödjer, S.
Kinetics of intravenous administered L-phenylalanine in patients with cirrhosis of the liver (78) 453
Jakobs, C., see Landaas, S. (78) 489
Jansen, A.P., van Kampen, E.J., Leynse, B., Meijers, C.A.M., van Munster, P.J.J.
Experience in The Netherlands with an external quality control and scoring system for clinical chemistry laboratories (74) 191
Jefferson, J.W., see Hokin-Neaverson, M. (76) 399
Jegge, S., see Rieder, H.P. (79) 211
Jinn Wey, J., see Suzuki, Y. (75) 91
Joh, T., see Ueda, E. (80) 447
Johannessen, B., see Christensen, N.G. (81) 229
Johansson, B.G., see Danielsson, B. (80) 157
Johnson, L.A., Gordon, R.B., Emmerson, B.T.
Hypoxanthine-guanine phosphoribosyltransferase: A simple spectrophotometric assay (80) 203
Johnson, P.K., Yoder, Y.M., Adams, E.C.
A rapid hemagglutination inhibition assay for urinary luteinizing hormone and human chorionic gonadotropin (77) 331
Jones, D.H., see Murray, S. (79) 63
Joplin, G.F., see Kjeld, J.M. (80) 271
Joplin, G.F., see Kjeld, J.M. (80) 285
Jowett, T.P., Slater, J.D.H.
Development of radioimmunoassays for the measurement of aldosterone in unprocessed plasma and simple plasma extracts (80) 435
Judon, C., see Engler, R. (77) 159
Jullien, G., see Kalofoutis, A. (74) 85
Jung, K., Grützmann, K.D., Egger, E., Fechner, C.
Suitability of commercial enzyme control sera for the quality control of activity determinations of L-aspartate aminotransferase and L-alanine aminotransferase in human serum (79) 515
Jung, K., Grützmann, K.D.
Comparative determinations of aminotransferase activities in serum with so-called "optimised" methods (81) 299
Jutagir, R., see Krauss, R.M. (80) 465
Juvani, M., see Friman, C. (76) 357

K

Kaczmarek, M.J., Rosenmund, H.
The action of human pancreatic and salivary isoamylases on starch and glycogen (79) 69
Kaczmarek, M.J., Rosenmund, H.
The role of γ-globulin in composition of macroamylase (79) 183
Kågedal, B., Källberg, M.
An improved procedure for isolation of thyroxine-binding globulin from human pregnancy serum (78) 103
Kahn, A., Vives-Corrons, J.L., Marie, J., Galand, C., Boivin, P.
A Spanish family with erythrocyte pyruvate kinase deficiency: Contribution of various immunologic methods in the study of the mutant enzyme (75) 71
Kahn, A., see Marie, J. (81) 153
Kahn, M.J.P., Schandevijl, W., Philipi, G., Frank, H.L.L.
The contribution of α_1-antitrypsin to the total antitrypsin activity of human serum. A study of two phenotype PI OO individuals (80) 513
Kakkar, V.V., see Scully, M.F. (79) 595
Källberg, M., see Kågedal, B. (78) 103
Kallner, A.
Removal of background interference in nephelometric determination of serum proteins (80) 293
Kallner, A., Lantto, O.
Determination of urinary estriol by radioimmunoassay. Modification of a commercial kit for serum analyses (79) 325
Kalloo, H., see Bastomsky, C.H. (74) 51
Kalofoutis, A., Jullien, G., Spanos, V.
Erythrocyte phospholipids in Duchenne muscular dystrophy (74) 85
Kaloud, H., see Sitzmann, F.C. (75) 313
Kamada, T., see Sato, N. (80) 243
Kamada, T., see Suematsu, T. (79) 267
Kaman, R.L., Goheen, B., Patton, R., Raven, P.
The effects of near maximum exercise on serum enzymes: The exercise profile versus the cardiac profile (81) 145
Kameno, Y., Nakano, N., Baba, S.
Studies on a polarographic determination method of serum cholesterol (77) 245
Kamerling, J.P., Duran, M., Bruinvis, L., Ketting, D., Wadman, S.K., de Groot, C.J., Hommes, F.A.
(2-Ethoxyethoxy)acetic acid: an unusual compound found in the gas chromatographic analysis of urinary organic acids (77) 397
Kamerling, J.P., see Duran, M. (74) 297
Kanno, T., Sudo, K.
Properties of amylase-linked immunoglobulins (76) 67
Kantamaneni, B.D., see Curzon, G. (76) 289
Kark, R.A.P., see Blass, J.P. (75) 21
Katagiri, M., see Koizumi, S. (77) 301
Kato, T., see Nagatsu, T. (75) 221
Katsuki, T., see Matsuda, I. (80) 483
Kawachi, T., see Takeuchi, T. (77) 203
Kawaguchi, T.
Electrophoretic patterns of serum albumins collected from different blood vessels (80) 409
Kawano, S., see Sato, N. (80) 243
Keiser, H.R., see Horakova, Z. (79) 447
Keleman, J., see Weinstock, I.M. (80) 415
Kellams, J., see Tachiki, K.H. (75) 455
Kelly, S., see Bakhru-Kishore, R. (75) 483
Kempisty, C.C., Zak, B.
Differential spectrophotometry for the determination of serum methemalbumin (80) 187
Kernemp, B., see Marie, J. (81) 153
Kerr, E.J., Park, B.K., Dean, P.D.G.
A specific direct radioimmunoassay for oestriol-16α-glucuronide in pregnancy plasma (77) 77
Ketting, D., see Kamerling, J.P. (77) 397
Keyser, J.W., see Teasdale, C. (78) 135
Khan, L., Bamji, M.S.
Plasma carnitine levels in children with protein-calorie malnutrition before and after rehabilitation (75) 163
Kiang, S.W., Kuan, J.W., Kuan, S.S., Guilbault, G.G.
An immobilized hexokinase enzyme stirrer for a simple and economical assay of plasma glucose (78) 495
Kidani, H., see Koizumi, S. (77) 301
Kikuchi, G., see Motokawa, Y. (79) 173
Kikuchi, S., see Suematsu, T. (79) 267
Kildeberg, P., see Hansen, A.C. (79) 507
Kinsun, H., see Moulin, M.A. (75) 491
Kissinger, P.T., see Felice, L.J. (76) 317
Kivirikko, K.I., see Anttinen, H. (75) 95
Kizaki, H., Matsuo, I., Sakurada, T.
Xanthine oxidase and guanase activities in

normal and psoriatic epidermis (75) 1
Kjeld, J.M., Puah, C.M., Joplin, G.F.
Measurement of unconjugated testosterone, 5α-dihydrotestosterone and oestradiol in human urine (80) 271
Kjeld, J.M., Puah, C.M., Joplin, G.F.
Rise of unconjugated sex hormones in human urine on storage (80) 285
Klein, F., see Van Gent, C.M. (75) 243
Klein Elhorst, J.T., see Olthuis, F.M.F.G. (75) 123
Knepil, J.
A short, simple method for the determination of paraquat in plasma (79) 387
Kobayashi, M., see Ueda, M. (80) 105
Koch, T.R., Nipper, H.C.
Evaluation of automated glucose oxidase methods for serum glucose: Comparison to hexokinase of a colorimetric and an electrometric method (78) 315
Ködding, R., see Höffken, B. (78) 261
Koedam, J.C.
Comments on the conversion of cholesterol values obtained using different methods (79) 607
Koizumi, S., Kyoya, S., Miyawaki, T., Kidani, H., Funabashi, T., Nakashima, H., Nakanuma, Y., Ohta, G., Itagaki, E., Katagiri, M.
Cholesterol side-chain cleavage enzyme activity and cytochrome P-450 content in adrenal mitochondria of a patient with congenital lipoid adrenal hyperplasia (Prader disease) (77) 301
Kokubu, T., see Hiwada, K. (74) 203
Kokubu, T., see Hiwada, K. (75) 31
Kokubu, T., see Hiwada, K. (76) 267
Kokubu, T., see Hiwada, K. (79) 569
Kokubu, T., see Hiwada, K. (80) 395
Kokubu, T., see Ueda, E. (80) 447
Koldovsky, O., see Scardigli, K. (75) 13
Kolodny, E.H., see Raghavan, S. (81) 47
Kølvraa, S., Gregersen, N., Christensen, E., Grøn, I.
Calcium levulinate medication. A pitfall in the diagnosis of organic acidurias (77) 197
Kølvraa, S., see Gregersen, N. (78) 173
Komoda, M., see Wada, M. (78) 295
Kondo, Y., see Nagatsu, T. (75) 221
Koster, J.F., see Sprengers, E.D. (80) 495
Kostner, G., see Avogaro, P. (77) 139
Köttgen, E., Lindinger, G., Reutter, W.
Concanavalin A-Sepharose Affinitätschromatographie im Mikromassstab für Serienanalysen am Beispiel der Gamma-Glutamyltransferase (Concanavalin A-Sepharose affinity chromatography for routine microanalysis of γ-glutamyltransferase) (80) 221
Kowalewski, J., see Tomaszewski, J. (75) 331
Kratochvíla, J., see Zahradníček, L. (80) 431
Krauss, R.M., Lindgren, F.T., Silvers, A., Jutagir, R., Bradley, D.D.
Changes in serum high density lipoproteins in women on oral contraceptive drugs (80) 465
Kresse, H., see Schmidt, R. (80) 7
Kreutzer, B., see Gleispach, H. (80) 381
Kricka, L.J., Carter, T.J.N.
A method for enhancing the stability of thiol-containing enzymes immobilised on nylon (79) 141
Krombholzová, L., see Chromý, V. (80) 327
Kropp, J., see Weicker, H. (79) 31
Krugers Dagneaux, P.G.L.C., see Olthuis, F.M.F.G. (75) 123
Kuan, J.W., see Kiang, S.W. (78) 495
Kuan, S.S., see Kiang, S.W. (78) 495
Kumahara, Y., see Ichihara, K. (79) 331
Kumar, A., Christian, G.D.
Enzymatic assay of total cholesterol in serum or plasma by amperometric measurement of rate of oxygen depletion following saponification (74) 101
Kumin, S., see Nakagawa, S. (75) 181
Kuratsu, T., see Sugiura, M. (81) 125
Kushida, H., see Momoi, T. (81) 311
Kusunoki, T., see Soyama, K. (77) 61
Kusunoki, T., see Soyama, K. (78) 473
Kyoya, S., see Koizumi, S. (77) 301

L

Ladenson, J.H., Shyong, J.C.
Influence of fatty acids on the binding of calcium to human serum albumin (75) 293
Lafarque, P., Guilbaud, J., Vauzelle, A.
Evolution du magnésium sérique et érythrocytaire chez les brûlés (Evolution of serum and erythrocyte magnesium levels in burn patients) (80) 17
Lagarde, M., Gharib, A., Dechavanne, M.
A simple radiochemical assay of thromboxane B_2, 12-hydroxyeicosatetraenoic acid (HETE) and 12-hydroxyheptadecatrienoic acid (HHT) synthetized by human platelets (79) 255
LaGrone, L., see Brouhard, B.H. (75) 287
Lähdevirta, J., Tenhunen, R.
Heme catabolism in human kidneys. Effect of various nephritides (77) 125
Lahrichi, M., Tarallo, P., Houpert, Y., Siest, G.
Influence of glucose and inhibitors of glycolysis on release of total proteins and enzymes from human leukocytes (79) 479
Lai, J.C.K., Silk, D.B.A., Williams, R.
Plasma short-chain fatty acids in fulminant hepatic failure (78) 305
Laine, A., Hayem, A., Lebas, J., Romon, A.
Détermination du rapport IgA 7 S/IgA 11 S dans la sécrétion bronchique humaine par une technique associant la gel-filtration en couche mince à une immuno-électrophorèse bidimensionelle (Determination of the IgA 7 S/IgA 11 S ratio in human bronchial secretion by thin-layer gel filtration/immunoelectrophoresis) (79) 541
Lajos, T.Z., see Vladutiu, A.O. (75) 467
Lamblin, G., Humbert, P., Degand, P., Roussel, P.
Hétérogénéité des chaînes glycanniques des mucines bronchiques acides isolées à partir de l'expectoration de deux sujets atteints de bronchite chronique (Heterogeneity of carbohydrate chains of the acidic glycoproteins isolated from the sputum of two chronic bronchitis patients) (79) 425
Landaas, S., Jakobs, C.
The occurrence of 2-hydroxyisovaleric acid in patients with lactic acidosis and ketoacidosis (78) 489
Lang, D.J., see Vitek, V. (75) 401
Lantto, O., see Kallner, A. (79) 325
Latner, A.L., Patterson, S.W., Turner, G.A.
A method for measurement of low levels of guanosine 3′,5′-cyclic monophosphate in blood plasma (81) 99
Lato, M., see Rufini, S. (79) 615
Lawrie, T.D.V., see Ballantyne, D. (78) 323
Lawson, A.M., see Chalmers, R.A. (77) 117
Lawson, D.L., see Rennert, O.M. (75) 365
Lebas, J., see Laine, A. (79) 541
Leder, I.G., see Di Natale, P. (77) 211
Lee, A.B., see Vladutiu, A.O. (75) 467
Lee, C.Y., see Leung, K.C. (74) 43
Lee, R.E., see Chambers, J.P. (80) 67
Lee, Y., see Nakamura, H. (79) 411
Lees, H., see Rechnitz, G.A. (76) 295
Legg, E.F., see Calvert, G.D. (80) 535
Lehtiö, H., Mäenpää, P.H.
The urinary excretion of the nucleosides pseudouridine and 1-methylinosine during normal menstrual cycle (80) 181
Leijnse, B., see Holtkamp, H.C. (76) 125
Leijnse, B., see Jansen, A.P. (74) 191
Lemberg, A., Werber, D.H., Gilardoni, A., Magrino, H.J.
Presence of serum creatine kinase isoenzymes in liver failure with cerebral involvement (80) 385
Leme, C.E., Silva, H.B.
Interaction of calcium ions with serum albumin in chronic renal failure (77) 287
Lerário, A.C., see Pinto, H. (76) 25
Leroux, M., Jacobs, H.K., Rabkin, S.W., Desjardins, P.R.
Measurement of creatine kinase Z in human serum using a DEAE-cellulose mini-column method (80) 253
Lesbre, F., see Bador, H. (78) 217
Leung, K.C., Fung, K.P., Yu, C.C., Choy, Y.M., Lee, C.Y.
N-Acetyl-β-glucosaminidase activity in hydatidiform mole (74) 43
Levtow, O., see Werbin, B. (76) 35
Levy, H.L., see Hammersen, G. (77) 295
Lewinsohn, R.
Human serum amine oxidase. Enzyme activity in severely burnt patients and in patients with cancer (81) 247

Lewis, B., see Onitiri, A.C. (79) 39
Lewis, G.P., see Raam, S. (79) 533
Lie, K.I., see Fiolet, J.W.T. (80) 23
Liem, T.L., see Holtkamp, H.C. (76) 125
Lijnen, P.J., Amery, A.K., Fagard, R.H.
Renin concentration after prolonged cold storage of human plasma (79) 51
Lim, C.K., see Gray, C.H. (77) 167
Lim, H.H., Buttery, J.E.
Determination of ethanol in serum by an enzymatic PMS-INT colorimetric method (75) 9
Lindgren, F.T., see Krauss, R.M. (80) 465
Lindinger, G., see Köttgen, E. (80) 221
Lindquist, O., see Svanborg, A. (79) 299
Lindstedt, G., see Blomqvist, N. (79) 457
Liu, A.-S., see Harrington, W. (74) 247
Ljungdahl, L., Hofvendahl, S., Gerhardt, W., Börjesson, J.
Creatine kinase B-subunit activity in human serum. II. Evaluation of 5-creatine kinase B-subunit activity in the diagnosis of acute myocardial infarction (78) 43
Ljungdahl, L., see Gerhardt, W. (78) 29
Lloyd, J.K., see Roberts, D.C.K. (78) 311
Logghe, G.N., see De Broe, M.E. (81) 237
Loiselle, J.-M., see Bergeron, L. (75) 49
Lomas, F., see Wahlqvist, M.L. (77) 269
Longhi, R.C., see Rassin, D.K. (79) 197
Lonsdale, D., see Harrington, W. (74) 247
Lopez, J.B., Buttery, J.E.
Colorimetric γ-glutamyltransferase assay: Non-inhibition by p-nitroaniline (77) 91
Lorimer, A.R., see Ballantyne, D. (78) 323
Louis, S., see Weinstock, I.M. (80) 415
Lubec, G.
Collagenase activity of rat kidney with glomerulonephritis during the heterologous phase (76) 89
Ludbrook, J., see Ashman, L.K. (74) 77
Lundberg, P.A., see Blomqvist, N. (79) 457
Lundqvist, G., Wide, L.
Serum gastrin determination with a radioimmunosorbent technique (79) 357
Lupien, P.-J., see Moorjani, S. (77) 21
Lyngbye, J., see Ingemann Hansen, S. (75) 321

M

Ma, L., see Ho, W.K.K. (75) 415
Maas, A.H.J., see Drost, R.H. (79) 557
Maas, A.H.J., see van Stekelenburg, G.J. (76) 161
McAllister, E.J., see Simpson, E. (77) 415
McCafferty, L.R., see Chambers, J.P. (80) 67
McCullars, G.M., O'Reilly, S., Brennan, M.
Pigment binding of copper in human bile (74) 33
McFarlane, H., see Olusi, S.O. (74) 261
McLaren, J., Ng, W.G.
Assay of ornithine carbamoyltransferase activity in human liver using carbon-labelled ornithine and thin-layer chromatography (81) 193
McLeod, K., see Watson, M.J. (79) 511
McQuaid, M.P., see Bastomsky, C.H. (75) 475
Maeda, M., see Otsuki, M. (77) 349
Maeda, M., see Otsuki, M. (79) 1
Maeda, H., see Sugiura, M. (81) 125
Mäenpää, P.H., see Lehtiö, H. (80) 181
Maes, R.A.A., see Drost, R.H. (79) 557
Maggio, D.C., see Weyler, W. (76) 321
Magrini, G., see Méan, F. (80) 171
Magrino, H.J., see Lemberg, A. (80) 385
Majkić, N., Berkeš, I.
Determination of free and esterified cholesterol by a kinetic method. I. The introduction of enzymatic method with 2,2′-azino-di-3-[ethylbenzthiazolin sulfonic acid (6)] (ABTS) (80) 121
Malmendier, C.L., Amerijckx, J.P., van den Bergen, C.J.
Metabolism of lipoproteins in human chylous ascites. Kinetic and static studies of lipids and apoproteins (77) 227
Mandel, P., see Farooqui, A.A. (74) 93
Mander, A.M., see Teasdale, C. (78) 135
Manderson, W.G., see Ballantyne, D. (78) 323
Mantel, P.A., see Holtkamp, H.C. (76) 125
Marie, J., Vives-Corrons, J.L., Kahn, A., Kernemp, B.
Hereditary erythrocyte pyruvate kinase deficiency: Molecular and functional studies of four mutant PK variants detected in Spain (81) 153
Marie, J., see Kahn, A. (75) 71
Markslag, A.M.C., see Olthuis, F.M.F.G. (75) 123
Marques de Assis, L., see Bartolini, P. (79) 223
Marshall, D.H., see Robertson, W.G. (80) 347
Marshall, J.J., Iodice, A.P., Whelan, W.J.
A new serum α-amylase assay of high sensitivity (76) 277
Marshall, V.R., see Ashman, L.K. (74) 77
Martellotta, G., see Francavilla, A. (75) 351
Maruhn, D., Strozyk, K., Gielow, L., Bock, K.D.
Diurnal variations of urinary enzyme excretion (75) 427
Masdeu, S., see Rubiés-Prat, J. (75) 117
Mashige, F., see Osuga, T. (75) 81
Massart, D.L., see Vandeputte, M. (75) 205
Matasović, A., see Niederwieser, A. (76) 345
Matsuda, I., Yamamoto, J., Nagata, N., Ninomiya, N., Akaboshi, I., Ohtsuka, H., Katsuki, T.
Lysosomal enzyme activities in cultured lymphoid cell lines (80) 483
Matsumura, T., see Sato, N. (80) 243
Matsuo, B., see Takahashi, K. (75) 435
Matsuo, I., see Kizaki, H. (75) 1
Matsuoka, S., see Yagi, K. (80) 355
Mattar, E., see Pinto, H. (76) 25
Mattiasson, B., see Danielsson, B. (81) 163
Méan, F., Pellaton, M., Magrini, G.
Study on the binding of dihydrotestosterone, testosterone and oestradiol with sex hormone binding globulin (80) 171
Meijers, C.A.M., see Jansen, A.P. (74) 191
Melancon, S.B., see Potier, M. (76) 309
Melchior, J.C., see Rastogi, S.C. (78) 55
Melin, B., see Alcindor, L.G. (81) 177
Menezo, J.L., see Aznar, J. (80) 573
Menichelli, A., see Del Principe, D. (75) 325
Meredith, P.A., see Moore, M.R. (75) 167
Metcalf, M.G.
Analysis of pregnanediol in urine: Trental interference (76) 285
Meyer, C.J., see Davis, C.M. (78) 71
Miale, T.D., see Rennert, O.M. (75) 365
Michielin, E., see Moret, V. (77) 359
Miettinen, T.A., Tarpila, S.
Effect of pectin on serum cholesterol, fecal bile acids and biliary lipids in normolipidemic and hyperlipidemic individuals (79) 471

Mihas, A.A., Spenney, J.G., Hirschowitz, B.I., Gibson, R.G.
A critical evaluation of a procedure for measurement of serum bile acids by radioimmunoassay (76) 389
Miki, F., see Tsuboyama, A. (80) 237
Miki, K., Oda, T., Suzuki, H., Iino, S., Niwa, H.
Alkaline phosphatase isoenzyme in intestinal metaplasia of the stomach (76) 79
Miki, K., Suzuki, H., Iino, S., Oda, T., Hirano, K., Sugiura, M.
Human fetal intestinal alkaline phosphatase (79) 21
Millar, J.A.
Antibody/label binding curve in radioimmunoassay (76) 403
Minakami, S., see Nakagawara, A. (74) 173
Minamisono, T., see Wada, M. (78) 295
Minato, S.
A stable solution of γ-glutamyl-p-nitroanilide for the assay of γ-glutamyltransferase activity (78) 503
Mise, J., see Wada, M. (78) 295
Mishkel, M.A., Crowther, S.M.
Hypothyroidism, an important cause of reversible hyperlipidemia (74) 139
Mitamura, K., see Osuga, T. (75) 81
Miyai, K., see Ichihara, K. (79) 331
Miyai, K., see Ichihara, K. (80) 37
Miyatake, T., see Tsuboyama, A. (80) 237
Miyawaki, T., see Koizumi, S. (77) 301
Mizuno, Y.
Simple gas chromatographic analysis of plasma dopa and dopamine (74) 11
Moes, M., see Staal, G.E.J. (76) 155
Mohanram, M., see Prabhavathi, P. (79) 591
Mohyuddin, F., see Rozen, R. (77) 379
Mol, Ch.R., see Van den Berg, J.H.M. (78) 165
Mol, M.J., see Brombacher, P.J. (75) 443
Momoi, T., Sudo, M., Tanioka, K.-I., Kushida, H.
Simplified assay method of α-L-iduronidase activity in leukocytes for detection of Hurler syndrome and its carriers (81) 311
Monaldi, B., see Rufini, S. (79) 615
Mondrup, M., see Anker, N. (79) 341
Monthony, J.F., see Burgett, M.W. (78) 277
Moody, G.J., see Bray, P.T. (77) 69
Moody, G.J., see Bray, P.T. (80) 333
Moolenaar, A.J., Niewint, J.W.M., Oei, I.T.
Estimation of o,p'-DDD in plasma by gas-liquid chromatography (76) 213
Moore, C.F., see Snider, R.H. (76) 1
Moore, M.R., Meredith, P.A.
The storage of samples for blood and water lead analysis (75) 167
Moorhead, J.F., see Cramp, D.G. (76) 233
Moorhead, J.F., see Cramp, D.G. (76) 237
Moorjani, S., Lupien, P.-J., Awad, J.
Extracorporeal removal of plasma lipoproteins by affinity binding to heparin-agarose (77) 21
Mora, F., Quesada, T., Pena, J., Osorio, C., Shaw, S.G.
An immunological study of nine proteins in CSF and serum of a group of epileptic patients (80) 55
Morelli, T.A., Begley, J.A., Hall, C.A.
A radioimmunoassay for the R-type binders of cobalamin (77) 365
Moret, V., Michielin, E., Falezza, G.C., De Sandre, G.
Endogenous phosphorylation of membrane proteins in normal and in hereditary spherocytosis erythrocytes (77) 359
Morgan, H.G., see Ballantyne, D. (78) 323
Morgan, L.R., see Posey, L.E. (74) 7
Mori, Y., see Ito, A. (78) 267
Morris, B.J.
Mechanisms of interference by chelating agents and sucrose in radioimmunoassay of angiotensin I (75) 503
Morris, P.M., see Olusi, S.O. (74) 261
Mosbach, K., see Danielsson, B. (81) 163
Moss, D.W., see Ratnaike, S. (74) 281
Moss, D.W., see Warren, R.J. (77) 179
Moss, D.W., see Whitaker, K.B. (80) 209
Motokawa, Y., Kikuchi, G., Narisawa, K., Arakawa, Ts.
Reduced level of glycine cleavage system in the liver of hyperglycinemia patients (79) 173
Moulin, M.A., Kinsun, H.
A gas-liquid chromatographic method for the quantitative determination of quinidine in blood (75) 491
Mourão, P.A.S., see Cohen, D.M. (80) 555
Muijers, P.H.J., see Brombacher, P.J. (75) 443
Müller, H.A.G., Sinn, M.
Ein Beitrag zum dünnschichtchromatographischen Nachweis von Zuckern (Thin-layer chromatography of sugars) (78) 17
Müller, P., Baggio, G., Barth, H.O., Wieland, H., Anari, M., Seidel, D.
Isolation and characterization of lipoprotein-X from the pig (80) 487
Mullock, B.M., Issa, F.S., Hinton, R.H.
Bile 5'-nucleotidase in the serum of jaundiced rats (79) 129
Mullock, B.M., see Hinton, R.H. (78) 159

Murai, K., see Yamanaka, M. (78) 191
Murata, K., Horiuchi, Y.
Molecular weight-dependent distribution of acidic glycosaminoglycans in human plasma (75) 59
Murray, S., Jones, D.H., Davies, D.S., Dollery, C.T., Reid, J.L.
Free and total 3-methoxy-4-hydroxyphenylethylene glycol in human cerebrospinal fluid: Relationship to blood pressure in hypertensives and patients with neuropsychiatric disease (79) 63
Musil, J., see Chromý, V. (80) 327

N

Nabi, B.Z.F., see Nakagawara, A. (74) 173
Nadler, H.L., see Shapira, E. (78) 359
Naganeo, K., see Ito, A. (78) 267
Nagasaki, T., Akanuma, Y.
A new colorimetric method for the determination of plasma lecithin-cholesterol acyltransferase activity (75) 371
Nagasaki, T., see Takayama, M. (79) 93
Nagata, N., see Matsuda, I. (80) 483
Nagatsu, I., see Fujita, K. (81) 215
Nagatsu, I., see Nagatsu, T. (75) 221
Nagatsu, T., Kato, T., Numata(Sudo), Y., Ikuta, K., Sano, M., Nagatsu, I., Kondo, Y., Inagaki, S., Iizuka, R., Hori, A., Narabayashi, H.
Phenylethanolamine N-methyltransferase and other enzymes of catecholamine metabolism in human brain (75) 221
Nagatsu, T., see Fujita, K. (81) 215
Nagatsu, T., see Fuyamada, H. (74) 177
Nagatsu, T., see Hayakawa, T. (75) 137
Naghizadeh, F.
Oxidation of α-hydroxybutyrate by human serum (81) 277
Naito, H.K., see Wada, M. (78) 295
Nakagawa, S., Kumin, S., Nitowsky, H.M.
Human hexosaminidase isozymes: Chromatographic separation as an aid to heterozygote identification (75) 181
Nakagawa, Y., see Takeuchi, T. (77) 203
Nakagawara, A., Nabi, B.Z.F., Minakami, S.
An improved procedure for the diagnosis of chronic granulomatous disease, using concanavalin A and cytochalasin E (74) 173
Nakajima, N., see Okabe, H. (80) 87
Nakamura, H., Lee, Y.
Microdetermination of unbound bilirubin in icteric newborn sera: An enzymatic method employing peroxidase and glucose oxidase (79) 411
Nakano, H., Nomoto, S., Ohnishi, S., Ito, K.
Serum levels of proline imino-peptidase in normal adults and children (81) 257
Nakano, N., see Kameno, Y. (77) 245
Nakanuma, Y., see Koizumi, S. (77) 301
Nakaoka, H., see Wada, M. (78) 295
Nakashima, H., see Koizumi, S. (77) 301
Narabayashi, H., see Nagatsu, T. (75) 221
Narisawa, K., see Motokawa, Y. (79) 173
Neal, J.L., see Westler, B. (78) 151
Nelson, P.V., Carey, W.F., Pollard, A.C.
A micro-radiochemical assay for alpha-1,4-glucosidase and its use in the assessment of type II glycogenosis (Pompe's disease) (77) 337
Nerenberg, S., Prasad, R., Biskup, N., Pedersen (De Marco), L.
Insoluble human plasma protein immunoadsorbents. Large-scale production and storage (74) 237
Neufeld, E.F., see Di Natale, P. (77) 211
Neumann, H., see Stakenburg, J. (80) 141
Neumeier, D., Hofstetter, R., Glück, B.
Radioimmunoassay for subunit B in isoenzymes CK-MB and CK-BB of creatine phosphokinase (79) 107
Newcombe, R.G., see Teasdale, C. (78) 135
Ng, W.G., Donnell, G.N., Bergren, W.R., Alfi, O., Golbus, M.S.
Prenatal diagnosis of galactosemia (74) 227
Ng, W.G., see McLaren, J. (81) 193
Ng, Y.H., see Ho, W.K.K. (75) 415
Nguyen-Hoang-Nam, see Scherrmann, J.M. (79) 401
Nicholson, D.C., see Gray, C.H. (77) 167
Niclause, M., see André, J.C. (76) 55
Niederwieser, A., Matasović, A., Tippett, P., Danks, D.M.
A new sulfur amino acid, named hawkinsin, identified in a baby with transient tyrosinemia and her mother (76) 345
Niewint, J.W.M., see Moolenaar, A.J. (76) 213
Nijs, M., see Hawkins, E.P. (75) 303
Ninomiya, N., see Matsuda, I. (80) 483
Nipper, H.C., see Koch, T.R. (78) 315
Nishimura, K., see Hiwada, K. (74) 203
Nishimura, K., see Hiwada, K. (76) 267
Nishimura, K., see Ueda, E. (80) 447
Nitowsky, H.M., see Nakagawa, S. (75) 181
Niwa, H., see Miki, K. (76) 79
Nobbs, B.T., Smith, J.M., Walker, A.W.
Enzymic determination of plasma cholesterol on discrete automatic analysers (79) 391
Nogle, G.J., see Rechnitz, G.A. (76) 295
Nolph, K.D., see Brown, P. (76) 103
Noma, A., see Okabe, H. (80) 87
Nomoto, S., see Nakano, H. (81) 257
Northam, B.E., see Spencer, K. (77) 189
Ntokalou, M., see Hüfner, M. (78) 251
Numata(Sudo), Y., see Nagatsu, T. (75) 221
Nyhan, W.L., see Weyler, W. (76) 321

O

Oda, T., see Miki, K. (76) 79
Oda, T., see Miki, K. (79) 21
Oei, I.T., see Moolenaar, A.J. (76) 213
Oei, T.L., see de Bruyn, C.H.M.M. (78) 145
Oei, T.T., see Westenberg, H.G.M. (79) 155
Ogawa, K., see Fuyamada, H. (74) 177
Ogawa, M., see Takeuchi, T. (77) 203
Ogino, T., Osuka, T., Yokoi, S.
Atypical GM_1 ganglioside accumulation in a case of juvenile amaurotic idiocy (78) 9
Ogura, Y., see Tsuboyama, A. (80) 237
Oh, J.Y., see Dawson, G. (75) 149
Ohishi, N., see Yagi, K. (80) 355
Ohkawa, H., see Yagi, K. (80) 355
Ohnishi, S., see Nakano, H. (81) 257
Ohta, G., see Koizumi, S. (77) 301
Ohtsuka, H., see Matsuda, I. (80) 483
Oikarinen, A., see Anttinen, H. (76) 95
Oikawa, T., see Sugiura, M. (81) 125
Okabe, H., Sagesaka, K., Nakajima, N., Noma, A.
New enzymatic assay of cholinesterase activity (80) 87
Okano, K., see Otsuki, M. (77) 349
Okano, K., see Otsuki, M. (79) 1
Olsson, R., see Jagenburg, R. (78) 453
Olthuis, F.M.F.G., Markslag, A.M.C., Klein Elhorst, J.T., Krugers Dagneaux, P.G.L.C.
Urinary oxalate estimation (75) 123
Olthuis, H.P., see Wevers, R.A. (75) 377
Olusi, S.O., Orrell, D.H., Morris, P.M., McFarlane, H.
A study of endocrine function in protein-energy malnutrition (74) 261
Omae, T., see Yamanaka, M. (78) 191
Onitiri, A.C., Lewis, B.
Measurement of the apoproteins of human serum lipoproteins by rocket immunoelectrophoresis (79) 39
Onitiri, A.C., Sander, M., Boyo, A.E.
Serum lipids and lipoproteins in healthy Africans (81) 57
Ono, E., see Soyama, K. (77) 61
Ono, E., see Soyama, K. (78) 473
O'Reilly, S., see McCullars, G.M. (74) 33
Orekhovich, V.N., see Yarovaya, G.A. (78) 85
Orrell, D.H., see Olusi, S.O. (74) 261
Osang, M., see Shin-Buehring, Y.S. (74) 1
Osorio, C., see Mora, F. (80) 55
Osuga, T., Mitamura, K., Mashige, F., Imai, K.
Evaluation of fluorimetrically estimated serum bile acid in liver disease (75) 81
Osuka, T., see Ogino, T. (78) 9
Otsuki, M., Maeda, M., Yuu, H., Yamasaki, T., Okano, K., Saeki, S., Sakamoto, C., Baba, S.
The nature and origin of hyperamylasemia following open-heart surgery with extracorporeal circulation (77) 349
Otsuki, M., Yuu, H., Maeda, M., Yamasaki, T., Okano, K., Sakamoto, C., Baba, S.
Relation of electrophoretic pattern of amylase isoenzymes to severity of pancreatic disease (79) 1
Owen, J.S., Billimoria, J.D.
Hypocholesterolaemia in the rat after p-chlorophenoxyisobutyric acid (CPIB) administration as a synthetic triglyceride, 1,3-dipalmitoyl 2(p-chlorophenoxyisobutyroyl)-rac-glycerol (79) 349
Oya, N., see Soyama, K. (78) 473

P

Packard, C.J., see Ballantyne, F.C. (75) 487
Page, M., see Bergeron, L. (75) 49
Pajdak, W., Sznajd, J.
A single-step isolation of α_1-antitrypsin from human serum using double-layer polyacrylamide gel electrophoresis (77) 98
Palmieri, M., see Scardigli, K. (75) 13
Palmskog, G., see Beck, O. (79) 149
Palo, J., Servo, C., Pitkänen, E., Tammisto, P.
Increased urinary excretion of glycerol: Metabolic studies on a patient (80) 391
Pansini, F., see Francavilla, A. (75) 351
Park, B.K., see Kerr, E.J. (77) 77
Paschke, E., see Schmidt, R. (80) 7
Patrick, A.D., see Hirani, S. (81) 135
Patterson, S.W., see Latner, A.L. (81) 99
Patton, R., see Kaman, R.L. (81) 145
Paxton, J.W., Rowell, F.J.
A rapid, sensitive and specific radioimmunoassay for methotrexate (80) 563
Paxton, J.W., Rowell, F.J., Ratcliffe, J.G.
The evaluation of a radioimmunoassay for diphenylhydantoin using an iodinated tracer (79) 81
Pedersen (De Marco), L., see Nerenberg, S. (74) 237
Peeters, T.L., Vantrappen, G.R.
Factors influencing lysozyme determinations by the lysoplate method (74) 217
Pellaton, M., see Méan, F. (80) 171
Pena, J., see Mora, F. (80) 55
Pentchev, P.G., see Gal, A.E. (77) 53
Percy-Robb, I.W., see Telfer Brunton, W.A. (75) 359
Perey, M., see Baumann, P. (76) 223
Peterson, C.M., see Blackburn, P. (80) 503
Petersson, B.G., see Danielsson, B. (80) 157
Pfeiffer, E.F., see Schlegel, W. (80) 305
Philipi, G., see Kahn, M.J.P. (80) 513
Pierides, A.M., Skillen, A.W.
Serum γ-glutamyltransferase activity in chronic renal failure during regular haemodialysis and after successful renal transplantation (77) 83
Pierides, A.M., see Cook, D.B. (76) 251
Pierides, A.M., see Skillen, A.W. (80) 339
Pieroni, R.R., see Bartolini, P. (79) 223
Pieroni, R.R., see Pinto, H. (76) 25
Pilz, H., see Heipertz, R. (77) 307
Pinto, H., Lerário, A.C., Torres de Toledo e Souza, I., Wajchenberg, B.L., Mattar, E., Pieroni, R.R.
Preparation of high-quality iodine-125-labelled pituitary human follicle-stimulating hormone (hFSH) for radioimmunoassay: Comparison of enzymatic and chloramine-T iodination (76) 25
Piot, M.C., see Alcindor, L.G. (81) 177
Pitkänen, E.
The conversion of D-xylose into D-threitol in patients without liver disease and in patients with portal liver cirrhosis (80) 49
Pitkänen, E., see Palo, J. (80) 391
Pjura, W.J., see Bienzle, U. (76) 183
Plomp, Th.A., see Drost, R.H. (79) 557
Pointis, J., see Engler, R. (77) 159
Pollard, A.C., see Fellenberg, A.J. (81) 203
Pollard, A.C., see Nelson, P.V. (77) 337
Polonovski, J., see Trugnan, G. (79) 583
Ponthieu, A., see Fruchart, J.C. (79) 549
Poortman, J., see Rademaker, B. (76) 158
Porchet, N., see Fruchart, J.C. (79) 549
Posey, L.E., Morgan, L.R.
Urine enzyme activities in patients with transitional cell carcinoma of the bladder (74) 7
Potier, M., Boire, G., Dallaire, L., Melancon, S.B.
N-Acetyl-beta-hexosaminidase isoenzymes of amniotic fluid and maternal serum. Their relevance to prenatal diagnosis of the G_{M2} gangliosidoses (76) 309
Prabhavathi, P., Mohanram, M., Reddy, V.
Ribonuclease activity in plasma and leucocytes of malnourished children (79) 591
Prader, A., see Zachmann, M. (77) 147
Prasad, R., see Nerenberg, S. (74) 237
Puah, C.M., see Kjeld, J.M. (80) 271
Puah, C.M., see Kjeld, J.M. (80) 285
Puech, F., see Fruchart, J.C. (79) 549
Puite, R.H., see Campbell, J.C.W. (79) 379

Q

Quek, E.S.C., Buttery, J.E.
Effects of some variations in the orthotoluidine procedure for glucose estimation (75) 497

Quesada, T., see Mora, F. (80) 55
Quist, E.E., see Applegarth, D.A. (74) 183

R

Raam, S., Lewis, G.P., Cohan, J.L.
Immunological characteristics of a peroxidase protein in human neonatal cord serum (79) 533
Raaymakers, C.E., see de Wael, J. (79) 465
Rabin, E.Z., Weinberger, V., Tattrie, B.
Ribonuclease activity in human serum, cerebrospinal fluid, and urine (78) 235
Rabkin, S.W., see Leroux, M. (80) 253
Rademaker, B., Poortman, J., Thijssen, J.H.H.
Interference of the Zimmerman-reaction by organic solvents (76) 158
Raghavan, S., Gajewski, A., Kolodny, E.H.
G_{M1}-ganglioside beta-galactosidase in leukocytes and cultured fibroblasts (81) 47
Ramsdell, H.S., Tanaka, K.
Gas chromatographic studies of twenty metabolically important acylglycines (74) 109
Raptis, S., see Schlegel, W. (80) 305
Ras, M.R., see Rubiés-Prat, J. (75) 117
Rasmussen, K., see Gregersen, N. (78) 173
Rassin, D.K., Longhi, R.C., Sternowsky, H.J., Sturman, J.A., Gaull, G.E.
Homocysteine and cysteine loads in patients with homocystinuria due to cystathionine synthase deficiency: Effects of Vitamin B-6 (79) 197
Rastogi, S.C., Clausen, J., Melchior, J.C., Dyggve, H.V.
The Dyggve-Melchior-Clausen syndrome (78) 55
Ratcliffe, J.G., see Paxton, J.W. (79) 81
Ratnaike, S., Moss, D.W.
Apoenzyme of aspartate aminotransferase in serum in health and disease (74) 281
Raven, P., see Kaman, R.L. (81) 145
Raymakers, C., see de Bruyn, C.H.M.M. (78) 145
Rechnitz, G.A., Nogle, G.J., Bellinger, M.R., Lees, H.
Determination of total carbon dioxide in serum and plasma using a carbonate ion-selective membrane electrode (76) 295
Reddy, V., see Prabhavathi, P. (79) 591
Reed, K., see Ayers, G.J. (76) 113
Regårdh, C.-G., see Jagenburg, R. (78) 453
Reid, J.L., see Murray, S. (79) 63
Rembold, H., Buff, K., Hennings, G.
Specificity and binding capacity of human blood serum for tetrahydropterins (76) 329
Rennert, O.M., Lawson, D.L., Shukla, J.B., Miale, T.D.
Cerebrospinal fluid polyamine monitoring in central nervous system leukemia (75) 365
Rerabek, J.E.
Low density lipoproteins and immunoglobulins in human pleural effusions (76) 363
Reutter, W., see Köttgen, E. (80) 221
Revol, A., see Baraton, G. (76) 339
Ricanati, E.S., see Hall, P.W. (77) 37
Richet, C., see Bailleul, V. (74) 115
Richiardi, L., see Angeli, A. (77) 1
Rieder, H.P., Zurfluh, H., Jegge, S.
The activity of γ-glutamyltransferase in the serum of multiple sclerosis and other neurological diseases (79) 211
Rigo, A., see Rotilio, G. (81) 131
Rijksen, G., Schoop, I., Staal, G.E.J.
Properties of human erythrocyte hexokinase related to cell age (80) 193
Riley, K.W.A., see Dale, G. (77) 407
Riska, H., see Friman, C. (76) 357
Ritland, S., Sauar, J., Holme, R., Blomhoff, J.P.
The electrophoretic mobility of lipoprotein-X in postheparin plasma (75) 129
Roberts, D.C.K., Round, J.M., Lloyd, J.K., Fosbrooke, A.S.
Serum lecithin-cholesterol acyltransferase activity in children with familial hyperbetalipoproteinaemia (78) 311
Robertson, W.G., Hodgkinson, A., Marshall, D.H.
Seasonal variations in the composition of urine from normal subjects: A longitudinal study (80) 347
Robertson, W. v.B., see Sandman, R. (80) 471
Rödjer, S., see Jagenburg, R. (78) 453
Roels, F., see De Broe, M.E. (81) 237
Rogiers, V.
The application of an improved gas-liquid chromatographic method for the determination of the long chain non-esterified fatty acid pattern of blood plasma in children (78) 227

Roijers, A.F.M., see Bartels, P.C. (81) 63
Rojanasathit, S., Haddad, Jr., J.G.
Human calcitonin radioimmunoassay: Characterization and application (78) 425
Romon, A., see Laine, A. (79) 541
Romslo, I.
Enhancement of Tb^{3+} fluorescence induced by serum proteins other than apotransferrin (75) 171
Romslo, I., see Andersen, K.-J. (76) 219
Romslo, I., see Christensen, N.G. (81) 229
Ronco, G., Desmet, G., Bezoc, J.F.
Use of magnesium silicate before gas-liquid chromatography for determination of "total estrogens" in urine during pregnancy (81) 119
Rondeau, Y., see Engler, R. (77) 159
Rosa, J., see Rosa, R. (79) 115
Rosa, R., Valentin, C., Rosa, J.
Electrophoretic characterization of pyrimidine 5′-nucleotidase of human erythrocytes and its distinction from acid phosphatase (79) 115
Rosenmund, H., see Blau, N. (75) 213
Rosenmund, H., see Kaczmarek, M.J. (79) 69
Rosenmund, H., see Kaczmarek, M.J. (79) 183
Rossie Fanelli, F., see Capocaccia, L. (75) 99
Rothman, R., see Tomer, K.B. (81) 109
Rotilio, G., Rigo, A., Bracci, R., Bagnoli, F., Sargentini, I., Brunori, M.
Determination of red blood cell superoxide dismutase and glutathione peroxidase in newborns in relation to neonatal hemolysis (81) 131
Roufogalis, D.B., see Applegarth, D.A. (74) 183
Roullet, A., see Dingeon, B. (75) 343
Round, J.M., see Roberts, D.C.K. (78) 311
Roupe, S., see Svanborg, A. (79) 299
Roussel, P., see Lamblin, G. (79) 425
Rowell, F.J., see Paxton, J.W. (79) 81
Rowell, F.J., see Paxton, J.W. (80) 563
Rozen, R., Buhl, S., Mohyuddin, F., Caillibot, V., Scriver, C.R.
Evaluation of metabolic pathway activity in cultured skin fibroblasts and blood leukocytes (77) 379
Rubiés-Prat, J., Ras, M.R., Frisón, J.C., Masdeu, S., Bacardí, R.
The clearance of lipoprotein X in vitro, and effect of phospholipase A on serum lipoprotein X(75) 117
Rufini, S., Monaldi, B., Ghebregzabher, M., Castellucci, G., Lato, M.
Determination of unbound bilirubin in cutaneous capillary blood (79) 615
Rupniewska, Z., see Tomaszewski, J. (75) 331
Rushton, A.R., Dawson, G.
The effect of glycosaminoglycans on the in vitro activity of human skin fibroblast glycosphingolipid β-galactosidases and neuraminidases (80) 133

S

Saeki, S., see Otsuki, M. (77) 349
Sagesaka, K., see Okabe, H. (80) 87
Sakai, H., see Yagi, K. (80) 355
Sakai, T., see Yoshida, A. (77) 95
Sakakibara, S., see Fujita, K. (81) 215
Sakakibara, S., see Fuyamada, H. (74) 177
Sakamoto, C., see Otsuki, M. (77) 349
Sakamoto, C., see Otsuki, M. (79) 1
Sakurada, T., see Kizaki, H. (75) 1
Salavec, M., see Hrnčíř, Z. (81) 287
Salvati, A.M., Samoggia, P., Taggi, F., Tentori, L.
Hemoglobinometry: A comparison between the hemiglobincyanide method and the Coulter S Counter (77) 13
Sammoggia, P., see Salvati, A.M. (77) 13
Sampson, D.C., see Wood, M.H. (77) 343
Samwel-Mantingh, M., see Van Munster, P.J.J. (76) 377
Sander, M., see Onitiri, A.C. (81) 57
Sandhoff, K., see Christomanou, H. (79) 527
Sandman, R., Yatsiv, S., Robertson, W. v.B., Erickson, R.P.
A new variant mucolipidosis: Biochemical investigations on two siblings (80) 471
Sano, M., see Nagatsu, T. (75) 221
Sansone, F., see Francavilla, A. (75) 351
Santos, M.T., see Aznar, J. (80) 573
Sargentini, I., see Rotilio, G. (81) 131
Sasaki, M., see Sugiura, M. (78) 381
Sato, C.S., Gyorkey, F.
Bidimensional electrophoresis in the diagnosis of mucopolysaccharidosis (78) 365
Sato, J., see Ueda, M. (80) 105
Sato, N., Kamada, T., Abe, H., Suematsu, T., Kawano, S., Hayashi, N., Matsumura, T., Hagihara, B.
Simultaneous measurement of mitochondrial and microsomal cytochrome levels in human liver biopsy (80) 243
Sato, S., see Hao, K. (79) 75
Sauar, J., see Ritland, S. (75) 129
Savy, V., Berthillier, G., Got, R.
Activité glycogène-synthase dans la maladie parodontale (Glycogen synthase activity in parodontal disease) (79) 317
Sawaki, S., see Sugiura, M. (78) 381
Scardigli, K., Koldovsky, O., Palmieri, M., Segal, S., States, B.
Activities of acid hydrolases in fibroblasts from normal and cystinotic children (75) 13
Schachner, A., see Vladutiu, A.O. (75) 467
Schaller, K.H., see Gossler, K. (78) 91
Schandevijl, W., see Kahn, M.J.P. (80) 513
Schapira, F., Gregori, C., Hatzfeld, A.
Isoelectrofocusing of aldolase B from normal human livers and from livers with hereditary fructose intolerance (78) 1
Schaub, J., see Shin-Buehring, Y.S. (74) 1
Scherrmann, J.M., Hoellinger, H., Nguyen-Hoang-Nam, Bourdon, R., Fournier, E.
Methodology for the detection and quantitation of Δ^9-tetrahydrocannabinol in plasma by dansylation and double labelling (79) 401
Schimert, G., see Vladutiu, A.O. (75) 467
Schlag, B., see Winkler, L. (76) 187
Schlegel, W., Raptis, S., Grube, D., Pfeiffer, E.F.
Estimation of cholecystokininpancreozymin (CCK) in human plasma and tissue by a specific radioimmunoassay and the immunohistochemical identification of pancreozymin producing cells in the duodenum of humans (8) 305
Schlesinger, P., see Watson, B.M. (78) 417
Schmid, R.D.
Propionic acid and dipropylacetic acid in the urine of patients treated with dipropylacetic acid (74) 39
Schmid, R.-D., see Sitzmann, F.C. (75) 313
Schmidt, R., von Figura, K., Paschke, E., Kresse, H.
Sanfilippo's disease type A: Sulfamidase activity in peripheral leukocytes of normal, heterozygous and homozygous individuals (80) 7
Schneider, E.L., see Gal, A.E. (77) 53
Schöneshöfer, M.
Computer program for evaluation, physicochemical characterization and optimization of competitive protein binding assays: Comparison of four curve-fitting models in peptide and steroid radioimmunoassays (77) 101
Schoop, I., see Rijksen, G. (80) 193
Schutgens, R.B.H., Tjoe Awie, C., Beemer, F.A., Berntssen, W.J.M.
Rapid enzyme micromethod for the quantitative determination of L(+)-alanine in blood and urine (80) 1
Schuurman, H.J., Hagenaars, A.M., Zegers, B.J.M.

Cord serum levels of IgM, IgA and alpha-fetoprotein and their interrelationships (79) 363
Schuurs, A.H.W.M., van Weemen, B.K.
Enzyme-immunoassay (Review) (81) 1
Schwarz, I., see Bartolini, P. (79) 223
Scriver, C.R., see Rozen, R. (77) 379
Scully, M.F., Kakkar, V.V.
Methods for semi micro or automated determination of thrombin, antithrombin and heparin cofactor using the substrate, H-D-Phe-Pip-Arg-p-nitroanilide·2HCl (79) 595
Seager, J.
Haemopexin, caeruloplasmin and C_3: Effect of diphenylhydantoin (79) 603
Segal, S., see Scardigli, K. (75) 13
Segal, S., see Tomer, K.B. (81) 109
Seidel, D., see Müller, P. (80) 487
Sengers, R.C.A., see Trijbels, J.M.F. (79) 371
Servo, C., see Palo, J. (80) 391
Sézille, G., see Fruchart, J.C. (79) 549
Shaefer, P., see Vladutiu, A.O. (75) 467
Shakespeare, P.G., see Coombes, E.J. (79) 271
Shannan, G., see Cook, D.B. (76) 251
Shapira, E., Ben-Yoseph, Y., Nadler, H.L.
Abnormal breakdown of α_2-macroglobulin-trypsin complex in cystic fibrosis (78) 359
Shaw, E., see Barbhaiya, R.H. (77) 373
Shaw, S.G., see Mora, F. (80) 55
Shaw, W., Smith, J., Spierto, F.W., Agnese, S.T.
Linearization of data for saturation-type competitive protein binding assay and radioimmunoassay (76) 15
Shimada, N., see Soyama, K. (77) 61
Shimada, N., see Soyama, K. (78) 473
Shin-Buehring, Y.S., Osang, M., Ziegler, R., Schaub, J.
A simple assay for galactokinase using DEAE-cellulose column chromatography (74) 1
Shukla, J.B., see Rennert, O.M. (75) 365
Shutta, K., see Takahashi, K. (75) 435
Shyong, J.C., see Ladenson, J.H. (75) 293
Siegel, J.H., see Vladutiu, A.O. (75) 467
Siegenbeek van Heukelom, L.H., Akkerman, J.W.N., Staal, G.E.J., de Bruyn, C.H.M.M., Stoop, J.W., Zegers, B.J.M., de Bree, P.K., Wadman, S.K.
A patient with purine nucleoside phosphorylase deficiency: Enzymological and metabolic aspects (74) 271
Siest, G., see Houpert, Y. (81) 283
Siest, G., see Lahrichi, M. (79) 479
Silberring, J., Dubin, A.
Enzymatic iodination of human growth hormone by myeloperoxidase in the solid state (79) 609
Silk, D.B.A., see Lai, J.C.K. (78) 305
Silva, H.B., see Leme, C.E. (77) 287
Silva, O.L., see Snider, R.H. (76) 1
Silvers, A., see Krauss, R.M. (80) 465
Silverstein, E., Friedland, J.
Elevated serum and spleen angiotensin converting enzyme and serum lysozyme in Gaucher's disease (74) 21
Simons, L.A., see Goren, R. (74) 289
Simpson, E.
A method for visual assessment of the performance of components in a continuous flow system (77) 207
Simpson, E., McAllister, E.J., Hainsworth, I.R.
The quality control of alkaline phosphatase determinations with human placental phosphatase (77) 415
Šimša, J., see Hrnčíř, Z. (81) 287
Sinn, M., see Müller, H.A.G. (78) 17
Sitzmann, F.C., Schmid, R.-D., Kaloud, H.
Excretion of galactitol in the urine of heterozygotes of both forms of galactosemia (75) 313
Sivakumar, B.
Evaluation of a microspectrofluorimetric method for serum vitamin A (79) 189
Sjöblad, S., see Hultberg, B. (80) 79
Sjöström, L.
Comments on adipocyte sizing (74) 89
Skålhegg, B.A., see Bruusgaard, A. (77) 387
Skillen, A.W., Handa, T.
Estimation of L-alanine in serum or plasma using the LKB reaction rate analyser (77) 431
Skillen, A.W., Pierides, A.M.
Serum alkaline phosphatase isoenzyme patterns in patients with chronic renal failure (80) 339
Skillen, A.W., see Pierides, A.M. (77) 83
Skinner, R.K., Wills, M.R.
Serum 25-hydroxyvitamin D assay. Evaluation of chromatographic and non-chromatographic procedures (80) 543
Slater, J.D.H., see Jowett, T.P. (80) 435
Smit, S., see De Goeij, A.F.P.M. (74) 27
Smith, D.P., Wilde, C.E.
Separation of solid phase suspension by gravity in a continuous flow system (78) 351
Smith, I., Thomson, W.H.S.
Carrier detection in X-linked recessive

(Duchenne) muscular dystrophy: Pyruvate kinase isoenzymes and creatine phosphokinase in serum and blood cells (78) 439
Smith, J., see Shaw, W. (76) 15
Smith, J.M., see Nobbs, B.T. (79) 391
Smith, R.L.
A lipoprotein nomogram (79) 281
Smith, S.J., Bos, G., Esseveld, M.R., van Eijk, H.G., Gerbrandy, J.
Acute-phase proteins from the liver and enzymes from myocardial infarction: A quantitative relationship (81) 75
Snider, R.H., Silva, O.L., Moore, C.F., Becker, K.L.
Immunochemical heterogeneity of calcitonin in man: Effect on radioimmunuassay (76) 1
Solère, M., see Ho-Ngoc-Chau (75) 41
Soons, J.B.J., see Wevers, R.A. (75) 377
Soons, J.B.J., see Wevers, R.A. (78) 271
Sørensen, H., see Bruusgaard, A. (77) 387
Sorni, G., see Aznar, J. (80) 573
Soyama, K., Ono, E., Shimada, N., Tanaka, K., Kusunoki, T.
Urinary α-glucosidase analysis for the detection of the adult form of Pompe's disease (77) 61
Soyama, K., Ono, E., Shimada, N., Tanaka, K., Oya, N., Kusunoki, T.
Properties of the alpha-glucosidase from various human tissues in relation to glycogenosis type II (Pompe's disease) (78) 473
Spanos, V., see Kalofoutis, A. (74) 85
Spencer, K., Dixon, K., Northam, B.E.
The "o" phase in continuous flow analysis (77) 189
Spencer, R., see Whittaker, M. (75) 421
Spenney, J.G., see Mihas, A.A. (76) 389
Spiegel, D.A., see Hokin-Neaverson, M. (76) 399
Spierto, F.W., see Shaw, W. (76) 15
Spooner, R.J., see Goldberg, D.M. (76) 371
Sprengers, E.D., van Berkel, T.J.C., Koster, J.F., Staal, G.E.J.
Influence of the redox state of glutathione upon pyruvate kinase in the intact erythrocyte (80) 495
Staal, G.E.J., Akkerman, J.W.N., Eggermont, E., van Biervliet, J.P., Vlug, A., Gorter, G., Bartstra, H.
A new variant of glucosephosphate isomerase deficiency: GPI-Kortrijk (78) 121
Staal, G.E.J., van der Heijden, M.C.M., Troost, J., Moes, M., Borst-Eilers, E.
Fucosidosis and Lewis substances (76) 155
Staal, G.E.J., see Rijksen, G. (80) 193
Staal, G.E.J., see Siegenbeek van Heukelom, L.H. (74) 271
Staal, G.E.J., see Sprengers, E.D. (80) 495
Stakenburg, J., Neumann, H.
A rapid and simple fibrinogen determination (80) 141
Stancer, H.C., see Takahashi, S. (81) 183
States, B., see Scardigli, K. (75) 13
Steel, J.M., see Telfer Brunton, W.A. (75) 359
Steen, B., see Svanborg, A. (79) 299
Steine, L., see Clifford, A.J. (74) 255
Sternowsky, H.J., see Rassin, D.K. (79) 197
Stoop, J.W., see Siegenbeek van Heukelom, L.H. (74) 271
Strevens, E.A., see Ballantyne, D. (78) 323
Stromberg, P., Ballantyne, D., Ballantyne, F.C., Third, J.L.H.C., Bedford, D.K.
The composition of low(LDL) and very low (VLDL) density lipoprotein subfractions in type III hyperlipoproteinaemia: Comparison with normal subjects (79) 163
Stromberg, P., see Ballantyne, F.C. (75) 487
Strozyk, K., see Maruhn, D. (75) 427
Struck, H., see Unger, T. (78) 113
Sturman, J.A., see Rassin, D.K. (79) 197
Sudo, K., see Kanno, T. (76) 67
Sudo, M., see Momoi, T. (81) 311
Suelter, C.H., see Campbell, J.C.W. (79) 379
Suematsu, T., Kamada, T., Abe, H., Kikuchi, S., Yagi, K.
Serum lipoperoxide level in patients suffering from liver diseases (79) 267
Suematsu, T., see Sato, N. (80) 243
Sugimura, T., see Hao, K. (79) 75
Sugimura, T., see Takeuchi, T. (77) 203
Sugiura, M., Hirano, K.
A new colorimetric method for determination of serum glucose (75) 387
Sugiura, M., Ito, Y., Hirano, K., Sasaki, M., Sawaki, S.
A new method for peptidase activity measurement in serum and tissues, using L-Leu-L-Leu as substrate (78) 381
Sugiura, M., Oikawa, T., Hirano, K., Maeda, H., Yoshimura, H., Sugiyama, M., Kuratsu, T.
A simple colorimetric method for determination of serum triglycerides with lipoprotein lipase and glycerol dehydrogenase (81) 125
Sugiura, M., see Miki, K. (79) 21
Sugiyama, M., see Sugiura, M. (81) 125
Sundblad, L., see Brohult, J. (76) 205
Sutor, D.J., Wilkie, L.I.
Inorganic phosphorus in human bile (77) 31

Sutor, D.J., Wilkie, L.I.
Calcium in bile and calcium salts in gallstones (79) 119
Sutton, J.L., see Barlow, G.B. (75) 337
Suzuki, H., see Miki, K. (76) 79
Suzuki, H., see Miki, K. (79) 21
Suzuki, K., see Gal, A.E. (77) 53
Suzuki, K., see Tanaka, H. (75) 267
Suzuki, O., Yagi, K.
A fluorometric assay for β-phenylethylamine in human urine (78) 401
Suzuki, Y., Fukuoka, K., Jinn Wey, J., Handa, S.
β-Galactosidase in mucopolysaccharidoses and mucolipidoses. Deficiency of G_{M1} beta-galactosidase in liver and leukocytes (75) 91
Svanborg, A., Bengtsson, C., Lindquist, O., Roupe, S., Steen, B.
Plasma lipid changes in the female in aging and the menopause. Results from three population studies (79) 299
Swade, C., see Wood, K. (80) 299
Sweetman, L., see Weyler, W. (76) 321
Sykes, S., Dennis, P.M.
Electroradioimmunoassay: A sensitive method for the quantitation of alphafetoprotein (79) 309
Sznajd, J., see Pajdak, W. (77) 98

T

Tachiki, K.H., Hendrie, H.C., Kellams, J., Aprison, M.H.
A rapid column chromatographic procedure for the routine measurement of taurine in plasma of normals and depressed patients (75) 455

Taggi, F., see Salvati, A.M. (77) 13

Takahashi, K., Shutta, K., Matsuo, B., Takai, T., Takao, H., Imura, H.
Serum creatine kinase isoenzymes in Duchenne muscular dystrophy (75) 435

Takahashi, S., Godse, D.D., Warsh, J.J., Stancer, H.C.
A gas chromatographic-mass spectrometric (GC-MS) assay for 3-methoxy-4-hydroxyphenethyleneglycol and vanilmandelic acid in human serum (81) 183

Takai, T., see Takahashi, K. (75) 435

Takao, H., see Takahashi, K. (75) 435

Takayama, M., Itoh, S., Nagasaki, T., Tanimizu, I.
A new enzymatic method for determination of serum choline-containing phospholipids (79) 93

Taketa, K., see Ueda, M. (80) 105

Takeuchi, T., Nakagawa, Y., Ogawa, M., Kawachi, T., Sugimura, T.
Immunoreactivities of α-amylase of humans and rats (77) 203

Takeuchi, T., see Hao, K. (79) 75

Takeuchi, Y.K., see Yagi, K. (80) 355

Talbot, J., see Bergeron, L. (75) 49

Tamir, I., see Werbin, B. (76) 35

Tammisto, P., see Palo, J. (80) 391

Tanaka, H., Suzuki, K.
Lactosylceramidase assays for diagnosis of globoid cell leukodystrophy and G_{M1}-gangliosidosis (75) 267

Tanaka, H., see Gal, A.E. (77) 53

Tanaka, H., see Hiwada, K. (74) 203

Tanaka, K., see Ramsdell, H.S. (74) 109

Tanaka, K., see Soyama, K. (77) 61

Tanaka, K., see Soyama, K. (78) 473

Tanimizu, I., see Takayama, M. (79) 93

Tanioka, K.-I., see Momoi, T. (81) 311

Tarallo, P., Houpert, Y., Siest, G.
Influence des contraceptifs oraux sur la concentration des acides aminés granulocytaires chez les femmes supposées saines (Influence of oral contraceptive agents on the concentration of amino acids in leukocytes of supposedly healthy women (81) 283

Tarallo, P., see Lahrichi, M. (79) 479

Tarpila, S., see Miettinen, T.A. (79) 471

Tattrie, B., see Rabin, E.Z. (78) 235

Tax, W.J.M., Veerkamp, J.H.
A simple and sensitive method for estimating the concentration and synthesis of 5-phosphoribosyl 1-pyrophosphate in red blood cells (78) 209

Teasdale, C., Mander, A.M., Fifield, R., Keyser, J.W., Newcombe, R.G., Hughes, L.E.
Serum β_2-microglobulin in controls and cancer patients (78) 135

Telfer Brunton, W.A., Steel, J.M., Percy-Robb, I.W.
An assessment of the Reflectance meter system for measurement of plasma or blood glucose in the clinic or side ward (75) 359

Tenhunen, R., see Lähdevirta, J. (77) 125

Tentori, L., see Salvati, A.M. (77) 13

Terao, M., see Hiwada, K. (76) 267

Terao, M., see Hiwada, K. (79) 569

Ter Welle, H.F., see Fiolet, J.W.T. (80) 23

Teunissen, A.J., see Drost, R.H. (79) 557

Thijssen, J.H.H., see Rademaker, B. (76) 158

Thijssen, J.H.H., see van den Berg, J.H.M. (78) 165

Thill, G., see Weicker, H. (79) 31

Third, J.L.H.C., see Ballantyne, F.C. (75) 487

Third, J.L.H.C., see Stromberg, P. (79) 163

Thomas, J.D.R., see Bray, P.T. (77) 69

Thomas, J.D.R., see Bray, P.T. (80) 333

Thomson, W.H.S., see Smith, I. (78) 439

Thunell, S., see Bivehed, H. (77) 131

Tichý, M., see Hrnčíř, Z. (81) 287

Tickner, T.R., see Cramp, D.G. (76) 233

Tickner, T.R., see Cramp, D.G. (76) 237

Tippett, P., see Gompertz, D. (74) 153

Tippett, P., see Niederwieser, A. (76) 345

Tischendorf, F.W., see Virella, G. (79) 503

Tjoe Awie, C., see Schutgens, R.B.H. (80) 1

Tokunaga, K., see Hirano, M. (81) 215

Tomaszewski, J., Kowalewski, J., Rupniewska, Z., Woźniak, K.
Some properties of monoclonal cryoglobulin M appearing in the course of malignant lymphoma with macroglobulinemia (75) 331

Tomer, K.B., Rothman, R., Yudkoff, M., Segal, S.

Unusual pattern of metabolites in the urine of a child with tyrosinemia: Glyceraldehyde (81) 109
Torres de Toledo e Souza, I., see Pinto, H. (76) 25
Torsvik, H., see Wille, L.E. (77) 423
Toyoda, S., Eto, Y., Aoki, K.
Bile lysosomal enzymes: Characteristics and pathological significance for various hepatobiliary disorders (79) 291
Trainer, T.D., see Wlodarski, F.M. (76) 171
Travis, L.B., see Brouhard, B.H. (75) 287
Trijbels, J.M.F., Sengers, R.C.A., Bakkeren, J.A.J.M., de Kort, A.F.M., Deutman, A.F.
L-Ornithine-ketoacid-transaminase deficiency in cultured fibroblasts of a patient with hyperornithinaemia and gyrate atrophy of the choroid and retina (79) 371
Troost, J., see Staal, G.E.J. (76) 155
Truex, J.H., see Goldberg, J.D. (77) 43
Trugnan, G., Bereziat, G., Graisely, B., Brivet, F., Cloarec, M., Polonovski, L.
Variation des acides gras plaquettaires chez des malades athéroscléreux (Platelets fatty acid variation in patients with atherosclerosis) (79) 583
Tsuboyama, A., Miki, F., Yoshida, M., Ogura, Y., Miyatake, T.
The use of tears for diagnosis of GM_1 gangliosidosis (80) 237
Tsuchiya, Ta., see Yamamoto, T. (81) 287
Tsuchiya, To., see Yamamoto, T. (81) 287
Tsukada, K., see Ueda, E. (80) 447
Turner, G.A., see Latner, A.L. (81) 99
Turner, P., see Barbhaiya, R.H. (77) 373
Turnipseed, S.A., see Wold, J.S. (78) 203
Twining, S.S., Brecher, A.S.
Identification of α_1-acid glycoprotein, α_2-macroglobulin and antithrombin III as components of normal and malignant human tissues (75) 143

U

Ueda, E., Yoshida, N., Nishimura, K., Joh, T., Antoku, S., Tsukada, K., Ganno, S., Kokubu, T.
A semi-automated measurement of urinary catecholamines using high-speed ion-exchange column chromatography (80) 447

Ueda, M., Kobayashi, M., Taketa, K., Sato, J.
Ectopic production of a salivary type amylase by adenocarcinoma cells: Demonstration by a culture technique (80) 105

Unger, T., Struck, H.
Aminosäure-p-nitroanilide spaltende Aktivitäten im Humanserum (Amino acid-p-nitroanilide-splitting activities in human serum) (78) 113

V

Vacca, C.V., see Hall, P.W. (77) 37
Vacca, G.
Creatine kinase MB isoenzymes: A comparison of the electrophoretic method with the selective activating method and the immunological method (75) 175
Vader, H.L., Geuskens, L.M., Vink, C.L.J.
Influence of ions on the antigen-antibody complex formation as measured by radioimmunoassay (80) 361
Vader, H.L., Vink, C.L.J., Geuskens, L.M.
Influence of the pH on the antigen-antibody coupling in angiotensin I radioimmunoassay. Its consequences for the determination of the plasma renin activity (75) 253
Valdiguie, P., see Dirat, M.F. (77) 219
Valentin, C., see Rosa, R. (79) 115
Valles, J., see Aznar, J. (80) 573
Valmikinathan, K., see Yamuna, S. (79) 277
Van Berkel, T.J.C., see Sprengers, E.D. (80) 495
Van Biervliet, J.P., see Staal, G.E.J. (78) 121
Van Biervliet, J.P.G.M., see Duran, M. (74) 297
Van de Camp, R.A.M., see van Stekelenburg, G.J. (76) 161
Van den Berg, J.H.M., Mol, Ch.R., Deelder, R.S., Thijssen, J.H.H.
A quantitative assay of cortisol in human plasma by high performance liquid chromatography using a selective chemically bonded stationary phase (78) 165
Van den Bergen, C.J., see Malmendier, C.L. (77) 227
Van den Broek, W.G.M., see Hoffmann, J.J.M.L. (75) 233
Van den Hoek, A.K., Zail, S.S.
Polyacrylamide gel electrophoresis of human erythrocyte membrane enzymes solubilized with Triton X-100 (79) 7
Van den Hoek, A.K., see Zail, S.S. (79) 15
Vandeputte, M., De Cock, J., Dryon, L., Vercruysse, A., Alexander, F., Massart, D.L.
A contribution to the study of fluoride excretion (75) 205
Van der Heiden, C., Desplanque, J., Bakker, H.D.
Some kinetic properties of liver ornithine carbamoyl transferase (OCT) in a patient with OCT deficiency (80) 519
Van der Heijden, M.C.M., see Staal, G.E.J. (76) 155
Van der Jeught, J., see Veys, E.M. (75) 275
Van der Kleijn, E., see Westenberg, H.G.M. (79) 155
Vanderlinde, R.E., see Buhl, S.N. (80) 265
Van der Linden, I.K., see Bertina, R.M. (77) 275
Van der Plas, P.M., see Brombacher, P.J. (75) 443
Van der Voort, H.A., see Van Gent, C.M. (75) 243
Van Egmond, J., see Veys, E.M. (75) 275
Van Eijk, H.G., see Smith, S.J. (81) 75
Van Gent, C.M., van der Voort, H.A., de Bruyn, A.M., Klein, F.
Cholesterol determinations. A comparative study of methods with special reference to enzymatic procedures (75) 243
Van Kampen, E.J., see Dijkhuizen, P. (80) 95
Van Kampen, E.J., see Jansen, A.P. (74) 191
Van Munster, P.J.J., Hoelen, G.E.J.M., Samwel-Mantingh, M., Holtman-van Meurs, M.
A turbidimetric immuno assay (TIA) with automated individual blank compensation (76) 377
Van Munster, P.J.J., see Jansen, A.P. (74) 191
Van Niel, J.C.C., see Wevers, R.A. (75) 377
Van Stekelenburg, G.J., de Keyzer, M.H., Donckerwolcke, R.A.M.C., Maas, A.H.J., van de Camp, R.A.M.
A simple micromethod for the direct determination of the total carbon dioxide content in biological fluids (76) 161
Van Steveninck, J., see De Goeij, A.F.P.M. (74) 27
Van 't Hoff, W., Bicknell, E.J., Horrocks, P.M., Fleetwood, J.A., Inthuprapa, M., Hall, R.
Urinary pregnanetriol excretion in hirsutism (80) 373
Vantrappen, G.R., see Peeters, T.L. (74) 217
Van Weemen, B.K., see Schuurs, A.H.W.M. (81) 1
Van Wilgenburg, M.G.M., see Wevers, R.A. (75) 377
Van Zwam, J.C., see Holtkamp, H.C. (76) 125
Varghese, Z., see Cramp, D.G. (76) 233

Vauzelle, A., see Lafarque, P. (80) 17
Vavřina, J., see Hrnčíř, Z. (81) 287
Veerkamp, J.H., see Tax, W.J.M. (78) 209
Vercruysse, A., see Vandeputte, M. (75) 205
Vergnes, H., see Gherardi, M. (78) 465
Verheesen, P.E., see Brombacher, P.J. (75) 443
Verjee, Z.H., Behal, R., Ayim, E.M.
Effect of glucocorticoids on liver and blood cholinesterases (81) 41
Veys, E.M., Wieme, R.J., van Egmond, J., Gabriel, P., van der Jeught, J.
Short term variation of human immunoglobulin levels with an estimation of the day to day physiological variability (75) 275
Vink, C.L.J., see Vader, H.L. (75) 253
Vink, C.L.J., see Vader, H.L. (80) 361
Virella, G.
Electrophoresis of lysozyme into micrococcus-containing agarose gel. Quantitative and analytical applications (75) 107
Virella, G., Goudswaard, J., Tischendorf, F.W., Fudenberg, H.H.
Urinary lysozyme phenotypes in monocytic leukemia (79) 503
Vitek, V., Gold, P.H., Gill, W., Lang, D.J., Conn, A., Cowley, R.A.
Urinary cyclic AMP and post-traumatic acute renal failure (75) 401
Vives-Corrons, J.L., see Kahn, A. (75) 71
Vives-Corrons, J.L., see Marie, J. (81) 153
Vladutiu, A.O., Schachner, A., Shaefer, P., Schimert, G., Lajos, T.Z., Lee, A.B., Siegel, J.H.
Detection of creatine kinase BB isoenzyme in sera of patients undergoing aortocoronary bypass surgery (75) 467
Vlug, A., see Staal, G.E.J. (78) 121
Völlmin, J.A., see Zachmann, M. (77) 147
Von Figura, K., see Schmidt, R. (80) 7
Von Schenck, H.
Production and characterization of an antiserum against pancreatic glucagon (80) 455
Vozníček, J., see Chromý, V. (80) 327
Vukovich, Th.
Quantitative determination of plasmin: A fibrinogenolytic method (79) 285

W

Wada, M., Minamisono, T., Komoda, M., Akamatsu, A., Nakaoka, H., Mise, J., Ehrhart, L.A., Naito, H.K.
Studies on a β-migrating high density lipoprotein (78) 295
Wadman, S.K., see Duran, M. (74) 297
Wadman, S.K., see Kamerling, J.P. (77) 397
Wadman, S.K., see Siegenbeek van Heukelom, L.H. (74) 271
Wagget, J., see Dale, G. (77) 407
Wahlqvist, M.L., Fidge, N.H., Lomas, F.
Lipoprotein composition in hypothyroidism (77) 269
Wajchenberg, B.L., see Pinto, H. (76) 25
Waks, M., see Engler, R. (77) 159
Walinder, J., see Blomqvist, N. (79) 457
Walker, A.W., see Nobbs, B.T. (79) 391
Wall, C.D.
Determination of thallium in urine by atomic absorption spectroscopy and emission spectrography (76) 259
Walton, R.J., Bijvoet, O.L.M.
A simple slide-rule method for the assessment of renal tubular reabsorption of phosphate in man (81) 273
Wamberg, S., see Hansen, A.C. (79) 507
Ward, R.J., Danpure, C.J., Fyfe, D.A.
Determination of gold in plasma and plasma fractions by atomic absorption spectrometry and by neutron activation analysis (81) 87
Warnick, G.R., see Albers, J.J. (75) 193
Warren, R.J., Moss, D.W.
An automated continuous-monitoring procedure for the determination of acid phosphatase activity in serum (77) 179
Warsh, J.J., see Takahashi, S. (81) 183
Watson, B.M., Schlesinger, P., Cotton, R.G.H.
Dihydroxanthopterinuria in phenylketonuria and lethal hyperphenylalaninemia patients (78) 417
Watson, M.J., McLeod, K.
A modified method for the fluorimetric determination of pancuronium bromide in plasma (79) 511
Weicker, H., Kropp, J., Thill, G.
Membrane phospholipid composition and anaphylactical response of cardiac and smooth muscle fibers in the Rh(D) system (79) 31
Weinberger, V., see Rabin, E.Z. (78) 235
Weinstock, I.M., Behrendt, J., Wiltshire, Jr., H.E., Keleman, J., Louis, S.
Pyruvate kinase: Diagnostic value in neuromuscular disease (80) 415
Wen, H.L., see Ho, W.K.K. (75) 415
Wensing, A., see de Bruyn, C.H.M.M. (78) 145
Werber, D.H., see Lemberg, A. (80) 385
Webin, B., Tamir, I., Heldenberg, D., Ayalon, D., Adler, M., Levtow, O.
Immunoreactive insulin and glucose response to oral glucose in offspring of patients with endogenous hypertriglyceridaemia (76) 35
Westenberg, H.G.M., de Zeeuw, R.A., van der Kleijn, E., Oei, T.T.
Relationship between carbamazepine concentrations in plasma and saliva in man as determined by liquid chromatography (79) 155
Westler, B., Neal, J.L.
Assay of proteolytic activity by gelatin liquefaction (trypsin assay by gelatin liquefaction) (78) 151
Wevers, R.A., Olthuis, H.P., van Niel, J.C.C., van Wilgenburg, M.G.M., Soons, J.B.J.
A study on the dimeric structure of creatine kinase (EC 2.7.3.2) (75) 377
Wevers, R.A., Wolters, R.J., Soons, J.B.J.
Isoelectric focusing and hybridisation experiments on creatine kinase (EC 2.7.3.2) (78) 271
Weyler, W., Sweetman, L., Maggio, D.C., Nyhan, W.L.
Deficiency of propionyl-CoA carboxylase and methylcrotonyl-CoA carboxylase in a patient with methylcrotonylglycinuria (76) 321
Whelan, W.J., see Marshall, J.J. (76) 277
Whitaker, K.B., Whitby, L.G., Moss, D.W.
Activities of bone and liver alkaline phosphatases in serum in health and disease (80) 209
Whitby, L.G., see Whitaker, K.B. (80) 209
White, C., see Ballantyne, D. (78) 323
Whitear, S.H., see Barlow, G.B. (78) 331
Whiteman, P., Henderson, H.
A method for the determination of amniotic-fluid glycosaminoglycans and its application to the prenatal diagnosis

of Hurler and Sanfilippo diseases (79) 99
Whiteman, P., Young, E.
The laboratory diagnosis of Sanfilippo disease (76) 139
Whittaker, M., Spencer, R.
Plasma cholinesterase variants in patients having lithium therapy (75) 421
Wide, L., see Lundqvist, G. (79) 357
Wieland, H., see Müller, P. (80) 487
Wieme, R.J., see De Broe, M.E. (81) 237
Wieme, R.J., see Veys, E.M. (75) 275
Wiener, K.
Plasma cortisol, corticosterone and urea in acute myocardial infarction: Clinical and biochemical correlations (76) 243
Wiener, K., Foot, C.H.
A study of some factors affecting the Phadebas amylase test (75) 177
Wieslander, J., Bygren, P., Heinegård, D.
Determination of the Tamm and Horsfall glycoprotein in human urine (78) 391
Wilde, C.E., see Smith, D.P. (78) 351
Wilkie, L.I., see Sutor, D.J. (77) 31
Wilkie, L.I., see Sutor, D.J. (79) 119
Wilkinson, A.W., see Barlow, G.B. (75) 337
Wille, L.E., Torsvik, H., Gjone, E.
Studies on the pre-alpha-lipoprotein in patients with familial lecithin: cholesterol acyltransferase deficiency (77) 423
Willebrands, A.F., see Fiolet, J.W.T. (80) 23
Williams, R., see Lai, J.C.K. (78) 305
Williamson, D.H., see Gitzelmann, R. (79) 219
Wills, M.R., see Cramp, D.G. (76) 233
Wills, M.R., see Cramp, D.G. (76) 237
Wills, M.R., see Skinner, R.K. (80) 543
Wilton, A.
An improved method for the assay of renin secreted from kidney slices (79) 47
Wiltshire, Jr., H.E., see Weinstock, I.M. (80) 415
Winchester, B.G., see Hirani, S. (81) 135
Winkler, L., Schlag, B., Goetze, E.
Concentration and composition of the lipoprotein classes in human umbilical cord serum (76) 187
Wlodarski, F.M., Howard, P.L., Trainer, T.D.
Creatine phosphokinase isoenzymes: A comparison of a kinetic and an electrophoretic method in the diagnosis of myocardial infarction (76) 171
Wold, J.S., Turnipseed, S.A.
The simultaneous quantitative determination of cephalothin and cefazolin in serum by high pressure liquid chromatography (78) 203
Wolters, R.J., see Wevers, R.A. (78) 271
Wolthers, B.G., see Hindriks, F.R. (74) 207
Wolthers, B.G., see Zijlstra, J.B. (78) 243
Wood, M.H., Sampson, D.C., Hensley, W.J.
The estimation of plasma valproate by gas-liquid chromatography (77) 343
Wood, K., Swade, C., Harwood, J., Eccleston, E., Bishop, M., Coppen, A.
Comparison of methods for the determination of total free tryptophan in plasma (80) 299
Woods, K.L., Heath, D.A.
The radioimmunoassay of human lactalbumin (78) 129
Woźniak, K., see Tomaszewski, J. (75) 331
Wright, P.C., see Young, J.D. (79) 611

Y

Yagi, K., Matsuoka, S., Ohkawa, H., Ohishi, N., Takeuchi, Y.K., Sakai, H.
Lipoperoxide level of the retina of chick embryo exposed to high concentration of oxygen (80) 355
Yagi, K., see Suematsu, T. (79) 267
Yagi, K., see Suzuki, O. (78) 401
Yamaguchi, C., see Hiwada, K. (75) 31
Yamamoto, J., see Matsuda, I. (80) 483
Yamamoto, T., Doi, K., Tsuchiya, Ta., Tsuchiya, To.
Thyroxine binding by albumins in bisalbuminemic serum (81) 287
Yamamoto, T., see Ichihara, K. (79) 331
Yamamoto, T., see Ichihara, K. (80) 37
Yamanaka, M., Akagi, K., Murai, K., Hirao, N., Fujimi, S., Omae, T.
Purification and properties of urinary alkaline ribonucleases from patients with nephrotic syndrome (78) 191
Yamasaki, T., see Otsuki, M. (77) 349
Yamasaki, T., see Otsuki, M. (79) 1
Yamazaki, T., see Yoshida, A. (77) 95
Yamuna, S., Valmikinathan, K., Burt, D., Emery, A.E.H.
Serum pyruvate kinase in carriers of Duchenne muscular dystrophy (79) 277
Yarovaya, G.A., Dotsenko, V.L., Orekhovich, V.N.
Effect of kininogen on the activity of the Kallikreinogen-Kallikrein system of human blood serum (78) 85
Yatsiv, S., see Sandman, R. (80) 471
Yoder, Y.M., see Johnson, P.K. (77) 331
Yokoi, S., see Ogino, T. (78) 9
Yokoyama, M.M., see Chao, W. (78) 79
Yoshida, A., Yamazaki, T., Sakai, T.
Determination of urinary 5-hydroxyindole-3-acetic acid by high-speed liquid chromatography (77) 95
Yoshida, M., see Tsuboyama, A. (80) 237
Yoshida, N., see Ueda, E. (80) 447
Yoshimura, H., see Sugiura, M. (81) 125
Young, E., see Whiteman, P. (76) 139
Young, J.D., Wright, P.C.
A simple spot-test for the detection of erythrocyte arginase deficiency (79) 611
Yu, C.C., see Leung, K.C. (74) 43
Yudkoff, M., see Tomer, K.B. (81) 109
Yuu, H., see Otsuki, M. (77) 349
Yuu, H., see Otsuki, M. (79) 1

Z

Zachmann, M., Zagalak, M., Völlmin, J.A., Gitzelmann, R.P., Prader, A.
Influence of testosterone on urinary ^{15}N-balance in normal subjects and patients with testicular feminization (77) 147
Zagalak, M., see Zachmann, M. (77) 147
Zahradníček, L., Kratochvíla, J., Garčic, A.
Determination of inorganic phosphorus using Rhodamine B by the continuous-flow technique (80) 431
Zail, S.S., Van den Hoek, A.K.
Lactate dehydrogenase isoenzymes of human erythrocyte membranes (79) 15
Zail, S.S., see Van den Hoek, A.K. (79) 7
Zak, B., see Kempisty, C.C. (80) 187
Zegers, B.J.M., see Schuurman, H.J. (79) 363
Zegers, B.J.M., see Siegenbeek van Heukelom, L.H. (74) 271
Ziegler, R., see Shin-Buehring, Y.S. (74) 1
Zijlstra, J.B., Beukema, J., Wolthers, B.G., Byrne, B.M., Groen, A., Dankert, J.
Pretreatment methods prior to gas-chromatographic analysis of volatile fatty acids from faecal samples (78) 243
Zijlstra, W.G., see Dijkhuizen, P. (78) 479
Zijlstra, W.G., see Dijkhuizen, P. (80) 95
Zschiesche, W., see Gossler, K. (78) 91
Zuk, R., see Applegarth, D.A. (74) 183
Zurfluh, H., see Rieder, H.P. (79) 211

SUBJECT INDEX

A

Acetate, gas chromatography for determination of, in human plasma and haemodialysis baths (Desch, Descomps) (76) 193

Acetylcholinesterase, in rectal biopsy tissue, activity of, improved method for determination in patients with Hirschsprung's disease (Dale, Bonham, Riley, Wagget) (77) 407

N-Acetyl-β-glucosaminidase activity, in hydatidiform mole (Leung, Fung, Yu, Choy, Lee) (74) 43

N-Acetyl-β-hexosaminidase isoenzymes, of amniotic fluid and maternal serum; their relevance to prenatal diagnosis of the G_{M2} gangliosidoses (Potier, Boire, Dallaire, Melancon) (76) 309

α_1-Acid glycoprotein, α_2-macroglobulin and antithrombin III as components of normal and malignant human tissues (Twining, Brecher) (75) 143

Acid phosphatase, electrophoretic characterization of pyrimidine 5′-nucleotidase of human erythrocytes and its distinction from (Rosa, Valentin, Rosa) (79) 115

Acid phosphatase, in serum, determination in Gaucher's disease using 4-methylumbelliferyl phosphate (Chambers, Aquino, Glew, Lee, McCafferty) (80) 67

Acid phosphatase, in serum, by an automated continuous-monitoring procedure (Warren, Moss) (77) 179

Aciduria, organic, calcium laevulinate medication, a pitfall in the diagnosis of (Kølvraa, Gregersen, Christensen, Grøn) (77) 197

Acylglycerol, see Glyceride

Acylglycines, 20 metabolically important, by gas chromatography (Ramsdell, Tanaka) (74) 109

Adenocarcinoma cells, ectopic production of salivary type amylase by, demonstration by a culture technique (Ueda, Kobayashi, Taketa, Sato) (80) 105

Adipocyte sizing, comments on (Sjöström) (74) 89

Adrenal hyperplasia, congenital lipoid, (Prader disease), cholesterol side-chain cleavage enzyme activity and cytochrome P-450 content in adrenal mitochondria of a patient with (Koizumi, Kyoya, Miyawaki, Kidani, Funabashi, Nakashima, Nakanuma, Ohta, Itagaki, Katagiri) (77) 301

Adrenal mitochondria, cholesterol side-chain cleavage enzyme activity and cytochrome P-450 content in, of a patient with congenital lipoid adrenal hyperplasia (Prader disease) (Koizumi, Kyoya, Miyawaki, Kidani, Funabashi, Nakashima, Nakanuma, Ohta, Itagaki, Katagiri) (77) 301

Agarose, electrophoretic mobility in, very low density lipoprotein subfractions in type III hyperlipoproteinaemia, (Ballantyne, Bedford, Ballantyne, Third, Stromberg, Packard) (75) 487

Agarose gel, Micrococcus-containing, electrophoresis of lysozyme into, quantitative and analytical applications (Virella) (75) 107

(+)L-Alanine, in blood and urine, rapid enzymic micromethod for quantitative determination of (Schutgens, Tjoe Awie, Beemer, Berntssen) (80) 1

L-Alanine, in serum or plasma, estimation with the LKB Reaction Rate Analyser (Skillen, Handa) (77) 431

Alanine aminotransferase, and aspartate aminotransferase of normal individuals, serum versus heparinized plasma for (Hafkenscheid, Hectors) (78) 23

L-Alanine aminotransferase, in human serum, and L-aspartate aminotransferase, suitability of commercial enzyme control sera for determination of (Jung, Grützmann, Egger, Fechner) (79) 515

Albumin, effects of, and of other proteins, during assay of amylase activity (Hao, Takeuchi, Sato, Sugimura) (79) 75

Albumins, in serum, electrophoretic patterns of, collected from different blood vessels (Kawaguchi) (80) 409

Albumin, in serum, inaccuracy of measurements of, in renal failure patients using a dye-binding method (Bergeron, Talbot, Gauvin, Loiselle, Page) (75) 49

Albumin, in serum, influence of fatty acids on binding of calcium to (Ladenson, Shyong) (75) 293

Albumin, in serum, interaction of calcium ions with, in chronic renal failure (Leme, Silva) (77) 287

Albumin, separation of human renin substrate from renin and a major contaminating albumin using a concanavalin A-Sepharose column (Hiwada, Tanaka, Nishimura, Kokubu) (74) 203

Albumins, thyroxine binding by, in bisalbuminaemic serum (Yamamoto, Doi, Tsuchiya, Tsuchiya) (81) 287
Albumin preparations, peptidase activity in, detection of (Caygill) (78) 507
Aldolase B, isoelectrofocusing of, from human livers, normal and with hereditary fructose intolerance (Schapira, Gregori, Hatzfeld) (78) 1
Aldosterone, in unprocessed plasma and simple plasma extracts, development of radioimmunoassays for measurement of (Jowett, Slater) (80) 435
Aldosterone secretion rate, radioimmunoassay versus double isotope dilution derivative assay (De Man, Benraad) (79) 489
Alkaline phosphatase, of bone and liver, activity of, in serum in health and disease (Whitaker, Whitby, Moss) (80) 209
Alkaline phosphatase, human fetal intestinal (Miki, Suzuki, Iino, Oda, Hirano, Sugiura) (79) 21
Alkaline phosphatase, human placental, on the identity of the "D-variant" with L-leucine-sensitive phenotypes of (Doellgast, Beckman, Beckman) (75) 501
Alkaline phosphatase, human placental-type, inhibition of variants by peptides containing L-leucine (Doellgast, Fishman) (75) 449
Alkaline phosphatase, quality control of determination with placental phosphatase (Simpson, McAllister, Hainsworth) (77) 415
Alkaline phosphatase, in serum, source of raised activity during prolonged lactation (Fenuku) (79) 265
Alkaline phosphatase isoenzyme, in intestinal metaplasia of the stomach (Miki, Oda, Suzuki, Iino, Niwa) (76) 79
Alkaline phosphatase isoenzymes, relation to γ-glutamyltransferase and lactate dehydrogenase isoenzymes (Brohult, Fridell, Sundblad) (76) 205
Alkaline phosphatase isoenzyme patterns, in serum, in patients with chronic renal failure (Skillen, Pierides) (80) 339
Alkaline ribonuclease, in urine, activity in children with burns and scalds (Barlow, Withear) (78) 331
Alkaline ribonucleases, in urine, purification and properties of, from patients with nephrotic syndrome (Yamanaka, Akagi, Murai, Hirao, Fujimi, Omae) (78) 191
Amaurotic idiocy, juvenile, atypical GM_1 ganglioside accumulation in a case of (Ogino, Osuka, Yokoi) (78) 9
Amine oxidase, in serum, enzyme activity in severely burnt patients and in patients with cancer (Lewinsohn) (81) 247
Amino acids, in leukocytes, influence of oral contraceptives on concentration of, in supposedly healthy women (Tarallo, Houpert, Siest) (81) 283
Amino acid, sulphur, new, named hawkinsin, identified in a baby with transient tyrosinaemia and her mother (Niederwieser, Matasovic, Tippett, Danks) (76) 345
Amino acids, urinary excretion of, by patients with β-thalassaemia (Blackburn, Peterson) (80) 503
Amino acid-p-nitroanilide, -splitting activities in human serum (Unger, Struck) (78) 113
δ-Aminolaevulinic acid dehydratase, in erythrocytes, activity of, and zinc levels in blood, relationship between (Allain, Foussard, Boyer) (78) 183
Aminotransferase, in serum, activity of, comparative determinations with so-called optimised methods (Jung, Grützmann) (81) 299
Ammonia, in plasma in hepatic encephalopathy (Capocaccia, Cangiano, Attili, Angelico, Cascino, Rossi Fanelli) (75) 99
Amniotic fluid, N-acetyl-β-hexosaminidase isoenzymes of, and of maternal serum; their relevance to prenatal diagnosis of the G_{M2} gangliosidoses (Potier, Boire, Dallaire, Melancon) (76) 309
Amniotic fluid, glycosaminoglycans in, method for determination of, and its application to the prenatal diagnosis of Hurler and Sanfilippo diseases (Whiteman, Henderson) (79) 99
Amniotic fluid, lecithin/sphingomyelin ratio in, exact determination of, suggestion of a reference method (Fruchart, Ponthieu, Porchet, Dewailly, Sezille, Codaccioni, Puech) (79) 549
Amniotic fluid, lecithin/sphingomyelin ratio in, determination by photodensitometry after elimination of the acidic phospholipids (Gosselin, Foidart) (81) 209
Amniotic fluid, palmitic acid concentration in, estimation of fetal lung maturity by determination of (Bichler, Daxenbichler, Geir) (74) 133
Amniotic fluid cells, primary, diagnosis of Pompe's disease in, and in cultured skin fibroblasts using 4-methylumbelliferyl-α-D-glucopyranoside as substrate (Butterworth, Broadhead) (78) 335
Amoxycillin, in plasma, by fluorimetry (Barbhaiya, Turner, Shaw) (77) 373

5′-AMP aminohydrolase, in erythrocytes, activity of, from normal and dystrophic individuals (Campbell, Suelter, Puite) (79) 379
Amylase, activity of, effects of albumin and other proteins during assay of (Hao, Takeuchi, Sato, Sugimura) (79) 75
Amylase, immunoglobulins linked to, properties of (Kanno, Sudo) (76) 67
α-Amylase, immunoreactivities of, of humans and rats (Takeuchi, Nakagawa, Ogawa, Kawachi, Sugimura) (77) 203
α-Amylase, pancreatic and salivary isoenzymes, action on starch and glycogen (Kaczmarek, Rosenmund) (79) 69
Amylase, salivary type, ectopic production of, by adenocarcinoma cells, demonstration by a culture technique (Ueda, Kobayashi, Taketa, Sato) (80) 105
α-Amylase, in serum, by chemically modified starch substrates (Marshall, Iodice, Whelan) (76) 277
Amylase test, Phadebas, some affecting factors (Wiener, Foot) (75) 177
Amylase isoenzymes, electrophoretic pattern of, relation to severity of pancreatic disease (Otsuki, Yuu, Maeda, Yamasaki, Okano, Sakamoto, Baba) (79) 1
Androgen, -binding, tissue specific, in prostate cancer, detection of. Steroid receptors in the human prostate (Hawkins, Nijs, Brassinne) (75) 303
Angiotensin I, by radioimmunoassay, influence of pH on antigen-antibody coupling. Consequences for determination of plasma renin activity (Vader, Vink, Geuskens) (75) 253
Angiotensin I, by radioimmunoassay, mechanism of interference by chelating agents and sucrose (Morris) (75) 503
Angiotension converting enzyme, elevated in serum and spleen, in Gaucher's disease (Silverstein, Friedland) (74) 21
Anticonvulsants, automated gas chromatographic system with a nitrogen detector for simultaneous determination of, quality control (Ayers, Goudie, Reed, Burnett) (76) 113
Anticonvulsant drugs, in human serum, rapid gas-chromatographic method for simultaneous quantitative determination of (Heipertz, Pilz, Eickhoff) (77) 307
Antigen, carcinoembryonic, comparison of whole plasma and perchloric acid-extracted plasma assays for (Ashman, Ludbrook, Marshall) (74) 77
Antigens, Lewis, and fucosidosis (Staal, Van der Heijden, Troost, Moes, Borst-Eilers) (76) 155
Antigen, Rh(e), isolation and purification of, from human erythrocyte membrane (Abraham, Bakerman) (76) 177
Antigen, surface, of hepatitis B, separation and purification of, from serum (Desmet, Boitieux) (74) 59
Antigen-antibody complex, formation of, influence of ions on, as measured by radioimmunoassay (Vader, Geuskens, Vink) (80) 361
Antigen-antibody coupling, in angiotensin I radioimmunoassay, influence of pH. Consequences for determination of plasma renin activity (Vader, Vink, Geuskens) (75) 253
Antiserum, against pancreatic glucagon, production and characterization (Von Schenk) (80) 455
Antithrombin III, α_1-acid glycoprotein and α_2-macroglobulin as components of normal and malignant human tissues (Twining, Brecher) (75) 143
Antithrombin, semi micro or automated determination of, and of thrombin, and heparin cofactor, using the substrate H-D-Phe-Pip-Arg-p-nitroanilide · 2HCl (Scully, Kakkar) (79) 595
α_1-Antitrypsin, contribution of, to total antitrypsin activity of human serum, study of two phenotype PI OO individuals (Kahn, Schandevijl, Philipi, Frank) (80) 513
α_1-Antitrypsin, in human serum, single-step isolation by double-layer polyacrylamide gel electrophoresis (Pajdak, Sznajd) (77) 98
α_1-Antitrypsin, phenotyping of, by isoelectrofocusing (Hoffmann, Van den Broek) (75) 233
Aortocoronary bypass surgery, detection of creatine kinase BB isoenzyme in sera of patients undergoing (Vladutiu, Schachner, Schaefer, Schimert, Lajos, Lee, Siegel) (75) 467
Apoenzyme, of aspartate aminotransferase in serum in health and disease (Ratnaike, Moss) (74) 281
Apoproteins (and lipids), kinetic and static studies of. Metabolism of lipoproteins in human chylous ascites (Malmendier, Amerijckx, Van den Bergen) (77) 227
Apoproteins, of human serum lipoproteins, measurement by rocket immunoelectrophoresis (Onitiri, Lewis) (79) 39
Apotransferrin, and other serum proteins inducing enhancement of Tb^{3+} fluorescence (Romslo) (75) 171
Arginase, in erythrocytes, deficiency of,

simple spot-test for detection of (Young, Wright) (79) 611
Arginine esterase activity, in plasma, in cystic fibrosis of the pancreas (Chan, Applegarth, Davidson) (74) 71
Arylamidase, membrane-bound neutral, placental form of, found in renal cell carcinoma (Hiwada, Terao, Kokubu) (79) 569
Arylamidases, neutral, human membrane-bound, from small intestine, lung, kidney, liver and placenta, comparison of (Hiwada, Terao, Nishimura, Kokubu) (76) 267
Arylamidase, neutral, in urine of healthy and nephrotic children (Hiwada, Yamaguchi, Inaoka, Kokubu) (75) 31
Arylamidases, soluble and membrane-bound neutral, from renal cell carcinoma, comparison of (Hiwada, Kokubu) (80) 395
Arylsulphatase, A and B, sensitive fluorescence assay for simultaneous and separate determination of (Christomanou, Sandhoff) (79) 527
Arylsulphatases, clinical aspects of (Farooqui, Mandel) (74) 93
Arylsulphatases, lysosomal, in leukocytes, microfluorometric assay (Bakhru-Kishore, Kelly) (75) 483
Aspartate aminotransferase, and alanine aminotransferase of normal individuals, serum versus heparinized plasma for (Hafkenscheid, Hectors) (78) 23
L-Aspartate aminotransferase, in human serum, and L-alanine aminotransferase, suitability of commercial enzyme control sera for determination of (Jung, Grützmann, Egger, Fechner) (79) 515
Aspartate aminotransferase, apoenzyme of, in serum, in health and disease (Ratnaike, Moss) (74) 281
Aspirin esterase, in serum, activity of, in women with habitual aspirin intake (Gupta, Gupta) (81) 261
Atherosclerosis, platelets fatty acid variation in patients with (Trugnan, Bereziat, Graisely, Brivet, Cloarec, Polonovski) (79) 583
Atomic absorption spectrometry, for gold in plasma and plasma fractions, comparison with neutron activation analysis (Ward, Danpure, Fyfe) (81) 87
Atomic absorption spectroscopy, for thallium in urine, and emission spectrography (Wall) (76) 259
ATPase, effect of culture medium from cystic fibrosis fibroblasts on (Applegarth, Davidson, Haworth, Quist, Zuk, Roufogalis, Clark) (74) 183
Automated, semi-, measurement of urinary catecholamines using high-speed ion-exchange column chromatography (Ueda, Yoshida, Nishimura, Joh, Antoku, Tsukada, Ganno, Kokubu) (80) 447
Automated analyzer, for potassium and sodium in whole blood (Durst) (80) 225
Automated determination, methods for semi micro or, of thrombin, antithrombin, and heparin cofactor using the substrate H-D-Phe-Pip-Arg-p-nitroanilide · 2HCl (Scully, Kakkar) (79) 595
Automated urinary steroid profiles, by capillary column gas-liquid chromatography and a computing integrator (Fantl, Gray) (79) 237
Automatic analysers, discrete, plasma cholesterol by enzymic determination (Nobbs, Smith, Walker) (79) 391

B

Bile, calcium in, and calcium salts in gallstones (Sutor, Wilkie) (79) 119

Bile, human, inorganic phosphorus in (Sutor, Wilkie) (77) 31

Bile, human, pigment binding of copper in (McCullars, O'Reilly, Brennan) (74) 33

Bile, lysosomal enzymes in; characteristics and pathological significance for various hepatobiliary disorders (Toyoda, Eto, Aoki) (79) 291

Bile, proteins of, in the serum of jaundiced rats (Hinton, Mullock) (78) 159

Bile acids, determination with different preparations of 3α-hydroxysteroid dehydrogenase (Bruusgaard, Sørensen, Gilhuus-Moe, Skålhegg) (77) 387

Bile acids, in faeces, effect of pectin on, and on serum cholesterol and biliary lipids in normolipidaemic and hyperlipidaemic individuals (Miettinen, Tarpila) (79) 471

Bile acids, in faeces, simplified quantitative determination of (De Wael, Raaymakers, Endeman) (79) 465

Bile acid, in serum, in liver disease, by fluorimetry (Osuga, Mitamura, Mashige, Imai) (75) 81

Bile acids, in serum, critical evaluation of a procedure for measurement by radioimmunoassay (Mihas, Spenney, Hirschowitz, Gibson) (76) 389

Bile acids, in serum and bile, gas-liquid chromatography of (Ho-Ngoc-Chau, Bali, Solère) (75) 41

Bile acids, conjugated, interaction of, and of detergents, with a radiosorbent assay of vitamin B-12 (Andersen, Romslo) (76) 219

Bile 5′-nucleotidase, in serum of jaundiced rats (Mullock, Issa, Hinton) (79) 129

Bile salts, effect on esterolytic assay of trypsin (Calvert, Legg) (80) 535

Biliary lipids, effect of pectin on, and on serum cholesterol and faecal bile acids in normolipidaemic and hyperlipidaemic individuals (Miettinen, Tarpila) (79) 471

Bilirubin, in icteric newborn sera, unbound, microdetermination employing peroxidase and glucose oxidase (Nakamura, Lee) (79) 411

Bilirubin, unbound, in cutaneous capillary blood, determination of (Rufini, Monaldi, Ghebregzabher, Castellucci, Lato) (79) 615

Biological fluids, calcium in, by fluorimetric titration, a simple automated method (Holtkamp, Mantel, Brouwer, Liem, Van Zwam, Leijnse) (76) 125

Biological fluids, carbon dioxide total content in, by a simple micromethod for direct determination (Van Stekelenburg, De Keyzer, Donckerwolcke, Maas, Van de Camp) (76) 161

Bisalbuminaemic serum, thyroxine binding by albumins (Yamamoto, Doi, Tsuchiya, Tsuchiya) (81) 287

Bladder, transitional cell carcinoma of, urine enzyme activities in patients with (Posey, Morgan) (74) 7

Blood, (+)L-alanine in, and in urine, rapid enzymic micromethod for quantitative determination of (Schutgens, Tjoe Awie, Beemer, Berntssen) (80) 1

Blood, carbon monoxide in, spectrophotometric determination with carboxyhaemoglobin (Dijkhuizen, Buursma, Gerding, Van Kampen, Zijlstra) (80) 95

Blood, cholinesterases in, and in liver, effect of glucocorticoids on (Verjee, Behal, Ayim) (81) 41

Blood, cutaneous, capillary, unbound bilirubin in, determination of (Rufini, Monaldi, Ghebregzabher, Catellucci, Lato) (79) 615

Blood, glucose in, or plasma glucose, reflectance meter system for measurement of, in the clinic or side ward (Telfer Brunton, Steel, Percy-Robb) (75) 359

Blood, glucosylceramide levels in, in Gaucher's disease and its distribution amongst lipoprotein fractions (Dawson, Oh) (75) 149

Blood, histamine levels in, and in urine, in normal and pathological states as measured by a radiochemical assay (Horakova, Keiser, Beaven) (79) 447

Blood, lead in, and in water, storage of samples for analysis of (Moore, Meredith) (75) 167

Blood, leukocytes in, and cultured skin fibroblasts, evaluation of metabolic pathway activity in (Rozen, Buhl, Mohyuddin, Caillibot, Scriver) (77) 379

Blood, peptide and steroid hormones, folic acid and cyclic AMP in, measurement of (Gleispach, Kreutzer, Fellier, Borkenstein) (80) 381

Blood, platelet-enriched preparations from, rapid diagnosis of pyruvate and ketoglutarate dehydrogenase deficiencies in (Blass, Cederbaum, Kark) (75) 21

Blood, potassium and sodium in, automated analyzer for determination of (Durst) (80) 225

Blood, quinidine in, gas-liquid chromatographic method for quantitative determination of (Moulin, Kinsun) (75) 491

Blood, specimens on dried filter paper, starch gel electrophoresis for galactose-1-phosphate uridylyl-transferase applied to (Hammersen, Levy) (77) 295

Blood, free tryptophan in, analysis by Ultrafiltrator, comparison with other methods (Baumann, Perey) (76) 223

Blood, zinc levels in, and activity of δ-aminolaevulinic acid dehydratase in human erythrocytes, relationship between (Allain, Foussard, Boyer) (78) 183

Blood cancers, serum glycylproline p-nitroanilidase activity in (Fujita, Hirano, Tokunaga, Nagatsu, Nagatsu, Sakakibara) (81) 215

Blood cells, glycogen synthetase activities in, in hepatic glycogen synthetase deficiency (Gitzelmann, Aynsley-Green, Williamson) (79) 219

Blood cells, pyruvate kinase isoenzymes and creatine phosphokinase in, and in serum, carrier detection in Duchenne muscular dystrophy (Smith, Thomson) (78) 439

Blood plasma, low levels of guanosine 3′,5′-cyclic monophosphate in, method for measurement (Latner, Patterson, Turner) (81) 99

Blood platelets, monoamine oxidase in, properties of (Bond, Cundall) (80) 317

Blood serum, chlorpromazine in, improved gas chromatographic analysis (Davis, Meyer, Fenimore) (78) 71

Blood serum, effect of kininogen on the activity of the kallikreinogen-kallikrein system of (Yarovaya, Dotsenko, Orekhovich) (78) 85

Blood serum, specificity and binding capacity of, for tetrahydropterins (Rembold, Buff, Hennings) (76) 329

Bone, alkaline phosphatase of, and of liver, activity of, in serum in health and disease (Whitaker, Whitby, Moss) (80) 209

Brain, catecholamine metabolism in, phenylethanolamine N-methyltransferase and other enzymes of (Nagatsu, Kato, Numata (Sudo), Ikuta, Sano, Nagatsu, Kondo, Inagaki, Iizuka, Hori, Narabayashi) (75) 221

Bronchial secretion, IgA 7 S/IgA 11 S ratio in, determination by thin-layer gel filtration immunoelectrophoresis (Laine, Hayem, Lebas, Romon) (79) 541

Bronchial secretions, rheological properties of. Demonstration of proline-rich polypeptides and their role (Bailleul, Richet, Hayem, Degand) (74) 115

Bronchitis, chronic, isolation of acidic glycoproteins from two patients with (Lamblin, Humbert, Degand, Roussel) (79) 425

Burns, prolyl hydroxylase activity in human normal skin and post-burn scars (Hayakawa, Hino, Fuyamada, Nagatsu, Aoyama, Izawa) (75) 137

Burns, and scalds, metabolism of nicotinic acid in children with (Barlow, Sutton, Wilkinson) (75) 337

Burns, and scalds, urinary alkaline ribonuclease activity in children with (Barlow, Withear) (78) 331

Burns, serum amine oxidase activity in patients with severe, and in patients with cancer (Lewinsohn) (81) 247

Burn patients, evolution of serum and erythrocyte magnesium levels in (Lafarque, Guilbaud, Vauzelle) (80) 17

C

C3, see Component of human complement, third (C3)
Caeruloplasmin, haemopexin and C_3: effect of diphenylhydantoin (Seager) (79) 603
Calcitonin, immunochemical heterogeneity of, in man, effect on radioimmunoassay (Snider, Silva, Moore, Becker) (76) 1
Calcitonin, radioimmunoassay of, characterization and application (Rojanasathit, Haddad Jr.) (78) 425
Calcium, in bile, and calcium salts in gallstones (Sutor, Wilkie) (79) 119
Calcium, binding to human serum albumin, influence of fatty acids on (Ladenson, Shyong) (75) 293
Calcium, in biological fluids, simple automated method for the fluorimetric titration of (Holtkamp, Mantel, Brouwer, Liem, Van Zwam, Leijnse) (76) 125
Calcium, ionized, in serum, improved procedure for electrochemical determination of (Hansen, Engel, Kildeberg, Wamberg) (79) 507
Calcium ions, interaction with serum albumin in chronic renal failure (Leme, Silva) (77) 287
Calcium laevulinate, medication with, a pitfall in the diagnosis of organic acidurias (Kølvraa, Gregersen, Christensen, Grøn) (77) 197
Calcium salts, in gallstones, and calcium in bile (Sutor, Wilkie) (79) 119
Cancer patients, serum β_2-microglobulin in, and in controls (Teasdale, Mander, Fifield, Keyser, Newcombe, Hughes) (78) 135
Carbamazepine, in plasma and saliva, concentrations of, relationship between, determined by liquid chromatography (Westenberg, De Zeeuw, Van der Kleijn, Oei) (79) 155
Carbohydrate, of erythrocyte membrane, content of, in patients with liver cirrhosis (Gattegno, Fabia, Cornillot) (77) 317
Carbon dioxide, in biological fluids, micromethod for direct determination of total content of (Van Stekelenburg, De Keyzer, Donckerwolcke, Maas, Van de Camp) (76) 161
Carbon dioxide, total, in serum and plasma, by a carbonate ion-selective membrane electrode (Rechnitz, Nogle, Bellinger, Lees) (76) 295
Carbonic anhydrase isoenzyme B, in erythrocytes of anaemic and non-anaemic uraemic subjects (Anker, Mondrup) (79) 341
Carbon monoxide, in blood, spectrophotometric determination with carboxyhaemoglobin (Dijkhuizen, Buursma, Gerding, Van Kampen, Zijlstra) (80) 95
Carboxyhaemoglobin, spectrophotometric determination of carbon monoxide in blood (Dijkhuizen, Buursma, Gerding, Van Kampen, Zijlstra) (80) 95
Carcinoembryonic antigen, comparison of whole plasma and perchloric acid-extracted plasma assays for (Ashman, Ludbrook, Marshall) (74) 77
Carcinoma, human serum amine oxidase activity in patients with, and in severely burnt patients (Lewinsohn) (81) 247
Carcinoma, of renal cells, comparison of soluble and membrane-bound neutral arylamidases from (Hiwada, Kokubu) (80) 395
Carcinoma, of renal cell, placental form of membrane-bound neutral arylamidase found in (Hiwada, Terao, Kokubu) (79) 569
Carcinoma, transitional cell, of the bladder, urine enzyme activities in patients with (Posey, Morgan) (74) 7
Cardiac profile versus exercise profile, effects of near maximum exercise on serum enzymes (Kaman, Patton, Raven) (81) 145
Carnitine, in plasma, in children with protein-calorie malnutrition before and after rehabilitation (Khan, Bamji) (75) 163
Catecholamines, in urine, semi-automated measurement using high-speed ion-exchange column chromatography (Ueda, Yoshida, Nishimura, Joh, Antoku, Tsukada, Ganno, Kokubu) (80) 447
Catecholamine metabolism, in brain, phenylethanolamine N-methyltransferase and other enzymes (Nagatsu, Kato, Numata (Sudo), Ikuta, Sano, Nagatsu, Kondo, Inagaki, Iizuka, Hori, Narabayashi) (75) 221
Cefazolin (and cephalothin), in serum, by high pressure liquid chromatography, simultaneous quantitative determination (Wold, Turnipseed) (78) 203
Cephalothin (and cefazolin), in serum, by

high pressure liquid chromatography, simultaneous quantitative determination (Wold, Turnipseed) (78) 203
Cerebrospinal fluid, free and total 3-methoxy-4-hydroxyphenylethylene glycol in; relationship to blood pressure in hypertensives and patients with neuropsychiatric disease (Murray, Jones, Davies, Dollery, Reid) (79) 63
Cerebrospinal fluid, polyamine in, monitoring in central nervous system leukaemia (Rennert, Lawson, Shukla, Miale) (75) 365
Cerebrospinal fluid, proteins in, and in serum, immunological study of, in epileptic patients (Mora, Quesada, Pena, Osorio, Shaw) (80) 55
Cerebrospinal fluid, ribonuclease activity in, and in serum and urine (Rabin, Weinberger, Tattrie) (78) 235
Cerebrospinal fluid, subacute sclerosing panencephalitis, oligoclonal fractions of, in Africa with a specific immune serum (Doutriaux, Clerc, Giordano) (74) 125
Chelating agents, mechanism of interference by, and sucrose in radioimmunoassay of angiotensin I (Morris) (75) 503
Chloride ion selective electrode, in-situ sweat test, errors associated with the method, sweat testing for cystic fibrosis (Bray, Clark, Moody, Thomas) (80) 333
p-Chlorophenoxyisobutyric acid, hypocholesterolaemia in rat after administration of, as a synthetic triglyceride, 1,3-dipalmitoyl 2(p-chlorophenoxyisobutyroyl)-rac-glycerol (Owen, Billimoria) (79) 349
Chlorpromazine, in blood serum, by improved gas chromatographic analysis (Davis, Meyer, Fenimore) (78) 71
Cholecystokinin-pancreozymin, in plasma and tissue, estimation by a specific radioimmunoassay, and immunohistochemical identification of pancreozymin-producing cells in the duodenum of humans (Schlegel, Raptis, Grube, Pfeiffer) (80) 305
Cholestasis, experimental, plasma lipoprotein changes in, in the dog (Danielsson, Ekman, Johansson, Petersson) (80) 157
Cholesterol, comparative study of determination methods with special reference to enzymatic procedures (Van Gent, Van der Voort, De Bruyn, Klein) (75) 243
Cholesterol, conversion of values of, obtained using different methods (Koedam) (79) 607
Cholesterol, free and esterified, determination by a kinetic method with 2,2′-azinodi-3[ethyl-benzthiazolin sulphonic acid (6)] (Majkić, Berkeš) (80) 121
Cholesterol, free and esterified, in tissue, sensitive enzymatic method for determination of (Carlson, Goldfarb) (79) 575
Cholesterol, in plasma, enzymic determination on discrete automatic analysers (Nobbs, Smith, Walker) (79) 391
Cholesterol, in plasma, esterification of, in hypertriglyceridaemia (Goren, Simons) (74) 289
Cholesterol, side-chain cleavage enzyme activity in, and cytochrome P-450 content, in adrenal mitochondria of a patient with congenital lipoid adrenal hyperplasia (Prader disease) (Koizumi, Kyoya, Miyawaki, Kidani, Funabashi, Nakashima, Nakanuma, Ohta, Itagaki, Katagiri) (77) 301
Cholesterol, in serum, by a polarographic method (Kameno, Nakano, Baba) (77) 245
Cholesterol (total), in serum, by gas-liquid chromatography comparison with two other methods (Hindriks, Wolthers, Groen) (74) 207
Cholesterol (total), in serum or plasma, enzymatic assay of, by amperometric measurement of rate of oxygen depletion following saponification (Kumar, Christian) (74) 101
Cholinesterases, in liver and blood, effect of glucocorticoids on (Verjee, Behal, Ayim) (81) 41
Cholinesterase activity, enzymatic assay of (Okabe, Sagesaka, Nakajima, Noma) (80) 87
Cholinesterase variants, in plasma, in patients having lithium therapy (Whittaker, Spencer) (75) 421
Christmas factor, see Factor IX
Chromatography, capillary column gas-liquid, and a computing integrator, for automated determination of urinary steroid profiles (Fantl, Gray) (79) 237
Chromatography, column, for taurine, routine measurement in plasma of normals and depressed patients (Tachiki, Hendrie, Kellams, Aprison) (75) 455
Chromatography, concanavalin A-Sepharose affinity, for routine microanalysis of γ-glutamyltransferase (Köttgen, Lindinger, Reutter) (80) 221
Chromatography, DEAE-cellulose column,

for galactokinase (Shin-Buehring, Osang, Ziegler, Schaub) (74) 1
Chromatography, gas, for acetate in human plasma and haemodialysis baths (Desch, Descomps) (76) 193
Chromatography, gas, for acylglycines, studies of 20 metabolically important acylglycines (Ramsdell, Tanaka) (74) 109
Chromatography, gas, automated, with a nitrogen detector, for simultaneous determination of anticonvulsants, quality control (Ayers, Goudie, Reed, Burnett) (76) 113
Chromatography, gas (improved), for chlorpromazine in blood serum (Davis, Meyer, Fenimore) (78) 71
Chromatography, gas, for Dopa and dopamine in plasma (Mizuno) (74) 11
Chromatography, gas, for (2-ethoxyethoxy)-acetic acid in urinary organic acids (Kamerling, Duran, Bruinvis, Ketting, Wadman, De Groot, Hommes) (77) 397
Chromatography, gas, rapid, evaluation for simultaneous quantitative determination of ethosuximide, phenylethylmalonediamide, carbamazepine, phenobarbital, primidone and diphenylhydantoin in human serum (Heipertz, Pilz, Eickhoff) (77) 307
Chromatography, gas, and flame photometry, for determination of urinary α-keto-γ-methylthiobutyric acid in hypermethioninaemia (Favier, Caillat) (79) 419
Chromatography, gas, and mass spectrometry for 3-methoxy-4-hydroxyphenethyleneglycol and vanilmandelic acid in human serum (Takahashi, Godse, Warsh, Stancer) (81) 183
Chromatography, gas, and mass spectrometry, studies on urinary organic acids in a patient with congenital lactic acidosis due to pyruvate decarboxylase deficiency (Chalmers, Lawson, Borud) (77) 117
Chromatography, gas, for phenprocoumon in human serum or plasma (Brombacher, Cremers, Mol, Muijrers, Van der Plas, Verheesen) (75) 443
Chromatography, gas, for volatile fatty acids from faecal samples, pretreatment methods prior to (Zijlstra, Beukema, Wolthers, Byrne, Groen, Dankert) (78) 243
Chromatography, gas-liquid, for bile acids in serum and bile (Ho-Ngoc-Chau, Bali, Solère) (75) 41
Chromatography, gas-liquid, for o,p′-DDD in plasma (Moolenaar, Niewint, Oei) (76) 213
Chromatography, gas-liquid, for non-esterified fatty acid pattern of blood plasma in children (Rogiers) (78) 227
Chromatography, gas-liquid, for plasma valproate (Wood, Sampson, Hensley) (77) 343
Chromatography, gas-liquid, for quantitative determination of quinidine in blood (Moulin, Kinsun) (75) 491
Chromatography, gas-liquid, for sodium valproate in plasma or serum, micro determination (Fellenberg, Pollard) (81) 203
Chromatography, gas-liquid, for total cholesterol in serum, compared with two other methods (Hindriks, Wolthers, Groen) (74) 207
Chromatography, gas-liquid, for total oestrogens in urine during pregnancy, use of magnesium silicate before, (Ronco, Desmet, Bezoc) (81) 119
Chromatography, gas-liquid (combined with pulsed electron capture), for 3-methoxy-4-hydroxyphenylglycol in plasma (Halaris, Demet, Halari) (78) 285
Chromatography, for human hexosaminidase isozyme separation, an aid to heterozygote identification (Nakagawa, Kumin, Nitowsky) (75) 181
Chromatography, ion-exchange column, high-speed, for semi-automated measurement of urinary catecholamines (Ueda, Yoshida, Nishimura, Joh, Antoku, Tsukada, Ganno, Kokubu) (80) 447
Chromatography, liquid, to determine relationship between carbamazepine concentrations in plasma and saliva in man (Westenberg, De Zeeuw, Van der Kleijn, Oei) (79) 155
Chromatography, liquid, high-performance, for quantitative determination of 5-hydroxyindole-3-acetic acid in body fluids (Beck, Palmskog, Hultman) (79) 149
Chromatography, liquid, high-performance, for cortisol in human plasma (Van den Berg, Mol, Deelder, Thijssen) (78) 165
Chromatography, liquid, high-pressure, for differentiation of porphyrias (Gray, Lim, Nicholson) (77) 167
Chromatography, liquid, high-pressure, for hippuric acid in urine, quantitative determination (Gossler, Schaller, Zschiesche) (78) 91
Chromatography, liquid, high-pressure, for simultaneous quantitative determination of cephalothin and cefazolin in serum (Wold, Turnipseed) (78) 203
Chromatography, liquid, high-pressure, for vanilmandelic acid, modification of the

Pisano method (Felice, Kissinger) (76) 317
Chromatography, liquid, high-speed, for 5-hydroxyindole-3-acetic acid in urine (Yoshida, Yamazaki, Sakai) (77) 95
Chromatography, thin-layer, for ornithine carbamoyltransferase activity in liver, using carbon-labeled ornithine (McLaren, Ng) (81) 193
Chromatography, thin-layer, of sugars (Müller, Sinn) (78) 17
Chromogenic method, for diagnosis of Krabbe's disease (Gal, Brady, Pentchev, Furbish, Suzuki, Tanaka, Schneider) (77) 53
Chylous ascites, lipoproteins in, metabolism of. Kinetic and static studies of lipids and apoproteins (Malmendier, Amerijckx, Van den Bergen) (77) 227
Chymotrypsin (human and bovine, and trypsin), kinetics of the inactivation by α_1-proteinase inhibitor and of their reactivation by α_2-macroglobulin (Aubry, Bieth) (78) 371
Cirrhosis, of the liver, carbohydrate content of human red cell membrane in patients with (Gattegno, Fabia, Cornillot) (77) 317
Cirrhosis, of the liver, kinetics of intravenous administered L-phenylalanine in patients with (Jagenburg, Olsson, Regårdh, Rodjer) (78) 453
Cirrhosis, of the liver, portal, conversion of D-xylose into D-threitol in patients with, and in patients without liver disease (Pitkänen) (80) 49
Cobalamin, R-type binders of, by radioimmunoassay (Morelli, Begley, Hall) (77) 365
Collagenase, activity of, of rat kidney with glomerulonephritis during the heterologous phase (Lubec) (76) 89
Collagen galactosyltransferase, and collagen glucosyltransferase, activities of, in human skin, age-related changes in (Anttinen, Oikarinen, Kivirikko) (76) 95
Collagen glucosyltransferase, in serum (Anttinen) (77) 323
Collagen glucosyltransferase, and collagen galactosyltransferase, activities of, in human skin, age-related changes in (Anttinen, Oikarinen, Kivirikko) (76) 95
Colorimetry, for ethanol in serum using alcohol dehydrogenase and PMS-INT (Lim, Buttery) (75) 9
Colorimetry, for glucose in serum, a new method (Sugiura, Hirano) (75) 387
Colorimetry, for γ-glutamyltransferase, noninhibition by p-nitroaniline (Lopez, Buttery) (77) 91
Colorimetry, for lecithin-cholesterol acyltransferase activity in plasma, a new method (Nagasaki, Akanuma) (75) 371
Colorimetry, for oxytocinase, comparison of three methods (Holańska-Nalepa) (75) 5
Colorimetry, for triglycerides in serum, with lipoprotein lipase and glycerol dehydrogenase (Sugiura, Oikawa, Hirano, Maeda, Yoshimura, Sugiyama, Kuratsu) (81) 125
Component of complement, third (C_3), haemopexin and caeruloplasmin: effect of diphenylhydantoin (Seager) (79) 603
Component of complement, third (C3), solid-phase fluorescent immunoassay for quantitation of (Burgett, Fairfield, Monthony) (78) 277
Continuous flow analysis, "c" phase in (Spencer, Dixon, Northam) (77) 189
Continuous flow system, method for visual assessment of the performance of components in (Simpson) (77) 207
Continuous flow system (gravity), separation of solid-phase suspension by gravity in (Smith, Wilde) (78) 351
Continuous-flow technique, for inorganic phosphorus using Rhodamine B, (Zahradníček, Kratochvíla, Garčic) (80) 431
Concanavalin A, and cytochalasin E, for diagnosis of chronic granulomatous disease (Nakagawara, Nabi, Minakami) (74) 173
Concanavalin A-Sepharose column, for separation of human renin substrate from renin and a major contaminating albumin (Hiwada, Tanaka, Nishimura, Kokubu) (74) 203
Congenital lipoid adrenal hyperplasia, (Prader disease), cholesterol side-chain cleavage enzyme activity and cytochrome P-450 content in adrenal mitochondria of a patient with (Koizumi, Kyoya, Miyawaki, Kidani, Funabashi, Nakashima, Nakanuma, Ohta, Itagaki, Katagiri) (77) 301
Contraceptives, oral, changes in serum high density lipoproteins in women on, (Krauss, Lindgren, Silvers, Jutagir, Bradley) (80) 465
Contraceptives, oral, influence on concentration of amino acids in leukocytes of supposedly healthy women (Tarallo, Houpert, Siest) (81) 283
Copper, pigment binding of, in human bile (McCullars, O'Reilly, Brennan) (74) 33

Cord serum, immunoglobulin and alpha-foetoprotein levels in, and their interrelationships (Schuurman, Hagenaars, Zegers) (79) 363
Cord serum, neonatal, immunological characteristics of peroxidase protein in (Raam, Lewis, Cohen) (79) 533
Corticosteroid, -binding globulin, binding capacity of, and total and free cortisol in human peripheral plasma, measurement by gel-exchange with Sephadex G-25 (Angeli, Frajria, Richiardi, Agrimonti, Gaidano) (77) 1
Corticosterone, in plasma, and plasma cortisol and urea, in acute myocardial infarction: clinical and biochemical correlations (Wiener) (76) 243
Cortisol, in plasma, and plasma corticosterone and urea, in acute myocardial infarction: clinical and biochemical correlations (Wiener) (76) 243
Cortisol, in plasma, by high performance liquid chromatography using a selective chemically bonded stationary phase, quantitative assay (Van den Berg, Mol, Deelder, Thijssen) (78) 165
Cortisol, total and free, and corticosteroid binding globulin binding capacity in human peripheral plasma, measurement by gel-exchange with Sephadex G-25 (Angeli, Frajria, Richiardi, Agrimonti, Gaidano) (77) 1
Coulter S Counter, and haemiglobincyanide method, comparison of, in haemoglobinometry (Salvati, Samoggia, Taggi, Tentori) (77) 13
Creatine kinase, isoelectric focusing and hybridisation experiments on (Wevers, Wolters, Soons) (78) 271
Creatine kinase, study on the dimeric structure of (Wevers, Olthius, Van Niel, Van Wilgenburg, Soons) (75) 377
Creatine kinase isoenzyme, in serum, in Duchenne muscular dystrophy (Takahashi, Shutta, Matsuo, Takai, Takao, Imura) (75) 435
Creatine kinase isoenzymes, in serum, in liver failure with cerebral involvement (Lemberg, Werber, Gilardoni, Magrino) (80) 385
Creatine kinase BB isoenzyme, in serum of patients undergoing aortocoronary bypass surgery, detection of (Vladutiu, Schachner, Schaefer, Schimert, Lajos, Lee, Siegel) (75) 467
Creatine kinase, isoenzyme MB, comparison of the electrophoretic method with the selective activating method and the immunological method (Vacca) (75) 175
Creatine kinase isoenzyme MB, in serum, determination of, comparison of methods and clinical evaluation (Fiolet, Willebrands, Lie, Ter Welle) (80) 23
Creatine kinase, S-CK B-subunit, in human serum, activity of, routine determination by an immunoinhibition method (Gerhardt, Ljungdahl, Börjesson, Hofvendahl, Hedenäs) (78) 29
Creatine kinase, S-CK B-subunit, in human serum, activity of, evaluation in the diagnosis of acute myocardial infarction (Ljungdahl, Hofvendahl, Gerhardt, Börjesson) (78) 43
Creatine kinase Z, in human sera, measurement of, using a DEAE-cellulose minicolumn method (Leroux, Jacobs, Rabkin, Desjardins) (80) 253
Creatine phosphokinase, radioimmunoassay for subunit B in isoenzymes CK-MB and CK-BB (Neumeier, Hofstetter, Glück) (79) 107
Creatine phosphokinase, in serum and blood cells, and pyruvate kinase isoenzymes, carrier detection in Duchenne muscular dystrophy (Smith, Thomson) (78) 439
Creatine phosphokinase isoenzymes, comparison of a kinetic and an electrophoretic method in the diagnosis of myocardial infarction (Wlodarski, Howard, Trainer) (76) 171
Creatine phosphokinase isoenzymes, serum-induced changes in electrophoretic mobility of (Bayer, Gergely, Gabl, Deutsch) (79) 261
Creatine phosphokinase isoenzymes, in serum, commercially available rapid methods (Dingeon, Roullet) (75) 343
Cryoglobulin M, monoclonal, some properties appearing in the course of malignant lymphoma with macroglobulinaemia (Tomaszewski, Kowalewski, Rupniewska, Woźniak) (75) 331
Culture technique, demonstration of ectopic production of a salivary type amylase by adenocarcinoma cells (Ueda, Kobayashi, Taketa, Sato) (80) 105
Cyclic AMP, in blood, and peptide and steroid hormones and folic acid in blood, measurement of (Gleispach, Kreutzer, Fellier, Borkenstein) (80) 381
Cyclic AMP, in plasma, effect of glucagon infusion on, in patients with cholestatic hepatitis and obstructive jaundice (Francavilla, Pansini, Sansone, Albano, Martellotta) (75) 351
Cyclic AMP, urinary excretion of, and post-

traumatic acute renal failure (Vitek, Gold, Gill, Lang, Conn, Cowley) (75) 401
Cystathionine synthase deficiency, homocystinuria due to, homocysteine and cysteine loads in patients with; effects of vitamin B-6 (Rassin, Longhi, Sternowsky, Sturman, Gaull) (79) 197
Cysteine, and homocysteine loads, in patients with homocystinuria due to cystathionine synthase deficiency: effects of vitamin B-6 (Rassin, Longhi, Sternowsky, Sturman, Gaull) (79) 197
Cystic fibrosis, abnormal breakdown of α_2-macroglobulin-trypsin complex in (Shapira, Ben-Yoseph, Nadler) (78) 359
Cystic fibrosis, fibroblasts of, effect of culture medium from, on ATPase activity (Applegarth, Davidson, Haworth, Quist, Zuk, Roufogalis, Clark) (74) 183
Cystic fibrosis, of the pancreas, plasma arginine esterase activity in (Chan, Applegarth, Davidson) (74) 71
Cystic fibrosis, sweat testing for, characteristics of a combination chloride ion-selective electrode (Bray, Clark, Moody, Thomas) (77) 69
Cystic fibrosis, sweat testing for, errors associated with in-situ sweat test using chloride ion selective electrodes (Bray, Clark, Moody, Thomas) (80) 333
Cystinosis, in children, acid hydrolase activities in fibroblasts from (Scardigli, Koldovsky, Palmieri, Segal, States) (75) 13
Cytochalasin E, and concanavalin A, for diagnosis of chronic granulomatous disease (Nakagawara Nabi, Minakami) (74) 173
Cytochrome P-450 (and cholesterol side-chain cleavage enzyme activity), in adrenal mitochondria of a patient with congenital lipoid adrenal hyperplasia (Prader disease) (Koizumi, Kyoya, Miyawaki, Kidani, Funabashi, Nakashima, Nakanuma, Ohta, Itagaki, Katagiri) (77) 301
Cytochrome, levels of, mitochondrial and microsomal, in human liver biopsy, simultaneous measurement of (Sato, Kamada, Abe, Suematsu, Kawano, Hayashi, Matsumura, Hagihara) (80) 243
Cytoplasmic binding of T_4, T_3 and rT_3, pH dependency, conversion of T_4 to T_3 and rT_3 (Höffken, Ködding, Hesch) (78) 261

D

o,p′-DDD, (2,2-Bis(2-chlorophenyl,4′-chlorophenyl)1,1-dichloroethane) in plasma, estimation of, by gas-liquid chromatography (Moolenaar, Niewint, Oei) (76) 213

DEAE-cellulose column chromatography, assay for galactokinase (Shin-Buehring, Osang, Ziegler, Schaub) (74) 1

Dextran sulphate, precipitation of β-lipoproteins by, studies on, determination of lecithin-cholesterol acyltransferase (Alcindor, Melin, Benhamou, Piot) (81) 177

Diabetes mellitus, untreated, adult onset, lipoprotein in plasma and the relationship of the fasting plasma triglyceride concentration to insulin secretion (Ballantyne, White, Strevens, Lawrie, Lorimer, Manderson, Morgan) (78) 323

Dicarboxylic acidurias, N-dicarboxyl-monoglycines in urine of patients with, mass fragmentography for determination of (Gregersen, Kølvraa, Rasmussen, Grøn) (78) 173

N-Dicarboxyl-mono-glycines, in urine, by mass fragmentography in patients with dicarboxylic acidurias (Gregersen, Kølvraa, Rasmussen, Grøn) (78) 173

Digoxin, homogeneous enzyme immunoassay (EMIT) compared with two radioimmunoassays for determination of (Drost, Plomp, Teunissen, Maas, Maes) (79) 557

Digoxin, ^{125}I-labelled, preparation of, for digoxin radioimmunoassay (Blazey) (80) 403

Digoxin, by radioimmunoassay, comparison of the assay performances using tritiated and ^{125}I-radioiodinated tracers (Barbieri, Gandolfi) (77) 257

Digoxin, by radioimmunoassay, with ^{125}I-labelled digoxin (Blazey) (80) 403

Dihydrotestosterone, binding of, and of testosterone and oestradiol with sex hormone binding globulin (Mean, Pellaton, Magrini) (80) 171

5α-Dihydrotestosterone, in urine, and unconjugated testosterone and oestradiol in, measurement of (Kjeld, Puah, Joplin) (80) 271

Dihydroxanthopterinuria, in phenylketonuria and lethal hyperphenylalaninaemia patients (Watson, Schlesinger, Cotton) (78) 417

Dilution derivative assay, double isotope, versus radioimmunoassay for measurement of aldosterone secretion rate (De Man, Benraad) (79) 489

1,3-Dipalmitoyl 2(p-chlorophenoxyisobutyroyl)-rac-glycerol, hypocholesterolaemia in rat after administration of p-chlorophenoxyisobutyric acid as (Owen, Billimoria) (79) 349

Diphenylhydantoin, by radioimmunoassay using an iodinated tracer, evaluation (Paxton, Rowell, Ratcliffe) (79) 81

Diphenylhydantoin, effect on haemopexin, caeruloplasmin and C_3 (Seager) (79) 603

2,3-Diphosphoglycerate, effect on oxygen consumption burst in thrombin-stimulated platelets (Del Principe, Menichelli, Damiano, Coppola, Bastianon) (75) 325

Dipropylacetic acid, in urine of patients treated with dipropylacetic acid (Schmid) (74) 39

L-Dopa, in urine, by fluorometry, semi-automated method for estimation of small amounts (Blau, Rosenmund) (75) 213

Dopa, in plasma, by gas chromatography (Mizuno) (74) 11

Dopamine, in plasma, by gas chromatography (Mizuno) (74) 11

Drugs, analysis by synchronous excitation spectrofluorimetry (André, Baudot, Niclause) (76) 55

Drugs, anticonvulsant, in human serum, rapid gas-chromatographic method for simultaneous quantitative determination of (Heipertz, Pilz, Eickhoff) (77) 307

Duchenne muscular dystrophy, carrier detection in; pyruvate kinase isoenzymes and creatine phosphokinase in serum and blood cells (Smith, Thomson) (78) 439

Duchenne muscular dystrophy, erythrocyte phospholipids in (Kalofoutis, Jullien, Spanos) (74) 85

Duchenne muscular dystrophy, serum creatine kinase isoenzymes in (Takahashi, Shutta, Matsuo, Takai, Takao, Imura) (75) 435

Duchenne muscular dystrophy, serum pyruvate kinase in carriers of (Yamuna, Valmikinathan, Burth, Emery) (79) 277

Duodenal aspirates, enteropeptidase activity in, determination of (Barns, Elmslie) (79) 55

Duodenum, pancreozymin-producing cells in, immunohistochemical identification of, and radioimmunoassay for estimation of cholecystokinin-pancreozymin in human plasma and tissue (Schlegel, Raptis, Grube, Pfeiffer) (80) 305

Dyggve-Melchior-Clausen syndrome (Rastogi, Clausen, Melchior, Dyggve) (78) 55

Dystrophy, 5′-AMP aminohydrolase activity in erythrocytes from patients with, and in normal individuals (Campbell, Suelter, Puite) (79) 379

E

Electrochemical determination, improved procedure for, of serum ionized calcium (Hansen, Engel, Kildeberg, Wamberg) (79) 507

Electrode, carbonate ion-selective membrane, for total carbon dioxide in serum and plasma (Rechnitz, Nogle, Bellinger, Lees) (76) 295

Electrode, combination chloride ion-selective, characteristics of, in sweat testing for cystic fibrosis (Bray, Clark, Moody, Thomas) (77) 69

Electrofocusing, iso-, of aldolase B from normal human livers and from livers with hereditary fructose intolerance (Schapira, Gregori, Hatzfeld) (78) 1

Electrofocusing, iso-, in α_1-antitrypsin phenotyping (Hoffmann, Van den Broek) (75) 233

Electrofocusing, iso-, of creatine kinase and hybridisation experiments (EC 2.7.3.2) (Wevers, Wolters, Soons) (78) 271

Electrofocusing, iso-, for human β_2-microglobulin characterization (Hall, Ricanati, Vacca) (77) 37

Electroimmunoassay, of human factor IX (Christmas factor) and inhibitor-neutralisation assay (Bertina, Van der Linden) (77) 275

Electroimmunoassay, for Tamm and Horsfall glycoprotein in human urine (Wieslander, Bygren, Heinegärd) (78) 391

Electron capture (pulsed, combined with gas-liquid chromatography), for 3-methoxy-4-hydroxyphenylglycol in plasma (Halaris, Demet, Halari) (78) 285

Electrophoresis, agar gel, of lipoprotein X in postheparin plasma (Ritland, Sauar, Holme, Blomhoff) (75) 129

Electrophoresis, on agarose, determination of very low density lipoprotein subfractions in type III hyperlipoproteinaemia (Ballantyne, Bedford, Ballantyne, Third, Stromberg, Packard) (75) 487

Electrophoresis, bidimensional, in the diagnosis of mucopolysaccharidosis (Sato, Gyorkey) (78) 365

Electrophoresis, characterization of pyrimidine 5′-nucleotidase of human erythrocytes and its distinction from acid phosphatase (Rosa, Valentin, Rosa) (79) 115

Electrophoresis, for creatine kinase isoenzyme MB, comparison with the selective activating method and the immunological method (Vacca) (75) 175

Electrophoresis, for creatine phosphokinase isoenzymes, compared with a kinetic method, in the diagnosis of myocardial infarction (Wlodarski, Howard, Trainer) (76) 171

Electrophoresis, heterogeneity in electrophoretic mobility and in molecular size of lactate dehydrogenase-immunoglobulin G complexes (Biewenga) (76) 149

Electrophoresis, immuno-, for inventory of oligoclonal fractions of subacute sclerosing panencephalitis cerebrospinal fluid (Doutriaux, Clerc, Giordano) (74) 125

Electrophoresis, immuno-, thin-layer gel filtration, for determination of IgA 7 S/IgA 11 S ratio in human bronchial secretion (Laine, Hayem, Lebas, Romon) (79) 541

Electrophoresis, of lysozyme into Micrococcus-containing agarose gel, quantitative and analytical applications (Virella) (75) 107

Electrophoresis, polyacrylamide gel, as a bound-free separation system, radioimmunoassay with, for determination of human growth hormone content in different pituitary extracts (Bartolini, Marques de Assis, Schwarz, Pieroni) (79) 223

Electrophoresis, polyacrylamide gel, double-layer, for single-step isolation of α_1-antitrypsin from human serum (Pajdak, Sznajd) (77) 98

Electrophoresis, polyacrylamide gel, of human erythrocyte membrane enzymes solubilized with Triton X-100 (Van den Hoek, Zail) (79) 7

Electrophoresis, polyacrylamide gel, for oestradiol receptors in human breast tumours (Duffy, Duffy) (74) 161

Electrophoresis, relation of pattern of amylase isoenzymes to severity of pancreatic disease (Otsuki, Yuu, Maeda, Yamasaki, Okano, Sakamoto, Baba) (79) 1

Electrophoresis, starch gel, for galactose-1-phosphate uridylyl-transferase applied to dried filter paper blood specimens (Hammersen, Levy) (77) 295

Electrophoretic mobility, of creatine phos-

phokinase isoenzymes, serum-induced changes in (Bayer, Gergely, Gabl, Deutsch) (79) 261
Electrophoretic patterns, of serum albumins collected from different blood vessels (Kawaguchi) (80) 409
Electroradioimmunoassay, see Radioimmunoassay, electro-
Emission spectrography, for thallium in urine, and atomic absorption spectroscopy (Wall) (76) 259
Encephalopathy, hepatic, octopamine and ammonia plasma levels (Capocaccia, Cangiano, Attili, Angelico, Cascino, Rossi Fanelli) (75) 99
Enteropeptidase, in human duodenal aspirates, activity of, determination of (Barns, Elmslie) (79) 55
Enzymatic activity, determination by an affinity chromatographic, product-immobilizing linear gel (Bivehed, Thunell) (77) 131
Enzymatic assay, of (total) cholesterol in serum or plasma by amperometric measurement of rate of oxygen depletion following saponification (Kumar, Christian) (74) 101
Enzymatic assay, of cholinesterase activity (Okabe, Sagesaka, Nakajima, Noma) (80) 87
Enzymatic determination, of cholesterol, comparison with other methods (Van Gent, Van der Voort, De Bruyn, Klein) (75) 243
Enzymatic determination, of cholesterol in plasma, on discrete automatic analysers (Nobbs, Smith, Walker) (79) 391
Enzymatic method, for free and esterified cholesterol, kinetic method with 2,2′-azino-di-3[ethyl-benzthiazolin sulfonic acid (6)] (Majkić, Berkeš) (80) 121
Enzymatic method, for serum choline-containing phospholipids (Takayama, Itoh, Nagasaki, Tanimizu) (79) 93
Enzymatic method, sensitive, for free and esterified tissue cholesterol (Carlson, Goldfarb) (79) 575
Enzymes, from human leukocytes, and total proteins from, influence of glucose and inhibitors of glycolysis on release of (Lahrichi, Tarallo, Houpert, Siest) (79) 479
Enzymes, in serum, effects of near maximum exercise on, exercise profile versus cardiac profile (Kaman, Goheen, Patton, Raven) (81) 145
Enzymes, in serum, and serum lipoproteins, in familial hyper-alpha-lipoproteinaemia (Avogaro, Cazzolato, Kostner, Holasek) (77) 139
Enzymes, thiol-containing, immobilised on nylon, method for enhancing the stability (Kricka, Carter) (79) 141
Enzyme, urinary excretion of, diurnal variations of (Maruhn, Strozyk, Gielow, Bock) (75) 427
Enzyme, in urine, in patients with transitional cell carcinoma of the bladder (Posey, Morgan) (74) 7
Enzymes, in urine, in viral hepatitis (Dart) (78) 499
Enzyme control sera, commercial, suitability for quality control of activity determinations of L-aspartate aminotransferase and L-alanine aminotransferase in human serum (Jung, Grützmann, Egger, Fechner) (79) 515
Enzymeimmunoassay, a review (Schuurs, Van Weemen) (81) 1
Enzymeimmunoassay (EMIT), homogeneous, for digoxin, compared with two radioimmunoassays (Drost, Plomp, Teunissen, Maas, Maes) (79) 557
Enzyme thermistor assay, for glucose in serum using immobilized glucose oxidase (Danielsson, Gadd, Mattiasson, Mosbach) (81) 163
Epidermis, normal and psoriatic, xanthine oxidase and guanase activities in (Kizaki, Matsuo, Sakurada) (75) 1
Epilepsy, proteins in cerebrospinal fluid and serum of patients with, immunological study of (Mora, Quesada, Pena, Osorio, Shaw) (80) 55
Erythrocytes, δ-aminolaevulinic acid dehydratase in, activity of, and zinc levels in blood, relationship between (Allain, Foussard, Boyer) (78) 183
Erythrocytes, 5′-AMP aminohydrolase activity in, from normal and dystrophic individuals (Campbell, Suelter, Puite) (79) 379
Erythrocyte, arginase deficiency in, simple spot-test for detection of (Young, Wright) (79) 611
Erythrocytes, carbonic anhydrase isoenzyme B in, of anaemic and non-anaemic uraemic subjects (Anker, Mondrup) (79) 341
Erythrocytes, galactose-1-phosphate uridyltransferase activities in, in a patient with galactosaemia (De Bruyn, Raymakers, Wensing, Oei) (78) 145
Erythrocytes, hexokinase in, properties of, related to cell age (Rijksen, Schoop, Staal) (80) 193

Erythrocytes, magnesium level in, and in serum, in burn patients (Lafarque, Guilbaud, Vauzelle) (80) 17
Erythrocyte, membrane of, carbohydrate content of, in patients with liver cirrhosis (Gattegno, Fabia, Cornillot) (77) 317
Erythrocytes, membranes of, in hereditary spherocytosis and normal ones, endogenous phosphorylation of proteins in (Moret, Michielin, Falezza, De Sandre) (77) 359
Erythrocyte, membranes of, lactate dehydrogenase isoenzymes of (Zail, Van den Hoek) (79) 15
Erythrocyte, membrane enzymes, solubilized with Triton X-100, polyacrylamide gel electrophoresis of (Van den Hoek, Zail) (79) 7
Erythrocyte, membrane of, proteins of, alteration during erythrocyte ageing (Bienzle, Pjura) (76) 183
Erythrocyte, membrane of, Rh(e) antigen from isolation and purification of (Abraham, Bakerman) (76) 177
Erythrocyte, phospholipids in, in Duchenne muscular dystrophy (Kalofoutis, Jullien, Spanos) (74) 85
Erythrocytes, 5-phosphoribosyl 1-pyrophosphate in, simple and sensitive method for estimating the concentration and synthesis of (Tax, Veerkamp) (78) 209
Erythrocytes, porphyrin synthesis in, of patients with erythropoietic protoporphyria (De Goeij, Smit, Van Steveninck) (74) 27
Erythrocytes, pyrimidine 5′-nucleotidase of, electrophoretic characterization of, and its distinction from acid phosphatase (Rosa, Valentin, Rosa) (79) 115
Erythrocytes, pyruvate kinase in intact, influence of redox state of glutathione on (Sprengers, Van Berkel, Koster, Staal) (80) 495
Erythrocytes, pyruvate kinase deficiency in, contribution of various immunologic methods in the study of the mutant enzyme (Kahn, Vives-Corrons, Marie, Galand, Boivin) (75) 71
Erythrocyte, pyruvate kinase deficiency of, hereditary, molecular and functional studies of four mutant PK variants detected in Spain (Marie, Vives-Corrons, Kahn, Kernemp) (81) 153
Erythrocyte, pyruvate kinase deficiency of, and related metabolic disorders, heterogeneity of, in patients with haematological diseases (Gherardi, Bierme, Corberand, Vergnes) (78) 465
Erythrocyte, sodium pump activity in, in normal human subjects, age and sex differences (Hokin-Neaverson, Spiegel, Burckhardt, Jefferson) (76) 399
Erythrocytes, superoxide dismutase and glutathione peroxidase in, determination in newborns in relation to neonatal haemolysis (Rotilio, Rigo, Bracci, Bagnoli, Sargentini, Brunori) (81) 131
Ethanol, in serum, determination by an enzymatic PMS-INT colorimetric method (Lim, Buttery) (75) 9
(2-Ethoxyethoxy)acetic acid, in urinary organic acids, unusual compound found in gas chromatographic analysis of (Kamerling, Duran, Bruinvis, Ketting, Wadman, De Groot, Hommes) (77) 397
Exercise, effect of near maximum, on serum enzymes, the exercise profile versus the cardiac profile (Kaman, Goheen, Patton, Raven) (81) 145

F

Factor IX, (Christmas factor), inhibitor-neutralisation assay and electroimmuno assay of (Bertina, Van der Linden) (77) 275

Faeces, bile acids in, effect of pectin on, and on serum cholesterol and biliary lipids in normolipidaemic and hyperlipidaemic individuals (Miettinen, Tarpila) (79) 471

Faeces, bile acids in, simplified quantitative determination of (De Wael, Raaymakers, Endeman) (79) 465

Faeces, volatile fatty acids in, pretreatment methods prior to gaschromatographic analysis of (Zijlstra, Beukema, Wolthers, Byrne, Groen, Dankert) (78) 243

Fatty acids, free, in serum, assay by extraction-photometric procedure (Chromý, Gergel, Vozníček, Krombholzová, Musil) (80) 327

Fatty acids, free, minimal effects on the competitive protein-binding assay of serum thyroxine on reusable Sephadex columns (Bastomsky, McQuaid, Greenidge) (75) 475

Fatty acids, influence on the binding of calcium to human serum albumin (Ladenson, Shyong) (75) 293

Fatty acids, in platelets, variation in patients with atherosclerosis (Trugnan, Bereziat, Graisely, Brivet, Cloarec, Polonovski) (79) 583

Fatty acids, long-chain, non-esterified, pattern of, of blood plasma in children, determination by gas-liquid chromatography (Rogiers) (78) 227

Fatty acids, short-chain, in plasma, in fulminant hepatic failure (Lai, Silk, Williams) (78) 305

Fatty acids, unesterified, in plasma, by fluorimetry (Curzon, Kantamaneni) (76) 289

Fatty acids, volatile, from faecal samples, gas chromatography for analysis of, pretreatment methods prior to (Zijlstra, Beukema, Wolthers, Byrne, Groen, Dankert) (78) 243

Fetal lung maturity, estimation of, by determination of amniotic fluid palmitic acid concentration (Bichler, Daxenbichler, Geir) (74) 133

Fibrinogen, rapid and simple determination of (Stakenburg, Neumann) (80) 141

Fibrinogenolytic method, for quantitative determination of plasmin (Vukovich) (79) 285

Fibroblasts, acid hydrolase activities in, from normal and cystinotic children (Scardigli, Koldovsky, Palmieri, Segal, States) (75) 13

Fibroblasts, cultured, GM_1-ganglioside β-galactosidase in, and in leukocytes (Raghavan, Gajewski, Kolodny) (81) 47

Fibroblasts, cultured, L-ornithine-ketoacid-transaminase deficiency in, of a patient with hyperornithinaemia and gyrate atrophy of the choroid and retina (Trijbels, Sengers, Bakkeren, De Kort, Deutman) (79) 371

Fibroblasts, gouty, human, aged in vitro, activities of purine pathway enzymes in (Clifford, Steine, Castles) (74) 255

Fibroblasts, of cystic fibrosis, effect of culture medium on ATPase activity (Applegarth, Davidson, Haworth, Quist, Zuk, Roufogalis, Clark) (74) 183

Fibroblast, of human skin, glycosphingolipid β-galactosidases and neuraminidases in, effect of glycosaminoglycans on in vitro activity of (Rushton, Dawson) (80) 133

Fibroblasts, of the skin, cultured, and blood leukocytes, evaluation of metabolic pathway activity in (Rozen, Buhl, Mohyuddin, Caillibot, Scriver) (77) 379

Fibroblasts, of the skin, cultured, diagnosis of Pompe's disease in, and in primary amniotic fluid cells using 4-methylumbelliferyl-α-D-glucopyranoside as substrate (Butterworth, Broadhead) (78) 335

Fibroblasts, of the skin, cultured, medium from, lysosomal enzymes in, from normal individuals and patients with lysosomal disease (Hultberg, Sjöblad) (80) 79

Fibroblasts, of the skin, cultured human, monoamine oxidase activity in (Groshong, Gibson, Baldessarini) (80) 113

Fluorescence, Tb^{3+}, enhancement of, induced by serum proteins other than apotransferrin (Romslo) (75) 171

Fluorescence assay, sensitive, for simultaneous and separate determination of arylsulphatases A and B (Christomanou, Sandhoff) (79) 527

Fluorescent immunoassay, solid-phase, for

quantitation of the C3 component of human complement (Burgett, Fairfield, Monthony) (78) 277
Fluoride, excretion (Vandeputte, De Cock, Dryon, Vercruysse, Alexander, Massart) (75) 205
Fluorimetric titration, of calcium in biological fluids, simple automated method for (Holtkamp, Mantel, Brouwer, Liem, Van Zwam, Leijnse) (76) 125
Fluorimetry, for amoxycillin in plasma (Barbhaiya, Turner, Shaw) (77) 373
Fluorimetry, for bile acid in serum in liver disease (Osuga, Mitamura, Mashige, Imai) (75) 81
Fluorimetry, for L-dopa in human urine, semiautomated method for estimation of small amounts (Blau, Rosenmund) (75) 213
Fluorimetry, for pancuronium bromide in plasma, modified method for (Watson, McLeod) (79) 511
Fluorimetry, for β-phenylethylamine in human urine (Suzuki, Yagi) (78) 401
Fluorimetry, for plasma glucose, an immobolized hexokinase enzyme stirrer for a simple and economical assay (Kiang, Kuan, Kuan, Guilbault) (78) 495
Fluorimetry, for unesterified fatty acid in plasma (Curzon, Kantamaneni) (76) 289
Fluorimetry, micro-, for lysosomal arylsulphatases in leukocytes (Bakhru-Kishore, Kelly) (75) 483
Fluorimetry, microspectro-, for serum vitamin A, evaluation (Sivakumar) (79) 189
α-Foetoprotein, in cord serum, level of, and of immunoglobulin, and their interrelationships (Schuurman, Hagenaars, Zegers) (79) 363
α-Foetoprotein, quantitation by electroradioimmunoassay (Sykes, Dennis) (79) 309
Folate, -binding in milk, mechanism (Ingemann Hansen, Holm, Lyngbye) (75) 321
Folic acid, in blood, and peptide and steroid hormones and cyclic AMP in blood, measurement of (Gleispach, Kreutzer, Fellier, Borkenstein) (80) 381
Fructose intolerance, hereditary, livers with, and normal human livers, isoelectrofocusing of aldolase B from (Schapira, Gregori, Hatzfeld) (78) 1
Fucosidosis, and Lewis substances (Staal, Van der Heijden, Troost, Moes, Borst-Eilers) (76) 155

G

Galactitol, in urine of heterozygotes of both forms of galactosaemia (Sitzmann, Schmid, Kaloud) (75) 313

Galactokinase, by chromatography, DEAE-cellulose column (Shin-Buehring, Osang, Ziegler, Schaub) (74) 1

Galactosaemia, excretion of galactitol in the urine of heterozygotes of both forms of (Sitzmann, Schmid, Kaloud) (75) 313

Galactosaemia, galactose-1-phosphate uridyltransferase activities in erythrocytes from a patient with (De Bruyn, Raymakers, Wensing, Oei) (78) 145

Galactosaemia, prenatal diagnosis of (Ng, Donnell, Bergren, Alfi, Golbus) (74) 227

Galactose-1-phosphate uridyltransferase, in erythrocytes, activities in a patient with galactosaemia: discrepancy between two methods (De Bruyn, Raymakers, Wensing, Oei) (78) 145

Galactose-1-phosphate uridylyl-transferase, starch gel electrophoresis for, applied to dried filter paper blood specimens (Hammersen, Levy) (77) 295

β-Galactosidases, in human skin fibroblasts, and neuraminidases, in vitro activity of, effect of glycosaminoglycans on (Rushton, Dawson) (80) 133

β-Galactosidase, in mucopolysaccharidoses and mucolipidoses. Deficiency of G_{M1} β-galactosidase in liver and leukocytes (Suzuki, Fukuoka, Jinn Wey, Handa) (75) 91

Gallstones, calcium salts in, and calcium in bile (Sutor, Wilkie) (79) 119

GM_1 Ganglioside, accumulation of, atypical, in a case of juvenile amaurotic idiocy (Ogino, Osuka, Yokoi) (78) 9

GM_1-Ganglioside β-galactosidase, in leukocytes and cultured fibroblasts (Raghavan, Gajewski, Kolodny) (81) 47

GM_1-Gangliosidosis, and globoid cell leukodystrophy, lactosylceramidase assays for diagnosis (Tanaka, Suzuki) (75) 267

GM_1 Gangliosidosis, use of tears for diagnosis (Tsuboyama, Miki, Yoshida, Ogura, Miyatake) (80) 237

GM_2-Gangliosidosis, prenatal diagnosis of, the relevance of N-acetyl-β-hexosaminidase isoenzymes of amniotic fluid and maternal serum to (Potier, Boire, Dallaire, Melancon) (76) 309

Gastrin, in serum, determination with a radioimmunosorbent technique (Lundqvist, Wide) (79) 357

Gastrointestinal metaplasia, alkaline phosphatase isoenzyme in (Miki, Oda, Suzuki, Iino, Niwa) (76) 79

Gaucher's disease, blood glucosylceramide levels in, and its distribution amongst lipoprotein fractions (Dawson, Oh) (75) 149

Gaucher's disease, diagnosis in liver using 4-methylumbelliferyl-β-D-glucopyranoside (Broadhead, Butterworth) (75) 155

Gaucher's disease, elevated serum and spleen angiotensin converting enzyme and serum lysozyme (Silverstein, Friedland) (74) 21

Gaucher's disease, serum acid phosphatase in, using 4-methylumbelliferyl phosphate (Chambers, Aquino, Glew, Lee, McCafferty) (80) 67

Gelatin liquefaction, for assay of proteolytic enzymes (Westler, Neal) (78) 151

Gel filament, testing of an affinity chromatographic, product-immobilizing linear gel for determination of enzymatic activity (Bivehead, Thunell) (77) 131

Gel filtration, steady-state, for measurement of serum free insulin (Asplin, Goldie, Hartog) (75) 393

Globulin, corticosteroid-binding, binding capacity of, and total and free cortisol in human peripheral plasma, measurement by gel-exchange with Sephadex G-25 (Angeli, Frajria, Richiardi, Agrimonti, Gaidano) (77) 1

γ-Globulin, role of, in composition of macroamylase (Kaczmarek, Rosenmund) (79) 183

Globulin, sex hormone binding, binding of dihydrotestosterone, testosterone and oestradiol with (Mean, Pellaton, Magrini) (80) 171

Globulin, thyroxine-binding, in human pregnancy serum, improved procedure for isolation (Kågedal, Källberg) (78) 103

Globulin, thyroxine-binding, ligand-binding assay for, on reusable Sephadex columns (Bastomsky, Kalloo, Frenkel-Leith) (74) 51

Glomerulonephritis, collagenase activity of rat kidney with, during the heterologous phase (Lubec) (76) 89

Glucagon, infusion of, effect on plasma

cyclic AMP in patients with cholestatic hepatitis and obstructive jaundice (Francavilla, Pansini, Sansone, Albano, Martellotta) (75) 351
Glucagon, pancreatic, antiserum against, production and characterization of (Von Schenck) (80) 455
Glucocorticoids, effect of, on liver and blood cholinesterases (Verjee, Behal, Ayim) (81) 41
Glucogenosis, type II, (Pompe's disease), micro-radiochemical assay for α-1,4-glucosidase and its use in the assessment of (Nelson, Carey, Pollard) (77) 337
Glucose, effects of some variations in the ortho-toluidine procedure for estimation of (Quek, Buttery) (75) 497
Glucose, influence of, and of inhibitors of glycolysis on release of total proteins and enzymes from human leukocytes (Lahrichi, Tarallo, Houpert, Siest) (79) 479
Glucose, and insulin, immunoreactive response of, to oral glucose in offspring of patients with endogenous hypertriglyceridaemia (Werbin, Tamir, Heldenberg, Ayalon, Adler, Levtow) (76) 35
Glucose, in plasma, by fluorimetry, an immobilized hexokinase enzyme stirrer for a simple and economical assay (Kiang, Kuan, Kuan, Guilbault) (78) 495
Glucose, in plasma or blood, reflectance meter system for measurement of, in the clinic or side ward (Telfer Brunton, Steel, Percy-Robb) (75) 359
Glucose, in serum, enzyme thermistor assay for, using immobilized glucose oxidase (Danielsson, Gadd, Mattiasson, Mosbach) (81) 163
Glucose, in serum, evaluation of automated glucose oxidase methods: comparison to the hexokinase method of a colorimetric and an electrometric method (Koch, Nipper) (78) 315
Glucose, in serum, new colorimetric method for determination of (Sugiura, Hirano) (75) 387
Glucose oxidase, automated methods for serum glucose: comparison of a colorimetric and an electrometric method to the hexokinase method (Koch, Nipper) (78) 315
Glucose oxidase, immobilized, for enzyme thermistor assay of glucose in serum (Danielsson, Gadd, Mattiasson, Mosbach) (81) 163
Glucose-6-phosphate dehydrogenase, activity of, and estradiol receptors, in human breast tumours (Duffy, Duffy) (74) 167
Glucosephosphate isomerase deficiency, new variant, GPI-Kortrijk (Staal, Akkerman, Eggermont, van Biervliet, Vlug, Gorter, Bartstra) (78) 121
α-Glucosidase, from various human tissues, properties in relation to glycogenosis type II (Pompe's disease) (Soyama, Ono, Shimada, Tanaka, Oya, Kusunoki) (78) 473
α-Glucosidase, in urine, for the detection of the adult form of Pompe's disease (Soyama, Ono, Shimada, Tanaka, Kusunoki) (77) 61
α-1,4-Glucosidase, micro-radiochemical assay for, and its use in the assessment of type II glucogenosis (Pompe's disease) (Nelson, Carey, Pollard) (77) 337
Glucosylceramide, in blood, in Gaucher's disease and its distribution amongst lipoprotein fractions (Dawson, Oh) (75) 149
γ-Glutamyl-p-nitroanilide, stable solution of, for assay of γ-glutamyltransferase activity (Minato) (78) 503
γ-Glutamyltransferase, by colorimetry, non-inhibition by p-nitroaniline (Lopez, Buttery) (77) 91
γ-Glutamyltransferase, concanavalin A-Sepharose affinity chromatography for routine microanalysis of (Köttgen, Lindinger, Reutter) (80) 221
γ-Glutamyltransferase, in serum, in chronic renal failure during regular haemodialysis and after successful renal transplantation (Pierides, Skillen) (77) 83
γ-Glutamyltransferase, in serum of multiple sclerosis and other neurological diseases, activity of (Rieder, Zurfluh, Jegge) (79) 211
γ-Glutamyltransferase, isoenzymes of, and of lactate dehydrogenase, relation of alkaline phosphatase isoenzymes to (Brohult, Fridell, Sundblad) (76) 205
γ-Glutamyltransferase, stable solution of γ-glutamyl-p-nitroanilide for assay of activity (Minato) (78) 503
Glutathione, redox state of, influence upon pyruvate kinase in intact erythrocyte (Sprengers, Van Berkel, Koster, Staal) (80) 495
Glutathione peroxidase, in erythrocytes, and superoxide dismutase in, determination in newborns in relation to neonatal haemolysis (Rotilio, Rigo, Bracci, Bagnoli, Sargentini, Brunori) (81) 131
Glyceraldehyde, an unusual metabolite in the urine of a child with tyrosinaemia (Tomer, Rothman, Yudkoff, Segal) (81) 109
Glycerol, increased urinary excretion of,

metabolic studies on a patient (Palo, Servo, Pitkänen, Tammisto) (80) 391
Glycine cleavage system, reduced level of, in liver of hyperglycinaemia patients (Motokawa, Kikuchi, Narisawa, Arakawa) (79) 173
Glycogen, action of human pancreatic and salivary isoamylases on, and on starch (Kaczmarek, Rosenmund) (79) 69
Glycogen, metabolism, abnormal, in platelets, in multiple myeloma patients (Agam, Gutman, Djaldetti) (79) 437
Glycogenosis, type II (Pompe's disease), properties of α-glucosidase from various human tissues in relation to (Soyama, Ono, Shimada, Tanaka, Oya, Kusunoki) (78) 473
Glycogen synthase, in blood cells, activity of, in hepatic glycogen synthase deficiency (Gitzelmann, Aynsley-Green, Williamson) (79) 219
Glycogen synthase in parodontal disease, activity (Savy, Berthillier, Got) (79) 317
Glycogen synthase deficiency, hepatic, blood cell glycogen synthase activities in (Gitzelmann, Aynsley-Green, Williamson) (79) 219
Glycolysis, inhibitors of, effect of, and of glucose, on release of total proteins and enzymes from human leukocytes (Lahrichi, Tarallo, Houpert, Siest) (79) 479
Glycoproteins, acidic, isolation of, from two patients with chronic bronchitis (Lamblin, Humbert, Degand, Roussel) (79) 425
Glycoproteins, of pleural effusions (Dirat, Valdiguie) (77) 219
Glycoprotein, Tamm and Horsfall, in human urine, by electroimmunoassay (Wieslander, Bygren, Heinegård) (78) 391
Glycosaminoglycans, acidic, in human plasma, molecular weight-dependent distribution of (Murata, Horiuchi) (75) 59
Glycosaminoglycans, acidic, (mucopolysaccharides) in the differential diagnosis of pleural effusion (Friman, Hellström, Juvani, Riska) (76) 357
Glycosaminoglycans, in amniotic fluid, method for determination of, and its application to the prenatal diagnosis of Hurler and Sanfilippo diseases (Whiteman, Henderson) (79) 99
Glycosaminoglycans, effect of, on in vitro activity of human skin fibroblast glycosphingolipid β-galactosidases and neuraminidases (Rushton, Dawson) (80) 133
Glycylproline p-nitroanilidase, in serum, activity of, in blood cancers (Fujita, Hirano, Tokunaga, Nagatsu, Nagatsu, Sakakibara) (81) 215
Glycylproline p-nitroanilidase, in serum, in human hypertension (Fuyamada, Hino, Nagatsu, Ogawa, Sakakibara) (74) 177
Gold, in plasma and plasma fractions, determination by atomic absorption spectrometry and by neutron activation analysis (Ward, Danpure, Fyfe) (81) 87
Gonadotrophin, human chorionic, and urinary luteinizing hormone, determination by haemagglutination inhibition assay (Johnson, Yoder, Adams) (77) 331
Gout, purine pathway enzyme activities in human fibroblasts aged in vitro in (Clifford, Steine, Castles) (74) 255
GPI-Kortrijk, new variant of glucosephosphate isomerase deficiency (Staal, Akkerman, Eggermont, van Biervliet, Vlug, Gorter, Bartstra) (78) 121
Granulocytes, monoamine oxidase in, properties of (Bond, Cundall) (80) 317
Granulomatous disease, chronic, diagnosis using concanavalin A and cytochalasin E (Nakagawara, Nabi, Minakami) (74) 173
Growth hormone, human, in different pituitary extracts, determination by radioimmunoassay with polyacrylamide gel electrophoresis as a bound-free separation system (Bartolini, Marques de Assis, Schwarz, Pieroni) (79) 223
Growth hormone, human, enzymatic iodination of, by myeloperoxidase in the solid state (Silberring, Dubin) (79) 609
Guanase and xanthine-oxidase activities in normal and psoriatic epidermis (Kizaki, Matsuo, Sakurada) (75) 1
Guanosine 3′,5′-cyclic monophosphate, in blood plasma, method for measurement of low levels (Latner, Patterson, Turner) (81) 99
Gyrate atrophy, of choroid and retina, L-ornithine-ketoacid-transaminase deficiency in cultured fibroblasts of a patient with, and with hyperornithinaemia (Trijbels, Sengers, Bakkeren, De Kort, Deutman) (79) 371

H

Haem catabolism, in human kidneys, effect of various nephritides (Lähdevirta, Tenhunen) (77) 125

Haemagglutination, -inhibition assay, determination of urinary luteinizing hormone and human chorionic gonadotrophin (Johnson, Yoder, Adams) (77) 331

Haemiglobin, and haemiglobincyanide, interference of sulphhaemoglobin with the determination of (Dijkhuizen, Buursma, Gerding, Zijlstra) (78) 479

Haemiglobincyanide, and haemiglobin, interference of sulphhaemoglobin with the determination of (Dijkhuizen, Buursma, Gerding, Zijlstra) (78) 479

Haemiglobincyanide method, and the Coulter S Counter, comparison of, in haemoglobinometry (Salvati, Samoggia, Taggi, Tentori) (77) 13

Haemodialysis, regular, seasonal variation of serum 25-hydroxyvitamin D in patients with chronic renal failure on (Cook, Pierrides, Shannan) (76) 251

Haemodialysis, regular, serum γ-glutamyltransferase activity in chronic renal failure during, and after successful renal transplantation (Pierides, Skillen) (77) 83

Haemodialysis baths, acetate in, and in plasma, determination by gas chromatography (Desch, Descomps) (76) 193

Haemoglobin, human, in biological fluids, immunochemical determination of (Engler, Pointis, Rondeau, Judon, Waks) (77) 159

Haemoglobinometry, comparison between the haemiglobincyanide method and the Coulter S Counter (Salvati, Samoggia, Taggi, Tentori) (77) 13

Haemolysis, neonatal, determination of erythrocyte superoxide dismutase and glutathione peroxidase in newborns in relation to (Rotilio, Rigo, Bracci, Bagnoli, Sargentini, Brunori) (81) 131

Haemopexin, caeruloplasmin and C_3: effect of diphenylhydantoin (Seager) (79) 603

Hawkinsin, new sulphur amino acid, identified in a baby with transient tyrosinaemia and her mother (Niederwieser, Matasovic, Tippett, Danks) (76) 345

Heparin, lipoprotein X in postheparin plasma, electrophoretic mobility of (Ritland, Sauar, Holme, Blomhoff) (75) 129

Heparin-agarose, extracorporeal removal of plasma lipoproteins by affinity binding to (Moorjani, Lupien, Awad) (77) 21

Heparin cofactor, semi micro or automated determination of, and of thrombin and antithrombin, using the substrate H-D-Phe-Pip-Arg-p-nitroanilide · 2HCl (Scully, Kakkar) (79) 595

Hepatic encephalopathy, octopamine and ammonia plasma levels in (Capocaccia, Cangiano, Attili, Angelico, Cascino, Rossi Fanelli) (75) 99

Hepatic failure, fulminant, plasma short-chain fatty acids in (Lai, Silk, Williams) (78) 305

Hepatic lipase, selective protamine sulphate inactivation of, and of lipoprotein lipase, in human post-heparin plasma, specific lipase levels in normals and in type I hyperlipoproteinaemia (Berger, Abraham) (81) 219

Hepatitis, cholestatic, and obstructive jaundice, effect of glucagon infusion on plasma cyclic AMP in patients with (Francavilla, Pansini, Sansone, Albano, Martellotta) (75) 351

Hepatitis, viral, urinary enzymes in (Dart) (78) 499

Hepatitis A, viral, interferon production and α_2-macroglobulin involvement in immune response during (Bador, Colobert, Giroud, Lesbre) (78) 217

Hepatitis B, enzyme immunoassay for, and its comparison to other methods (Caldwell, Barrett) (81) 305

Hepatitis B, surface antigen of, separation and purification of, from serum (Desmet, Boitieux) (74) 59

Hepatobiliary disorders, characteristics of bile lysosomal enzymes and pathological significance for various (Toyoda, Eto, Aoki) (79) 291

Heroin-addicts, and normal subjects, comparison of plasma hormonal levels (Ho, Wen, Fung, Ng, Au, Ma) (75) 415

Hexokinase, in erythrocytes, properties of, related to cell age (Rijksen, Schoop, Staal) (80) 193

Hexokinase enzyme, immobilized stirrer of, for a simple and economical fluorimetric assay of plasma glucose (Kiang, Kuan, Kuan, Guilbault) (78) 495

β-Hexosaminidase, activity in tears, an

improved, fully-automated method for heterozygote identification of Tay-Sachs disease (Goldberg, Truex, Desnick) (77) 43
Hexosaminidase isoenzymes, human, chromatographic separation as an aid to heterozygote identification (Nakagawa, Kumin, Nitowsky) (75) 181
Hippuric acid, in urine, by high pressure liquid chromatography, quantitative determination (Gossler, Schaller, Zschiesche) (78) 91
Hirschsprung's disease, acetylcholinesterase activity in rectal biopsy tissue from patients with, improved method (Dale, Bonham, Riley, Wagget) (77) 407
Hirsutism, urinary pregnanetriol excretion in (Van 't Hoff, Bicknell, Horrocks, Fleetwood, Inthuprapa, Hall) (80) 373
Histamine levels, in blood and urine, in normal and pathological states as measured by a radiochemical assay (Horakova, Keiser, Beaven) (79) 447
Hodgkin's disease, see Blood cancers
Homocysteine, and cysteine loads, in patients with homocystinuria due to cystathionine synthase deficiency: effects of vitamin B-6 (Rassin, Longhi, Sternowsky, Sturman, Gaull) (79) 197
Homocystinuria, homocysteine and cysteine loads in patients with, due to cystathionine synthase deficiency: effects of vitamin B-6 (Rassin, Longhi, Sternowsky, Sturman, Gaull) (79) 197
Hormonal levels, in plasma, comparison of, between heroin-addicted and normal subjects (Ho, Wen, Fung, Ng, Au, Ma) (75) 415
Hormone, human follicle-stimulating, high-quality iodine-125-labelled pituitary, preparation for radioimmunoassay: comparison of enzymatic and chloramine-T iodination (Pinto, Lerario, Torres de Toledo e Souza, Wajchenberg, Mattar, Pieroni) (76) 25
Hormone, luteinizing, in urine, and human chorionic gonadotrophin, determination by haemagglutination inhibition assay (Johnson, Yoder, Adams) (77) 331
Hormones, peptide and steroid, folic acid and cyclic AMP, how to collect blood for measurement of (Gleispach, Kreutzer, Fellier, Borkenstein) (80) 381
Hormones, sex, unconjugated, rise of, in human urine on storage (Kjeld, Puah, Joplin) (80) 285
Hormones, thyroid, for induction of thyroxine to triiodothyronine converting enzyme in rat liver (Grussendorf, Hüfner) (80) 61
Hurler disease, method for determination of amniotic-fluid glycosaminoglycans and its application to prenatal diagnosis of, and of Sanfilippo disease (Whiteman, Henderson) (79) 99
Hurler syndrome, simplified assay method of α-L-iduronidase activity in leukocytes for detection of, and its carriers (Momoi, Sudo, Tanioka, Kushida) (81) 311
Hybridisation experiments, on creatine kinase, and isoelectrofocusing (Wevers, Wolters, Soons) (78) 271
Hydatidiform mole, N-acetyl-β-glucosaminidase activity in (Lueng, Fung, Yu, Choy, Lee) (74) 43
Hydrolases, acid, in fibroblasts from normal and cystinotic children (Scardigli, Koldovsky, Palmieri, Segal, States) (75) 13
Hydroquinone, -induced leucoderma, urinary indole profile of Bufo melanostictus during, and its regeneration (Chakraborty, Chatterjee) (79) 399
α-Hydroxybutyrate, oxidation of, by human serum (Naghizadeh) (81) 277
12-Hydroxyeicosatetraenoic acid, radiochemical assay of, and of thromboxane B_2 and 12-hydroxyheptadecatrienoic acid synthesized by human platelets (Lagarde, Gharib, Dechavanne) (79) 255
12-Hydroxyheptadecatrienoic acid, radiochemical assay of, and of thromboxane B_2 and 12-hydroxyeicosatetraenoic acid synthesized by human platelets (Lagarde, Gharib, Dechavanne) (79) 255
5-Hydroxyindole-3-acetic acid, in body fluids, quantitative determination of, by high-performance liquid chromatography (Beck, Palmskog, Hultman) (79) 149
5-hydroxyindole-3-acetic acid, in urine, by high-speed liquid chromatography (Yoshida, Yamazaki, Sakai) (77) 95
2-Hydroxyisovaleric acid, occurrence in patients with lactic acidosis and ketoacidosis (Landaas, Jakobs) (78) 489
Hydroxylysine, in urine and serum, estimation of, in patients with chronic uremia (Dubovsky, Geary, Jr., Chilcutt) (76) 41
3α-Hydroxysteroid dehydrogenase, bile acid determination with different preparations of (Bruusgaard, Sørensen, Gilhuus-Moe, Skålhegg) (77) 387
25-Hydroxyvitamin D, in serum, assay of, evaluation of chromatographic and non-chromatographic procedures (Skinner, Wills) (80) 543

25-Hydroxyvitamin D, in serum, seasonal variation of, in patients with chronic renal failure on regular haemodialysis (Cook, Pierides, Shannan) (76) 251
Hyperamylasaemia, following open-heart surgery with extracorporeal circulation, nature and origin (Otsuki, Maeda, Yuu, Yamasaki, Okano, Saeki, Sakamoto, Baba) (77) 349
Hyperglycinaemia, reduced level of glycine cleavage system in liver of patients with (Motokawa, Kikuchi, Narisawa, Arakawa) (79) 173
Hyperlipidaemia, effect of pectin on serum cholesterol, fecal bile acids and biliary lipids in normolipidaemics and patients with (Miettinen, Tarpila) (79) 471
Hyperlipidaemia, reversible, hypothyroidism, an important cause of (Mishkel, Crowther) (74) 139
Hyperlipoproteinaemia, type I, specific lipase levels in normals and in, selective protamine sulphate inactivation of lipoprotein lipase and hepatic lipase in post-heparin plasma (Berger, Abraham) (81) 219
Hyperlipoproteinaemia, type III, comparative study of current diagnostic techniques (Albers, Warnick, Hazzard) (75) 193
Hyperlipoproteinaemia, type III, composition of low and very low lipoprotein subfractions in (Stromberg, Ballantyne, Ballantyne, Third, Bedford) (79) 163
Hyperlipoproteinaemia, type III, electrophoretic mobility in agarose of very low density lipoprotein subfractions in (Ballantyne, Bedford, Ballantyne, Third, Stromberg, Packard) (75) 487
Hyper(alpha)lipoproteinaemia, familial, studies on serum lipoproteins and some serum enzymes (Avogaro, Cazzolato, Kostner, Holasek) (77) 139
Hyper(beta)-lipoproteinaemia, familial, serum lecithin:cholesterol acyltransferase activity in children with, (Roberts, Round, Lloyd, Fosbrooke) (78) 311
Hyperornithinaemia, L-ornithine-ketoacid-transaminase deficiency in cultured fibroblasts of a patient with, and with gyrate atrophy of the choroid and retina (Trijbels, Sengers, Bakkeren, De Kort, Deutman) (79) 371
Hyperparathyroidism, hypercalcaemic, serum urate in subjects with (Christensson) (80) 529
Hyperparathyroidism, primary, serum lipids before and after parathyroidectomy in patients with (Christensson, Einarsson) (78) 411
Hyperphenylalaninaemia, lethal, and phenylketonuria, dihydroxanthopterinuria in patients with, (Watson, Schlesinger, Cotton) (78) 417
Hypertension, free and total 3-methoxy-4-hydroxyphenylethylene glycol in human cerebrospinal fluid related to blood pressure in patients with, and with neuropsychiatric disease (Murray, Jones, Davies, Dollery, Reid) (79) 63
Hypertension, human, serum glycylproline p-nitroanilidase activity in (Fuyamada, Hino, Nagatsu, Ogawa, Sakakibara) (74) 177
Hypertriglyceridaemia, endogenous, immunoreactive insulin and glucose response to oral glucose in offspring of patients with (Werbin, Tamir, Heldenberg, Ayalon, Adler, Levtow) (76) 35
Hypertriglyceridaemia, plasma cholesterol esterification in (Goren, Simons) (74) 289
Hypocholesterolaemia, in rat after p-chlorophenoxyisobutyric acid administration as a synthetic triglyceride, 1,3-dipalmitoyl 2(p-chlorophenoxyisobutyroyl)-rac-glycerol (Owen, Billimoria) (79) 349
Hypothyroidism, important cause of reversible hyperlipidaemia (Mishkel, Crowther) (74) 139
Hypothyroidism, lipoprotein composition in (Wahlqvist, Fidge, Lomas) (77) 269
Hypoxanthine-guanine phosphoribosyltransferase, a simple spectrophotometric assay (Johnson, Gordon, Emmerson) (80) 203

I

Idiocy, juvenile amaurotic, atypical GM_1 ganglioside accumulation in a case of (Ogino, Osuka, Yokoi) (78) 9

α-L-Iduronidase, in leukocytes, activity of, simplified assay method of, for detection of Hurler syndrome and its carriers (Momoi, Sudo, Tanioka, Kushida) (81) 311

α-L-Iduronidase, radioactive substrate and assay for, diagnosis of mucopolysaccharidosis I (Di Natale, Leder, Neufeld) (77) 211

IFCC Section (1977) No. 1, Provisional Recommendation on Quality Control in Clinical Chemistry. Part 6. Quality requirements from the point of view of health care (74) F1—F9, (74) following p. 190

IFCC Section (1977) No. 2, Provisional Recommendation on Quality Control in Clinical Chemistry. Part 3. Calibration and control materials (75) F11—F20, (75) following p. 180

IFCC Section (1977) No. 3, Provisional recommendations on IFCC methods for the measurement of catalytic concentrations of enzymes. Part 3. Revised IFCC method for aspartate aminotransferase (EC 2.6.1.1) (1977) (80) F21—F22, (80) following p. 394

Immunoadsorbents, insoluble, of human plasma protein. Large-scale production and storage (Nerenberg, Prasad, Biskup, Pedersen (DeMarco)) (74) 237

Immunoassay, enzyme, for hepatitis B and its comparison to other methods (Caldwell, Barrett) (81) 305

Immunoassay, enzyme-, a review (Schuurs, Van Weemen) (81) 1

Immunoassay, turbidimetric, with automated individual blank compensation (Van Munster, Hoelen, Samwell-Mantingh, Holtman-Van Meurs) (76) 377

Immunochemistry, for haemoglobin in biological fluids (Engler, Pointis, Rondeau, Judon, Waks) (77) 159

Immunodiffusion, comparison between a solid-phase fluorescent immunoassay and, for the quantitation of the C3 component of human complement (Burgett, Fairfield, Monthony) (78) 277

Immunoelectrophoresis, see Electrophoresis, immuno-

Immunoelectrophoresis, rocket, for measurement of apoproteins of human serum lipoproteins (Onitiri, Lewis) (79) 39

Immunoglobulins, amylase-linked, properties of (Kanno, Sudo) (76) 67

Immunoglobulins, in cord serum, levels of, and of alpha-foetoprotein, and their interrelationships (Schuurman, Hagenaars, Zegers) (79) 363

Immunoglobulin, in serum, determination on the basis of their light-chain antigenic properties (Eickhoff, Heipertz) (78) 343

Immunoglobulins, short term variation of levels with an estimation of the day to day physiological variability (Veys, Wieme, Van Egmond, Gabriel, Van der Jeught) (75) 275

Immunoglobulins, and low density lipoproteins, in human pleural effusions (Rerabek) (76) 363

Immunoglobulins, A 7 S and A 11 S, ratio of, in human bronchial secretion, determination by thin-layer gel filtration immunoelectrophoresis (Laine, Hayem, Lebas, Romon) (79) 541

Immunoglobulin E, levels of, in paired examinations of serum and synovial fluid in rheumatoid arthritis and reactive synovitis of local origin (Hrnčíř, Tichý, Šimša, Salavec, Vavřina) (81) 293

Immunoglobulin E, in serum, determination by conventional radioimmunoassay and a modified (sandwich) technique (Bruynzeel, Houben, Berrens) (80) 151

Immunoglobulin G, complexes with lactate dehydrogenase heterogeneity in electrophoretic mobility and in molecular size of (Biewenga) (76) 149

Immunoinhibition method, routine determination of S-creatine kinase B-subunit activity in human serum (Gerhardt, Ljungdahl, Börjesson, Hofvendahl, Hedenäs) (78) 29

Immunology, for creatine kinase isoenzyme MB, comparison with the electrophoretic method and the selective activating method (Vacca) (75) 175

Immunology, erythrocyte pyruvate kinase deficiency, study of the mutant enzyme

(Kahn, Vives-Corron, Marie, Galand, Boivin) (75) 71
Immunoreactivity, of α-amylase of humans and rats (Takeuchi, Nakagawa, Ogawa, Kawachi, Sugimura) (77) 203
Indole, in urine, profile of, of Bufo melanostictus during hydroquinone-induced leucoderma and its regeneration (Chakraborty, Chatterjee) (79) 399
Inhibitor-neutralisation assay, and electroimmuno assay, of human factor IX (Christmas factor) (Bertina, Van der Linden) (77) 275
Insulin, free, in serum, measurement by steady-state gel filtration (Asplin, Goldie, Hartog) (75) 393
Insulin, and glucose, immunoreactive response of, to oral glucose in offspring of patients with endogenous hypertriglyceridaemia (Werbin, Tamir, Heldenberg, Ayalon, Adler, Levtow) (76) 35
Insulin secretion, relationship of fasting plasma triglyceride concentration to, in untreated adult onset diabetes mellitus (Ballantyne, White, Strevens, Lawrie, Lorimer, Manderson, Morgan) (78) 323
Interferon, production of, and α_2-macroglobulin involvement in immune response during human viral hepatitis A (Bador, Colobert, Giroud, Lesbre) (78) 217
Intestine, foetal, alkaline phosphatase in (Miki, Suzuki, Iino, Hirano, Sugiura) (79) 21
Inulin, chemical measurements of concentrations of, in peritoneal dialysis solution (Brown, Nolph) (76) 103
Isoelectric focusing, see Electrofocusing, iso-

J

Jaundice, bile 5′-nucleotidase in serum of rats with (Mullock, Issa, Hinton) (79) 129
Jaundice, bile proteins in the serum of rats with (Hinton, Mullock) (78) 159
Jaundice, obstructive, and cholestatic hepatitis, effect of glucagon infusion on plasma cyclic AMP in patients with (Francavilla, Pansini, Sansone, Albano, Martellotta) (75) 351

K

Kallikreinogen-kallikrein system, of human blood serum, effect of kininogen on the activity (Yarovaya, Dotsenko, Orekhovich) (78) 85
Ketoacidosis, and lactic acidosis, occurrence of 2-hydroxyisovaleric acid in patients with (Landaas, Jakobs) (78) 489
Ketoglutarate dehydrogenase deficiency in platelet-enriched preparations from blood, rapid diagnosis of (Blass, Cederbaum, Kark) (75) 21
α-Keto-γ-methylthiobutyric acid, in urine, in hypermethioninaemia, determination by gas chromatography and flame photometry (Favier, Caillat) (79) 419
Kidney, collagenase activity of, of the rat with glomerulonephritis, during the heterologous phase (Lubec) (76) 89
Kidney, haem catabolism in, effect of various nephritides (Lähdevirta, Tenhunen) (77) 125
Kidney slices, renin secreted from, improved method for assay (Wilton) (79) 47
Kinetic constants, of human lactate dehydrogenase 1 and 5, effect of temperature on (Buhl, Jackson, Vanderlinde) (80) 265
Kinetic method, for creatine phosphokinase isoenzymes, compared with an electrophoretic method, in the diagnosis of myocardial infarction (Wlodarski, Howard, Trainer) (76) 171
Kinetic method, for determination of free and esterified cholesterol, with 2,2′-azino-di-3[ethyl-benzthiazolin sulphonic acid (6)] (Majkić, Berkeš) (80) 121
Kinetic properties, of liver OCT in a patient with ornithine carbamoyl transferase deficiency (Van der Heiden, Desplanque, Bakker) (80) 519
Kininogen, effect of, on the activity of the kallikreinogen-kallikrein system of human blood serum (Yarovaya, Dotsenko, Orekhovich) (78) 85
Koinozymic shedding of plasma membrane fragments by human cells in vivo and in vitro (De Broe, Wieme, Logghe, Roels) (81) 237
Krabbe's disease, chromogenic method for diagnosis (Gal, Brady, Pentchev, Furbish, Suzuki, Tanaka, Schneider) (77) 53
Krabbe's disease, diagnosis by lactosylceramidase assays (Tanaka, Suzuki) (75) 267

L

Lactate dehydrogenase, complexes with immunoglobulin G, heterogeneity in electrophoretic mobility and in molecular size of (Biewenga) (76) 149
Lactate dehydrogenase, 1 and 5, effect of temperature on kinetic constants of (Buhl, Jackson, Vanderlinde) (80) 265
Lactate dehydrogenase isoenzymes, of human erythrocyte membranes (Zail, Van den Hoek) (79) 15
Lactate dehydrogenase isoenzymes of, and of γ-glutamyltransferase, relation of alkaline phosphatase isoenzymes to (Brohult, Fridell, Sundblad) (76) 205
Lactalbumin, by radioimmunoassay (Woods, Heath) (78) 129
Lactic acidosis, congenital, due to pyruvate decarboxylase deficiency, gas chromatographic and mass spectrometric studies on urinary organic acids in a patient with (Chalmers, Lawson, Borud) (77) 117
Lactic acidosis, and ketoacidosis, occurrence of 2-hydroxyisovaleric acid in patients with (Landaas, Jakobs) (78) 489
D-Lactic aciduria, an inborn error of metabolism? (Duran, Van Biervliet, Kamerling, Wadman) (74) 297
Lactosylceramidase, assay for diagnosis of globoid cell leukodystrophy and G_{M1}-gangliosidosis (Tanaka, Suzuki) (75) 267
Lead, in blood and water, storage of samples for analysis of (Moore, Meredith) (75) 167
Lecithin:cholesterol acyltransferase, determination of, studies on precipitation of β-lipoproteins by dextran sulphate (Alcindor, Melin, Benhamou, Piot) (81) 177
Lecithin: cholesterol acyltransferase, familial deficiency of, pre-α-lipoproteins in patients with (Wille, Torsvik, Gjone) (77) 423
Lecithin-cholesterol acyltransferase in plasma, activity of, new colorimetric method for determination of (Nagasaki, Akanuma) (75) 371
Lecithin:cholesterol acyltransferase, in serum, activity of, in children with familial hyperbetalipoproteinaemia (Roberts, Round, Lloyd, Fosbrooke) (78) 311
Lecithin/sphingomyelin ratio, in amniotic fluid, exact determination of, suggestion of a reference method (Fruchart, Ponthieu, Porchet, Dewailly, Sezille, Codaccioni, Puech) (79) 549
Lecithin-sphingomyelin ratio, determination by photodensitometry after elimination of the acidic phospholipids from extracts of amniotic fluid specimens (Gosselin, Foidart) (81) 209
L-Leucine, peptides containing, for inhibition of human placental-type alkaline phosphatase variants (Doellgast, Fishman) (75) 449
L-Leucine, placental alkaline phosphatase phenotypes sensitive to, on the identity with the "D variant" (Doellgast, Beckman, Beckman) (75) 501
Leucoderma, hydroquinone-induced, urinary indole profile of Bufo melanostictus during its regeneration (Chakraborty, Chatterjee) (79) 399
Leukaemias, acute lymphatic and myelocytic, see Blood cancers
Leukaemia, of the central nervous system, cerebrospinal fluid polyamine monitoring in (Rennert, Lawson, Shukla, Miale) (75) 365
Leukaemia, monocytic, urinary lysozyme phenotypes in (Virella, Goudswaard, Tischendorf, Fudenberg) (79) 503
Leukocytes, amino acids in, influence of oral contraceptives on the concentration of, in supposedly healthy women (Tarallo, Houpert, Siest) (81) 283
Leukocytes, in blood, and cultured skin fibroblasts, evaluation of metabolic pathway activity in (Rozen, Buhl, Mohyuddin, Caillibot, Scriver) (77) 379
Leukocytes, G_{M1} β-galactosidase deficiency in, β-galactosidase in mucopolysaccharidoses and mucolipidoses (Suzuki, Fukuoka, Jinn Wey, Handa) (75) 91
Leukocytes, GM_1-ganglioside β-galactosidase in, and in cultured fibroblasts (Raghavan, Gajewski, Kolodny) (81) 47
Leukocytes, α-L-iduronidase activity in, simplified assay method of, for detection of Hurler syndrome and its carriers (Momoi, Sudo, Tanioka, Kushida) (81) 311
Leukocytes, lysosomal arylsulphatases in, microfluorometric assay of (Bakhru-Kishore, Kelly) (75) 483
Leukocytes, peripheral, sulphamidase activity in, of normal, heterozygous and ho-

mozygous individuals, Sanfilippo's disease type A (Schmidt, Von Figura, Paschke, Kresse) (80) 7
Leukocytes, ribonuclease activity in, and in plasma, of malnourished children (Prabhavathi, Mohanram, Reddy) (79) 591
Leukocytes, total proteins and enzymes in, release of, influence of glucose and inhibitors of glycolysis on (Lahrichi, Tarallo, Houpert, Siest) (79) 479
Leukodystrophy, of globoid cell (Krabbe's disease), and G_{M1}-gangliosidosis, lactosylceramidase assays for diagnosis (Tanaka, Suzuki) (75) 267
Lewis antigens, and fucosidosis (Staal, Van der Heijden, Troost, Moes, Borst-Eilers) (76) 155
Ligand-binding assay, for thyroxine-binding globulin, on reusable Sephadex columns (Bastomsky, Kalloo, Frenkel-Leith) (74) 51
Lipids, biliary, effect of pectin on, and on serum cholesterol and faecal bile acids in normolipidaemic and hyperlipidaemic individuals (Miettinen, Tarpila) (79) 471
Lipids (and apoproteins), kinetic and static studies of. Metabolism of lipoproteins in human chylous ascites (Malmendier, Amerijckx, Van den Bergen) (77) 227
Lipid, in plasma, changes of, in the female in ageing and the menopause (Svanborg, Bengtsson, Lindquist, Roupe, Steen) (79) 299
Lipids, in serum, and lipoproteins in, in healthy Africans (Onitiri, Sander, Boyo) (81) 57
Lipids, in serum, before and after parathyroidectomy in patients with primary hyperparathyroidism (Christensson, Einarsson) (78) 411
Lipids, in skin lesions, in Urbach-Wiethe disease (Aznar, Valles, Santos, Menezo, Sorni, Buesa) (80) 573
Lipoperoxide, of the retina, level of, of chick embryo exposed to high concentration of oxygen (Yagi, Matsuoka, Ohkawa, Ohishi, Takeuchi, Sakai) (80) 355
Lipoperoxide, in serum, level of, in patients suffering from liver diseases (Suematsu, Kamada, Abe, Kikuchi, Yagi) (79) 267
Lipoprotein, blood glucosylceramide levels in Gaucher's disease and its distribution amongst fractions of (Dawson, Oh) (75) 149
Lipoprotein, concentration and composition of the classes of, in human umbilical cord serum (Winkler, Schlag, Goetze) (76) 187
Lipoprotein, high-density (β-migrating), in serum (Wada, Minamisono, Komoda, Akamatsu, Nakaoka, Mise, Ehrhart, Naito) (78) 295
Lipoproteins, high density, in serum, changes in, in women on oral contraceptives (Krauss, Lindgren, Silvers, Jutagir, Bradley) (80) 465
Lipoproteins, in human chylous ascites, metabolism of. Kinetic and static studies of lipids and apoproteins (Malmendier, Amerijckx, Van den Bergen) (77) 227
Lipoproteins, in hypothyroidism, composition of (Wahlqvist, Fidge, Lomas) (77) 269
Lipoproteins, low density, and immunoglobulins in human pleural effusions (Rerabek) (76) 363
Lipoproteins, in plasma, changes in experimental cholestasis in the dog (Danielsson, Ekman, Johansson, Petersson) (80) 157
Lipoproteins, in plasma, extracorporeal removal by affinity binding to heparin-agarose (Moorjani, Lupien, Awad) (77) 21
Lipoproteins, in plasma, patterns of, in patients receiving dialysis therapy for chronic renal failure (Cramp, Tickner, Varghese, Beale, Moorhead, Wills) (76) 233
Lipoprotein, in plasma, in untreated adult onset diabetes mellitus and the relationship of the fasting plasma triglyceride concentration to insulin secretion (Ballantyne, White, Strevens, Lawrie, Lorimer, Manderson, Morgan) (78) 323
β-Lipoproteins, precipitation of, by dextran sulphate, studies on, determination of lecithin-cholesterol acyltransferase (Alcindor, Melin, Benhamou, Piot) (81) 177
Lipoproteins, in serum, apoproteins of, measurement by rocket immunoelectrophoresis (Onitiri, Lewis) (79) 39
Lipoprotein, in serum, a nomogram for estimation (Smith) (79) 281
Lipoproteins, in serum, and serum enzymes, in familial hyper-alpha-lipoproteinaemia (Avogaro, Cazzolato, Kostner, Holasek) (77) 139
Lipoproteins, in serum, and serum lipids in healthy Africans (Onitiri, Sander, Boyo) (81) 57
Lipoprotein, very low density subfractions, in type III hyperlipoproteinaemia, electrophoretic mobility in agarose (Ballantyne, Bedford, Ballantyne, Third, Stromberg, Packard) (75) 487
Lipoprotein X, clearance of, in vitro, and effect of phospholipase A on serum lipo-

protein X (Rubies-Prat, Ras, Frison, Masdeu, Bacardi) (75) 117
Lipoprotein X, from the pig, isolation and characterization (Müller, Baggio, Barth, Wieland, Anari, Seidel) (80) 487
Lipoprotein X, in postheparin plasma, electrophoretic mobility of (Ritland, Sauar, Holme, Blomhoff) (75) 129
Lipoprotein subfractions, low and very low density, composition of, in type III hyperlipoproteinaemia (Stromberg, Ballantyne, Ballantyne, Third, Bedford) (79) 163
Lipoprotein lipase, selective protamine sulphate inactivation of, and of hepatic lipase in human post-heparin plasma, specific lipase levels in normals and in type I hyperlipoproteinaemia (Berger, Abraham) (81) 219
Liquamar, see Phenprocoumon
Lithium therapy, plasma cholinesterase variants in patients with (Whittaker, Spencer) (75) 421
Liver, acute-phase proteins from, and enzymes from myocardial infarction, quantitative relationship (Smith, Bos, Esseveld, Van Eijk, Gerbrandy) (81) 75
Liver, aldolase B in, isoelectrofocusing, normal livers and livers with hereditary fructose intolerance (Schapira, Gregori, Hatzfeld) (78) 1
Liver, alkaline phosphatase of, and of bone, activity of, in serum in health and disease (Whitaker, Whitby, Moss) (80) 209
Liver, cholinesterases in, and in blood, effect of glucocorticoids on (Verjee, Behal, Ayim) (81) 41
Liver, diagnosis of Gaucher's disease in, using 4-methylumbelliferyl-β-D-glucopyranoside (Broadhead, Butterworth) (75) 155
Liver, G_{M1} β-galactosidase deficiency in, β-galactosidase in mucopolysaccharidoses and mucolipidoses (Suzuki, Fukuoka, Jinn Wey, Handa) (75) 91
Liver, glycine cleavage system in, reduced level of, of hyperglycinaemia patients (Motokawa, Kikuchi, Narisawa, Arakawa) (79) 173
Liver, induction of thyroxine to triiodothyronine converting enzyme in, by thyroid hormones and analogs (Grussendorf, Hüfner) (80) 61
Liver, ornithine carbamoyltransferase in, activity of, assay using carbon-labeled ornithine and thin-layer chromatography (McLaren, Ng) (81) 193
Liver, ornithine carbamoyltransferase in, some kinetic properties in a patient with OCT deficiency (Van der Heiden, Desplanque, Bakker) (80) 519
Liver, sulphatases in, comparative activity of, on two synthetic substrates (Hultberg) (80) 423
Liver biopsy, mitochondrial and microsomal cytochrome levels in, simultaneous measurement of (Sato, Kamada, Abe, Suematsu, Kawano, Hayashi, Matsumura, Hagihara) (80) 243
Liver cirrhosis, carbohydrate content of human red cell membrane in patients with (Gattegno, Fabia, Cornillot) (77) 317
Liver cirrhosis, kinetics of intravenous administered L-phenylalanine in patients with (Jagenburg, Olsson, Regårdh, Rodjer) (78) 453
Liver cirrhosis, portal, coversion of D-xylose into D-threitol in patients with, and in patients without liver disease (Pitkänen) (80) 49
Liver disease, serum bile acid in, fluorimetry for estimation of (Osuga, Mitamura, Mashige, Imai) (75) 81
Liver diseases, serum lipoperoxide level in patients with (Suematsu, Kamada, Abe, Kikuchi, Yagi) (79) 267
Liver failure, with cerebral involvement, serum creatine kinase isoenzymes in (Lemberg, Werber, Gilardoni, Magrino) (80) 385
Liver homogenate, of rat, properties of thyroxine monodeiodinating system in (Hüfner, Grussendorf, Ntokalou) (78) 251
Luteinizing hormone (and human chorionic gonadotrophin) in urine, determination by haemagglutination inhibition assay (Johnson, Yoder, Adams) (77) 331
Lymphocytes, monoamine oxidase in, properties of (Bond, Cundall) (80) 317
Lymphocyte, B, population of, determination by antibody-coated polyacrylamide beads (Chao, Yokoyama) (78) 79
Lymphoid cell lines, cultured, lysosomal enzymes in, activities in (Matsuda, Yamamoto, Nagata, Ninomiya, Akaboshi, Ohtsuka, Katsuki) (80) 483
Lymphoma, malignant, with macroglobulinaemia, some properties of monoclonal cryoglobulin M appearing in the course of (Tomaszewski, Kowalewski, Rupniewska, Woźniak) (75) 331
Lymphosarcoma, see Blood cancers

Lysoplate method, for lysozyme determination, influencing factors (Peeters, Vantrappen) (74) 217
Lysosomal diseases, lysosomal enzymes in medium from cultured skin fibroblasts from normal individuals and patients with (Hultberg, Sjöblad) (80) 79
Lysosomal enzymes, in bile; characteristics and pathological significance for various hepatobiliary disorders (Toyoda, Eto, Aoki) (79) 291
Lysosomal enzymes, in cultured lymphoid cell lines, activities in (Matsuda, Yamamoto, Nagata, Ninomiya, Akaboshi, Ohtsuka, Katsuki) (80) 483
Lysosomal enzymes, in medium from cultured skin fibroblasts, from normal individuals and patients with lysosomal diseases (Hultberg, Sjöblad) (80) 79
Lysozyme, electrophoresis of, into Micrococcus-containing agarose gel, quantitative and analytical applications (Virella) (75) 107
Lysozyme, by the lysoplate method, influencing factors (Peeters, Vantrappen) (74) 217
Lysozyme phenotypes, of urine, in monocytic leukaemia (Virella, Goudswaard, Tischendorf, Fudenberg) (79) 503

M

Macroamylase, role of γ-globulin in composition of (Kaczmarek, Rosenmund) (79) 183

α_2-Macroglobulin, α_1-acid glycoprotein and antithrombin III as components of normal and malignant human tissues (Twining, Brecher) (75) 143

α_2-Macroglobulin, reactivation of human and bovine trypsins and chymotrypsins by, and kinetics of their inactivation by α_1-proteinase inhibitor (Aubry, Bieth) (78) 371

α_2-Macroglobulin involvement, and production of interferon, in immune response during human viral hepatitis A (Bador, Colobert, Giroud, Lesbre) (78) 217

α_2-Macroglobulin-trypsin complex, abnormal breakdown in cystic fibrosis (Shapira, Ben-Yoseph, Nadler) (78) 359

Macroglobulinaemia, malignant lymphoma with, some properties of monoclonal cryoglobulin M appearing in the course of (Tomaszewski, Kowalewski, Rupniewska, Woźniak) (75) 331

Magnesium, in serum and erythrocytes, levels of, in burn patients (Lafarque, Guilbaud, Vauzelle) (80) 17

Magnesium silicate, use before gas-liquid chromatography for determination of total oestrogens in urine during pregnancy (Ronco, Desmet, Bezoc) (81) 119

Malnutrition, protein-calorie, plasma carnitine levels in children with, before and after rehabilitation (Khan, Bamji) (75) 163

Malnutrition, protein-energy, study of endocrine function in (Olusi, Orrell, Morris, McFarlane) (74) 261

Malnutrition, ribonuclease activity in plasma and leukocytes of malnourished children (Prabhavathi, Mohanram, Reddy) (79) 591

α-Mannosidase, in human plasma, activity of, measurement by a differential assay (Hirani, Winchester, Patrick) (81) 135

Marcoumar, see Phenprocoumon

Mass fragmentography, for demonstration of N-dicarboxyl-mono-glycines in urine from patients with dicarboxylic acidurias (Gregersen, Kølvraa, Rasmussen, Grøn) (78) 173

Mass spectrometry, and gas chromatography for assay for 3-methoxy-4-hydroxyphenethyleneglycol and vanilmandelic acid in human serum (Takahashi, Godse, Warsh, Stancer) (81) 183

Mass spectrometry, and gas chromatography, studies on urinary organic acids in a patient with congenital lactic acidosis due to pyruvate decarboxylase deficiency (Chalmers, Lawson, Borud) (77) 117

Membrane, of plasma, fragments of, spontaneous shedding of, by human cells in vivo and in vitro (De Broe, Wieme, Logghe, Roels) (81) 237

Menopause, plasma lipid changes in the female in ageing and in (Svanborg, Bengtsson, Lindquist, Roupe, Steen) (79) 299

Metabolism, D-lactic aciduria, an inborn error of ? (Duran, van Biervliet, Kamerling, Wadman) (74) 297

Metabolites, in urine, unusual pattern of, of a child with tyrosinaemia, glyceraldehyde (Tomer, Rothman, Yudkoff, Segal) (81) 109

Methaemalbumin, in serum, differential spectrophotometry for determination of (Kempisty, Zak) (80) 187

Methotrexate, rapid, sensitive and specific radioimmunoassay for (Paxton, Rowell) (80) 563

3-Methoxy-4-hydroxyphenethylene glycol, and vanilmandelic acid, in serum, gas chromatography and mass spectrometry for assay (Takahashi, Godse, Warsh, Stancer) (81) 183

3-Methoxy-4-hydroxyphenylethylene glycol, free and total, in human cerebrospinal fluid; relationship to blood pressure in hypertensives and patients with neuropsychiatric disease (Murray, Jones, Davies, Dollery, Reid) (79) 63

3-Methoxy-4-hydroxyphenylglycol, in plasma, by pulsed electron capture gas chromatography (Halaris, Demet, Halari) (78) 285

Methylcrotonyl-CoA carboxylase, deficiency of, and of propionyl-CoA carboxylase, in a patient with methylcrotonylglycinuria (Weyler, Sweetman, Maggio, Nyhan) (76) 321

Methylcrotonylglycinuria, deficiency of

propionyl-CoA carboxylase and methylcrotonyl-CoA carboxylase in a patient with (Weyler, Sweetman, Maggio, Nyhan) (76) 321
1-Methylinosine, urinary excretion of, and of pseudouridine, during normal menstrual cycle (Lehtiö, Mäenpää) (80) 181
4-Methylumbelliferyl-β-D-glucopyranoside, for diagnosis of Gaucher's disease in liver (Broadhead, Butterworth) (75) 155
4-Methylumbelliferyl-α-D-glucopyranoside, substrate for diagnosis of Pompe's disease in cultured skin fibroblasts and primary amniotic fluid cells (Butterworth, Broadhead) (78) 335
4-Methylumbelliferyl phosphate, for determination of serum acid phosphatase in Gaucher's disease (Chambers, Aquino, Glew, Lee, McCafferty) (80) 67
Microdetermination, of unbound bilirubin in icteric newborn sera: an enzymatic method employing peroxidase and glucose oxidase (Nakamura, Lee) (79) 411
Microfluorimetry, see Fluorimetry, micro-
β_2-Microglobulin, human, characterization by isoelectric focusing (Hall, Ricanati, Vacca) (77) 37
β_2-Microglobulin, in serum, in controls and cancer patients (Teasdale, Mander, Fifield, Keyser, Newcombe, Hughes) (78) 135
Micromethod, for direct determination of total carbon dioxide content in biological fluids (Van Stekelenburg, De Keyzer, Donckerwolcke, Maas, Van de Camp) (76) 161
Micromethod, enzyme, rapid, for quantitative determination of (+)L-alanine in blood and urine (Schutgens, Tjoe Awie, Beemer, Berntssen) (80) 1
Micro-radiochemical assay, for α-1,4-glucosidase and its use in the assessment of type II glucogenosis (Pompe's disease) (Nelson, Carey, Pollard) (77) 337
Microspectrofluorimetry, for serum vitamin A, evaluation (Sivakumar) (79) 189
Milk, folate binding mechanism (Ingemann Hansen, Holm, Lyngbye) (75) 321
Monoamine oxidase, in blood platelets, plasma, lymphocytes and granulocytes, properties of (Bond, Cundall) (80) 317
Monoamine oxidase, in cultured human skin fibroblasts, activity of, (Groshong, Gibson, Bladessarini) (80) 113
Mucolipidoses, and mucopolysaccharidoses, β-galactosidase in, deficiency of G_{M1} β-galactosidase in liver and leukocytes (Suzuki, Fukuoka, Jinn Wey, Handa) (75) 91
Mucolipidosis, new variant, biochemical investigations on two siblings (Sandman, Yatsiv, Robertson, Erickson) (80) 471
Mucopolysaccharides, sulfated, excreted, differentiation of mucopolysaccharidoses by analyses of (Cohen, Mourão, Dietrich) (80) 555
Mucopolysaccharidosis, bidimensional electrophoresis in the diagnosis of (Sato, Gyorkey) (78) 365
Mucopolysaccharidosis I, diagnosis of, a radioactive substrate and assay for α-L-iduronidase (Di Natale, Leder, Neufeld) (77) 211
Mucopolysaccharidoses, differentiation of, by analyses of excreted sulfated mucopolysaccharides (Cohen, Mourão, Dietrich) (80) 555
Mucopolysaccharidoses, and mucolipidoses, β-galactosidase in, deficiency of G_{M1} β-galactosidase in liver and leukocytes (Suzuki, Fukuoka, Jinn Wey, Handa) (75) 91
Multiple sclerosis, activity of γ-glutamyl transferase in the serum of, and of other neurological diseases (Rieder, Zurfluh, Jegge) (79) 211
Muscle fibers, cardiac and smooth, anaphylactical response of, and membrane phospholipid composition in the Rh(D) system (Weicker, Kropp, Thill) (79) 31
Muscular dystrophy, X-linked recessive (Duchenne), carrier detection in; pyruvate kinase isoenzymes and creatine phosphokinase in serum and blood cells (Smith, Thomson) (78) 439
Myeloma, multiple, abnormal platelet glycogen metabolism in patients with (Agam, Gutman, Djaldetti) (79) 437
Myeloperoxidase, in solid state, for enzymatic iodination of human growth hormone (Silberring, Dubin) (79) 609
Myocardial infarction, acute, evaluation of creatine kinase (S-CK) B-subunit activity in the diagnosis of (Ljungdahl, Hofvendahl, Gerhardt, Börjesson) (78) 43
Myocardial infarction, acute, plasma cortisol, corticosterone and urea in: clinical and biochemical correlations (Wiener) (76) 243
Myocardial infarction, comparison of a kinetic and an electrophoretic method for determination of creatine phosphokinase isoenzymes in the diagnosis of (Wlodarski, Howard, Trainer) (76) 171
Myocardial infarction, enzymes from, and acute-phase proteins from the liver, quantitative relationship (Smith, Bos, Esseveld, Van Eijk, Gerbrandy) (81) 75

N

Nephelometry, for serum proteins, removal of background interference (Kallner) (80) 293
Nephritides, effect of, on haem catabolism in human kidneys (Lähdevirta, Tenhunen) (77) 125
Nephrotic children, neutral arylamidase in urine of healthy children and (Hiwada, Yamaguchi, Inaoka, Kokubu) (75) 31
Nephrotic syndrome, urinary alkaline ribonucleases from patients with, purification and properties of (Yamanaka, Akagi, Murai, Hirao, Fujimi, Omae) (78) 191
Neuraminidases, in human skin fibroblasts, and β-galactosidases, in vitro activity of, effect of glycosaminoglycans on (Rushton, Dawson) (80) 133
Neuromuscular disease, diagnostic value of pyruvate kinase in (Weinstock, Behrendt, Wiltshire, Jr., Keleman, Louis) (80) 415
Neuropsychiatric disease, relationship of free and total 3-methoxy-4-hydroxyphenylethylene glycol in human cerebrospinal fluid to blood pressure in patients with, and in hypertensives (Murray, Jones, Davies, Dollery, Reid) (79) 63
Neutron activation analysis, for determination of gold in plasma and plasma fractions, comparison with flame and electrothermal atomic absorption spectrometry (Ward, Danpure, Fyfe) (81) 87
Nicotinic acid, metabolism in children with burns and scalds (Barlow, Sutton, Wilkinson) (75) 337
Niemann-Pick disease, types A, B and C, activators for sphingohydrolases and the nature of the sphingomyelinase deficiency in (Baraton, Revol) (76) 339
p-Nitroaniline, non-inhibitory effect of, on colorimetric γ-glutamyltransferase assay (Lopez, Buttery) (77) 91
Nitrogen, -balance, in urine, influence of testosterone on, in normal subjects and patients with testicular feminization (Zachmann, Zagalak, Völlmin, Gitzelmann, Prader) (77) 147
Nomogram, for estimation of lipoproteins in serum (Smith) (79) 281
5′-Nucleotidase, of bile, in serum of jaundiced rats (Mullock, Issa, Hinton) (79) 129

O

Octopamine, in plasma in hepatic encephalopathy (Capocaccia, Cangiano, Attili, Angelico, Cascino, Rossi Fanelli) (75) 99

Oestradiol, binding of, and of dihydrotestosterone and testosterone with sex hormone binding globulin (Mean, Pellaton, Magrini) (80) 171

Oestradiol, in urine, and unconjugated testosterone and 5α-dihydrotestosterone in, measurement of (Kjeld, Puah, Joplin) (80) 271

Oestradiol receptors, in human breast tumours, measurement by polyacrylamide gel electrophoresis (Duffy, Duffy) (74) 161

Oestradiol receptors in human breast tumours, and glucose-6-phosphate dehydrogenase activity (Duffy, Duffy) (74) 167

Oestriol, in urine, determination by radioimmunoassay. Modification of a commercial kit for serum analyses (Kallner, Lantto) (79) 325

Oestriol-16α-glucuronide, in pregnancy plasma, by a specific direct radioimmunoassay (Kerr, Park, Dean) (77) 77

Oestrogens, total, in urine during pregnancy, use of magnesium silicate before gas-liquid chromatography for determination of (Ronco, Desmet, Bezoc) (81) 119

Oligoclonal fractions, of subacute sclerosing panencephalitis cerebrospinal fluid, inventory of, in Africa with a specific immune serum (Doutriaux, Clerc, Giordano) (74) 125

Open-heart surgery, with extracorporeal circulation, hyperamylasaemia following, nature and origin of (Otsuki, Maeda, Yuu, Yamasaki, Okano, Saeki, Sakamoto, Baba) (77) 349

Organic acids, in urine, (2-ethoxyethoxy)-acetic acid, unusual compound found in gas chromatographic analysis of (Kamerling, Duran, Bruinvis, Ketting, Wadman, De Groot, Hommes) (77) 397

Organic acids, in urine, gas chromatographic and mass spectrometric studies on, in a patient with congenital lactic acidosis due to pyruvate decarboxylase deficiency (Chalmers, Lawson, Borud) (77) 117

Organic acids, in urine, profiles of, of Reye's syndrome patients (Harrington, Liu, Lonsdale, Igou) (74) 247

Organic acid screening, of urine samples, interference of urinary metabolites of sodium dipropylacetate in man (Gompertz, Tippett, Bartlett, Baillie) (74) 153

Organic solvents, interference with the Zimmerman reaction (Rademaker, Poortman, Thijssen) (76) 158

Orion 96-17-01, see Electrode, combination chloride ion-selective

Ornithine, carbon-labeled, for assay of ornithine carbamoyltransferase activity in liver, and thin-layer chromatography (McLaren, Ng) (81) 193

Ornithine carbamoyltransferase, in liver, activity of, assay using carbon-labeled ornithine and thin-layer chromatography (McLaren, Ng) (81) 193

Ornithine carbamoyltransferase, in liver, some kinetic properties of, in a patient with OCT deficiency (Van der Heiden, Desplanque, Bakker) (80) 519

L-Ornithine-ketoacid-transaminase, deficiency of, in cultured fibroblasts of a patient with hyperornithinaemia and gyrate atrophy of the choroid and retina (Trijbels, Sengers, Bakkeren, De Kort, Deutman) (79) 371

Oxalate, in urine, estimation of (Olthuis, Markslag, Klein, Elhorst, Krugers Dagneaux) (75) 123

Oxytocinase, by colorimetry, comparison of three methods (Holańska-Nalepa) (75) 5

P

Palmitic acid, in amniotic fluid, estimation of foetal lung maturity (Bichler, Daxenbichler, Geir) (74) 133
Pancreas, cystic fibrosis of, plasma arginine esterase activity in (Chan, Applegarth, Davidson) (74) 71
Pancreatic disease, relation of electrophoretic pattern of amylase isoenzymes to severity of (Otsuki, Yuu, Maeda, Yamasaki, Okano, Sakamoto, Baba) (79) 1
Pancreatic glucagon, antiserum against, production and characterization of (Von Schenck) (80) 455
Pancreozymin, -producing cells, in the duodenum of humans, immunohistochemical identification of, and radioimmunoassay for estimation of cholecystokinin-pancreozymin in human plasma and tissue (Schlegel, Rapits, Grube, Pfeiffer) (80) 305
Pancuronium bromide, in plasma, modified method for fluorimetric determination of (Watson, McLeod) (79) 511
Panencephalitis, subacute sclerosing, inventory of oligochlonal fractions of, in cerebrospinal fluid in Africa with a specific immune serum (Doutriaux, Clerc, Giordano) (74) 125
Paracetamol, in serum, determination, quantitative extraction and (Hackett, Dusci) (74) 187
Paraquat, in plasma, short, simple method for determination of (Knepil) (79) 387
Parathyroidectomy, serum lipids before and after, in patients with primary hyperparathyroidism (Christensson, Einarsson) (78) 411
Parodontal disease, glycogen synthase activity in (Savy, Berthillier, Got) (79) 317
Pectin, effect of, on serum cholesterol, faecal bile acids and biliary lipids in normolipidaemic and hyperlipidaemic individuals (Miettinen, Tarpila) (79) 471
Peptidase, in albumin preparations, activity of, detection of (Caygill) (78) 507
Peptidase, in serum and in tissues, activity of, measurement using L-Leu-L-Leu as substrate (Sugiura, Ito, Hirano, Sasaki, Sawaki) (78) 381
Peptides, containing L-leucine, inhibiting human placental-type alkaline phosphatase variants (Doellgast, Fishman) (75) 449
Peptide (and steroid), by radioimmunoassays, comparison of four curve-fitting models; computer program for evaluation, physicochemical characterization and optimization of competitive protein binding assays (Schöneshöfer) (77) 101
Peritoneal dialysis, solution of, chemical measurements of inulin concentrations in (Brown, Nolph) (76) 103
Peroxidase protein, in human neonatal cord serum, immunological characteristics of (Raam, Lewis, Cohen) (79) 533
Phadebas amylase test, some affecting factors (Wiener, Foot) (75) 177
Phenotype PI OO, contribution of α_1-antitrypsin to the total antitrypsin activity of human serum (Kahn, Schandevijl, Philipi, Frank) (80) 513
Phenprocoumon, in human serum or plasma, estimation by gas chromatography (Brombacher, Cremers, Mol, Muijrers, Van der Plas, Verheesen) (75) 443
L-Phenylalanine, intravenously administered, kinetics of, in patients with cirrhosis of the liver (Jagenburg, Olsson, Regårdh, Rodjer) (78) 453
Phenylethanolamine N-methyltransferase, and other enzymes of catecholamine metabolism in human brain (Nagatsu, Kato, Numata (Sudo), Ikuta, Sano, Nagatsu, Kondo, Inagaki, Iizuka, Hori, Narabayashi) (75) 221
β-Phenylethylamine, in urine, by fluorimetry (Suzuki, Yagi) (78) 401
Phenylketonuria, and lethal hyperphenylalaninaemia, dihydroxanthopterinuria in patients with (Watson, Schlessinger, Cotton) (78) 417
3-(1-Phenyl-propyl)-4-hydroxycoumarin, see Phenprocoumon
Phosphatase, acid, electrophoretic characterization of pyrimidine 5′-nucleotidase of human erythrocytes and its distinction from (Rosa, Valentin, Rosa) (79) 115
Phosphatase, acid, in serum, by an automated continuous-monitoring procedure (Warren, Moss) (77) 179
Phosphatase, acid, in serum, determination in Gaucher's disease using 4-methylum-

belliferyl phosphate (Chambers, Aquino, Glew, Lee, McCafferty) (80) 67
Phosphatase, alkaline, of bone and liver, activity of, in serum in health and disease (Whitaker, Whitby, Moss) (80) 209
Phosphatase, alkaline, (human) foetal intestinal (Miki, Suzuki, Iino, Oda, Hirano, Sugiura) (79) 21
Phosphatase, alkaline, isoenzyme of, in intestinal metaplasia of the stomach (Miki, Oda, Suzuki, Iino, Niwa) (76) 79
Phosphatase, alkaline, isoenzymes of, relation to γ-glutamyltransferase and lactate dehydrogenase isoenzymes (Brohult, Fridell, Sundblad) (76) 205
Phosphatase, alkaline, isoenzyme patterns of, in serum, in patients with chronic renal failure (Skillen, Pierides) (80) 339
Phosphatase, alkaline, (human) placental, on the identity of the "D-variant" with L-leucine-sensitive phenotypes of (Doellgast, Beckman, Beckman) (75) 501
Phosphatase, alkaline, (human) placental-type, inhibition of variants by peptides containing L-leucine (Doellgast, Fishman) (75) 449
Phosphatase, alkaline, quality control of determination with placental phosphatase (Simpson, McAllister, Hainsworth) (77) 415
Phosphatase, alkaline, in serum, source of raised activity during prolonged lactation (Fenuku) (79) 265
Phosphatase, placental, quality control of determination of alkaline phosphatase with (Simpson, McAllister, Hainsworth) (77) 415
Phosphate, renal tubular reabsorption of, simple slide-rule method for assessment of (Walton, Bijvoet) (81) 273
Phosphatidylcholine, see Lecithin
Phospholipase A, effect on serum lipoprotein X, and clearance of lipoprotein X in vitro (Rubies-Prat, Ras, Frison, Masdeu, Bacardi) (75) 117
Phospholipids, acidic, elimination from extracts of amniotic fluid specimens before accurate photodensitometric measurement of the lecithin : sphingomyelin ratio (Gosselin, Foidart) (81) 209
Phospholipids, choline-containing, in serum, enzymatic method (Takayama, Itoh, Nagasaki, Tanimizu) (79) 93
Phospholipids, in erythrocyte, in Duchenne muscular dystrophy (Kalofoutis, Jullien, Spanos) (74) 85
Phospholipids, in membranes, composition of, and anaphylactical response of cardiac and smooth muscle fibers in the Rh(D) system (Weicker, Kropp, Thill) (79) 31
5-Phosphoribosyl 1-pyrophosphate, in erythrocytes, simple and sensitive method for estimating the concentration and synthesis of (Tax, Veerkamp) (78) 209
Phosphorus, inorganic, continuous-flow technique with Rhodamine B for determination of (Zahradníček, Kratochvíla, Garčic) (80) 431
Phosphorus, inorganic, in human bile (Sutor, Wilkie) (77) 31
Phosphorus, inorganic, an improved method for measurement in serum and urine (Concustell, Cortés, Ferragut, Gener) (81) 267
Phosphorylation, endogenous, of proteins in normal and in hereditary spherocytosis erythrocyte membranes (Moret, Michielin, Falezza, De Sandre) (77) 359
Photodensitometry, accurate determination of lecithin : sphingomyelin ratio after elimination of the acidic phospholipids from extracts of amniotic fluid specimens (Gosselin, Foidart) (81) 209
Photometry, extraction-, for assay of serum free fatty acids (Chromý, Gergel, Voznícek, Krombholzová, Musil) (80) 327
Photometry, flame, and gas chromatography, for determination of urinary α-keto-γ-methylthiobutyric acid in hypermethioninaemia (Favier, Caillat) (79) 419
Pigment binding, of copper in human bile (McCullars, O'Reilly, Brennan) (74) 33
Pisano method, modification, using high pressure liquid chromatography, for measurement of vanilmandelic acid (Felice, Kissinger) (76) 317
Pituitary extracts, human growth hormone in, determination by radioimmunoassay with polyacrylamide gel electrophoresis as a bound-free separation system (Bartolini, Marques de Assis, Schwarz, Pieroni) (79) 223
Placental alkaline phosphatase, see Alkaline phosphatase
Placental phosphatase, quality control of alkaline phosphatase determinations with (Simpson, McAllister, Hainsworth) (77) 415
Plasma, acetate in, and in haemodialysis baths, determination by gas chromatography (Desch, Descomps) (76) 193
Plasma, acidic glycosaminoglycans in, molecular weight-dependent distribution of

(Murata, Horiuchi) (75) 59
Plasma, L-alanine in, and in serum, estimation with the LKB Reaction Rate Analyser (Skillen, Handa) (77) 431
Plasma, aldosterone in, unprocessed and simple extracts from, development of radioimmunoassays for measurement of (Jowett, Slater) (80) 435
Plasma, amoxycillin in, by fluorimetry (Barbhaiya, Turner, Shaw) (77) 373
Plasma, arginine esterase activity in, in cystic fibrosis of the pancreas (Chan, Applegarth, Davidson) (74) 71
Plasma, carbamazepine in, and in saliva, concentrations of, relationship between, determined by liquid chromatography (Westenberg, De Zeeuw, Van der Kleijn, Oei) (79) 155
Plasma, carbon dioxide, total, in, and in serum, determination by a carbonate ion-selective membrane electrode (Rechnitz, Nogle, Bellinger, Lees) (76) 295
Plasma, carnitine levels in, in children with protein-calorie malnutrition before and after rehabilitation (Khan, Bamji) (75) 163
Plasma, cholecystokinin-pancreozymin in, and in tissue, estimation by a specific radioimmunoassay, and immunohistochemical identification of pancreozymin-producing cells in the duodenum of humans (Schlegel, Raptis, Grube, Pfeiffer) (80) 305
Plasma, (total) cholesterol in, or in serum, enzymatic assay of, by amperometric measurement of rate of oxygen depletion following saponification (Kumar, Christian) (74) 101
Plasma, cholesterol in, enzymic determination on discrete automatic analysers (Nobbs, Smith, Walker) (79) 391
Plasma, cholesterol in, esterification of, in hypertriglyceridaemia (Goren, Simons) (74) 289
Plasma, cholinesterase variants in, in patients having lithium therapy (Whittaker, Spencer) (75) 421
Plasma, cortisol (total and free) and corticosteroid binding globulin binding capacity in human peripheral plasma, measurement by gel-exchange with Sephadex G-25 (Angeli, Frajria, Richiardi, Agrimonti, Gaidano) (77) 1
Plasma, cortisol, corticosterone and urea in, in acute myocardial infarction: clinical and biochemical correlations (Wiener) (76) 243
Plasma, cortisol in, quantitative assay by high performance liquid chromatography using a selective chemically bonded stationary phase (Van den Berg, Mol, Deelder, Thijssen) (78) 165
Plasma, cyclic AMP in, effect of glucagon infusion on, in patients with cholestatic hepatitis and obstructive jaundice (Francavilla, Pansini, Sansone, Albano, Martellotta) (75) 351
Plasma, o,p′-DDD in, estimation by gas-liquid chromatography (Moolenaar, Niewint, Oei) (76) 213
Plasma, Dopa and dopamine in, gas chromatography for analysis of (Mizuno) (74) 11
Plasma, fatty acid, (long-chain non-esterified) pattern of, in children, improved gas-liquid chromatography for determination of (Rogiers) (78) 227
Plasma, fatty acids (short-chain) in, in fulminant hepatic failure (Lai, Silk, Williams) (78) 305
Plasma, fatty acids, unesterified, in, determination by fluorimetry (Curzon, Kantamaneni) (76) 289
Plasma, glucose in, immobilized hexokinase enzyme stirrer for a simple and economical fluorimetric assay of (Kiang, Kuan, Kuan, Guilbault) (78) 495
Plasma, glucose in, or blood glucose, reflectance meter system for measurement of, in the clinic or side ward (Telfer Brunton, Steel, Percy-Robb) (75) 359
Plasma, gold in, and in plasma fractions, determination by atomic absorption spectrometry and by neutron activation analysis (Ward, Danpure, Fyfe) (81) 87
Plasma, heparinized, versus serum, for alanine aminotransferase and aspartate aminotransferase of normal individuals (Hafkenscheid, Hectors) (78) 23
Plasma, hormonal levels in, comparison of, between heroin-addicted and normal subjects (Ho, Wen, Fung, Ng, Au, Ma) (75) 415
Plasma, lecithin-cholesterol acyltransferase activity in, new colorimetric method for determination of (Nagasaki, Akanuma) (75) 371
Plasma, lipid changes in, in the female in aging and the menopause (Svanborg, Bengtsson, Lindquist, Roupe, Steen) (79) 299
Plasma, lipoproteins in, changes in experimental cholestasis in the dog (Danielsson, Ekman, Johansson, Petersson) (80) 157
Plasma, lipoproteins in, extracorporeal

removal by affinity binding to heparin-agarose (Moorjani, Lupien, Awad) (77) 21
Plasma, lipoprotein patterns in, in patients receiving dialysis therapy for chronic renal failure (Cramp, Tickner, Varghese, Beale, Moorhead, Wills) (76) 233
Plasma, α-mannosidase in, activity of, measurement by a differential assay (Hirani, Winchester, Patrick) (81) 135
Plasma, membrane fragments of, spontaneous shedding of, by human cells in vivo and in vitro (De Broe, Wieme, Logghe, Roels) (81) 237
Plasma, 3-methoxy-4-hydroxyphenylglycol in, determination by pulsed electron capture gas chromatography (Halaris, Demet, Halari) (78) 285
Plasma, monoamine oxidase in properties of (Bond, Cundall) (80) 317
Plasma, octopamine and ammonia levels in, in hepatic encephalopathy (Capocaccia, Cangiano, Attili, Angelico, Cascino, Rossi Fanelli) (75) 99
Plasma, oestriol-16α-glucuronide in, during pregnancy, specific direct radioimmunoassay (Kerr, Park, Dean) (77) 77
Plasma, pancuronium in, modified method for fluorimetric determination of (Watson, McLeod) (79) 511
Plasma, paraquat in, short, simple method for determination of (Knepil) (79) 387
Plasma, perchloric acid-extracted, and whole plasma assays, for carcinoembryonic antigen, comparison of (Ashman, Ludbrook, Marshall) (74) 77
Plasma, phenprocoumon in serum or in, estimation by gas chromatography (Brombacher, Cremers, Mol, Muijrers, Van der Plas, Verheesen) (75) 443
Plasma, post-heparin, lipoprotein X in, electrophoretic mobility of (Ritland, Sauar, Holme, Blomhoff) (75) 129
Plasma, post-heparin, selective protamine sulphate inactivation of lipoprotein lipase and hepatic lipase in, specific lipase levels in normals and in type I hyperlipoproteinaemia (Berger, Abraham) (81) 219
Plasma, protein in, insoluble immunoadsorbents. Large-scale production and storage (Nerenberg, Prasad, Biskup, Pedersen (De Marco)) (74) 237
Plasma, renin activity in, consequences of influence of pH on antigen-antibody coupling in angiotensin I radioimmunoassay (Vader, Vink, Geuskens) (75) 253
Plasma, renin concentration after prolonged cold storage of human plasma (Lijnen, Amery, Fagard) (79) 51
Plasma, ribonuclease activity in, and in leukocytes, of malnourished children (Prabhavathi, Mohanram, Reddy) (79) 591
Plasma, sodium valproate in, and in serum, gas-liquid chromatography for micro determination of (Fellenberg, Pollard) (81) 203
Plasma, taurine in, rapid column chromatographic procedure for routine measurement of, in normals and depressed patients (Tachiki, Hendrie, Kellams, Aprison) (75) 455
Plasma, Δ^9-tetrahydrocannabinol in, detection and quantitation by dansylation and double labelling (Scherrmann, Hoellinger, Nguyen-Hoang-Nam, Bourdon, Fournier) (79) 401
Plasma, triglyceride in, secretion and metabolism of, in chronic renal failure (Cramp, Tickner, Beale, Moorhead, Wills) (76) 237
Plasma, (fasting) triglyceride in, relationship to insulin secretion in untreated adult onset diabetes mellitus (Ballantyne, White, Strevens, Lawrie, Lorimer, Manderson, Morgan) (78) 323
Plasma, tryptophan total and free, in, comparison of methods for determination of (Wood, Swade, Harwood, Eccleston, Bishop, Coppen) (80) 299
Plasma, valproate in, estimation by gas-liquid chromatography (Wood, Sampson, Hensley) (77) 343
Plasmin, fibrinogenolytic method for quantitative determination (Vukovich) (79) 285
Platelets, fatty acids in, variation in patients with atherosclerosis (Trugnan, Bereziat, Graisely, Brivet, Cloarec, Polonovski) (79) 583
Platelet, glycogen metabolism in, abnormal, in multiple myeloma patients (Agam, Gutman, Djaldetti) (79) 437
Platelets, thrombin-stimulated, effect of 2,3-diphosphoglycerate on oxygen consumption burst in (Del Principe, Menichelli, Damiano, Coppola, Bastianon) (75) 325
Pleural effusion, acid glycosaminoglycans (mucopolysaccharides) in the differential diagnosis of (Friman, Hellström, Juvani, Riska) (76) 357
Pleural effusions, glycoproteins of (Dirat, Valdiguie) (77) 219
Pleural effusion, low density lipoproteins and immunoglobulins in human (Rerabek) (76) 363

Polarography, for cholesterol in serum (Kameno, Nakano, Baba) (77) 245
Polyacrylamide beads, antibody-coated, for determination of B lymphocyte population (Chao, Yokoyama) (78) 79
Polyamine, in cerebrospinal fluid, monitoring in central nervous system leukaemia (Rennert, Lawson, Shukla, Miale) (75) 365
Polypeptides, proline-rich, and their role, demonstration of. Rheological properties of human bronchial secretions (Bailleul, Richet, Hayem, Degand) (74) 115
Pompe's disease, adult form of, urinary α-glucosidase analysis for detection (Soyama, Ono, Shimada, Tanaka, Kusunoki) (77) 61
Pompe's disease, diagnosis of, in cultured skin fibroblasts and primary amniotic fluid cells using 4-methylumbelliferyl-α-D-glucopyranoside as substrate (Butterworth, Broadhead) (78) 335
Pompe's disease (glycogenosis Type II), properties of the alpha-glucosidase from various human tissues in relation to (Soyama, Ono, Shimada, Tanaka, Oya, Kusunoki) (78) 473
Pompe's disease, see also Glucogenosis, type II
Porphyrias, differentiation by high pressure liquid chromatography (Gray, Lim, Nicholson) (77) 167
Porphyrin, synthesis in erythrocytes of patients with erythropoietic protoporphyria (De Goeij, Smit, Van Steveninck) (74) 27
Porphyrins, in urine, assay by dual-wavelength spectrophotometry (Christensen, Johannessen, Romslo) (81) 229
Potassium, in blood, and sodium in, automated analyzer for determination of (Durst) (80) 225
Prader disease, see also Congenital lipoid adrenal hyperplasia
Pregnancy, oestriol-16α-glucuronide in plasma, specific direct radioimmunoassay for (Kerr, Park, Dean) (77) 77
Pregnancy, oestrogens (total) in urine during, use of magnesium silicate before gas-liquid chromatography for determination of (Ronco, Desmet, Bezoc) (81) 119
Pregnancy (at term), PZ-peptidase activity in human uterine cervix in (Ito, Naganeo, Mori, Hirakawa, Hayashi) (78) 267
Pregnancy, thyroxine-binding globulin from human pregnancy serum, improved procedure for isolation of (Kågedal, Källberg) (78) 103
Pregnanediol, in urine, Trental interfering with the analysis of (Metcalf) (76) 285
Pregnanetriol, urinary excretion of, in hirsutism (Van 't Hoff, Bicknell, Horrocks, Fleetwood, Inthuprapa, Hall) (80) 373
Pre-α-lipoprotein, in patients with familial lecithin:cholesterol acyltransferase deficiency (Wille, Torsvik, Gjone) (77) 423
Prenatal diagnosis of galactosaemia (Ng, Donnell, Bergren, Alfi, Golbus) (74) 227
Processing, of radioimmunoassay data, by means of a desk-top calculator. Comparison of regression procedures applied to selected kinds of radioimmunoassay (Ichihara, Yamamoto, Kumahara, Miyai) (79) (331)
Processing, improved, of radioimmunoassay data by means of a programmable desk-top calculator. A study of indices for discrimination of standard curve with large aberrance (Ichihara, Yamamoto, Miyai) (80) 37
Proline imino-peptidase levels, in serum, in normal adults and children (Nakano, Nomoto, Ohnishi, Ito) (81) 257
Proline-rich polypeptides, and their role, demonstration of. Rheological properties of human bronchial secretions (Bailleul, Richet, Hayem, Degand) (74) 115
Prolyl hydroxylase, in human normal skins and post-burn scars (Hayakawa, Hino, Fuyamada, Nagatsu, Aoyama, Izawa) (75) 137
Propionic acid (and dipropylacetic acid), in urine of patients treated with dipropylacetic acid (Schmid) (74) 39
Propionyl-CoA carboxylase, deficiency of, and of methylcrotonyl-CoA carboxylase, in a patient with methylcrotonylglycinuria (Weyler, Sweetman, Maggio, Nyhan) (76) 321
Prostaglandin A, by radioimmunoassay, rapid antibody production and sample preparation (Brouhard, Lagrone, Travis, Cunningham) (75) 287
Prostate, steroid receptors in. Detection of tissue-specific androgen binding in prostate cancer (Hawkins, Nijs, Brassinne) (75) 303
Prostate cancer, detection of tissue-specific androgen binding in. Steroid receptors in the human prostate (Hawkins, Nijs, Brassinne) (75) 303
Protamine sulphate inactivation, selective, of lipoprotein lipase and hepatic lipase in

human post-heparin plasma, specific lipase levels in normals and in type I hyperlipoproteinaemia (Berger, Abraham) (81) 219
Proteins, acute-phase, from liver and enzymes from myocardial infarction, quantitative relationship (Smith, Bos, Esseveld, Van Eijk, Gerbrandy) (81) 75
Proteins, of the bile, in the serum of jaundiced rats (Hinton, Mullock) (78) 159
Proteins, in cerebrospinal fluid and serum, immunological study of, in epileptic patients (More, Quesada, Pena, Osorio, Shaw) (80) 55
Proteins, endogenous phosphorylation of, in normal and in hereditary spherocytosis erythrocyte membranes (Moret, Michielin, Falezza, De Sandre) (77) 359
Proteins, of erythrocyte membrane, alteration of, during erythrocyte ageing (Bienzle, Pjura) (76) 183
Proteins, total, from human leukocytes, and enzymes from, influence of glucose and inhibitors of glycolysis on release of (Lahrichi, Tarallo, Houpert, Siest) (79) 479
Protein, in human plasma, insoluble immunoadsorbents of. Large-scale production and storage (Nerenberg, Prasad, Biskup, Pedersen (DeMarco)) (74) 237
Protein, peroxidase, in human neonatal cord serum, immunological characteristics of (Raam, Lewis, Cohen) (79) 533
Proteins, in serum, inducing enhancement of Tb^{3+} fluorescence (Romslo) (75) 171
Proteins, in serum, removal of background interference in nephelometric determination of (Kallner) (80) 293
Proteins, in serum, thyroxine binding to, influence of some buffers on (Bartels, Goedemans, Roijers) (81) 63
Protein, -binding assays, competitive, computer program for evaluation, physicochemical characterization and optimization of; comparison of four curve-fitting models in peptide and steroid radioimmunoassays (Schöneshöfer) (77) 101
Protein, -binding assay, competitive, of serum thyroxine on reusable Sephadex columns, minimal effects of free fatty acids on (Bastomsky, McQuaid, Greenidge) (75) 475
Protein-binding assay, saturation-type competitive, and radioimmunoassay, linearization of data for (Shaw, Smith, Spierto, Agnese) (76) 15
Protein, -energy malnutrition, study of endocrine function in (Olusi, Orrell, Morris, McFarlane) (74) 261
α_1-Proteinase inhibitor, kinetics of inactivation of human and bovine trypsins and chymotrypsins by, and of their reactivation by α_2-macroglobulin (Aubry, Bieth) (78) 371
Proteolytic enzyme, gelatin liquefaction for assay of (trypsin assay by gelatin liquefaction) (Westler, Neal) (78) 151
Protoporphyria, erythropoietic, porphyrin synthesis in erythrocytes of patients with (De Goeij, Smit, Van Steveninck) (74) 27
Pseudouridine, urinary excretion of, and of 1-methylinosine, during normal menstrual cycle (Lehtiö, Mäenpää) (80) 181
Purine, pathway enzymes, in gouty human fibroblasts aged in vitro (Clifford, Steine, Castles) (74) 255
Purine nucleoside phosphorylase, deficiency of, enzymological and metabolic aspects (Siegenbeek van Heukelom, Akkerman, Staal, De Bruyn, Stoop, Zegers, De Bree, Wadman) (74) 271
Pyrimidine 5′-nucleotidase, of human erythrocytes, characterization of, and its distinction from acid phosphatase by electrophoresis (Rosa, Valentin, Rosa) (79) 115
Pyruvate dehydrogenase deficiency in platelet-enriched preparations from blood, rapid diagnosis of (Blass, Cederbaum, Kark) (75) 21
Pyruvate decarboxylase, deficiency, congenital lactic acidosis due to , gas chromatographic and mass spectrometric studies on urinary organic acids in a patient with (Chalmers, Lawson, Borud) (77) 117
Pyruvate kinase deficiency, in erythrocytes, contribution of various immunologic methods in the study of the mutant enzyme (Kahn, Vives-Corron, Marie, Galand, Boivin) (75) 71
Pyruvate kinase, deficiency in erythrocytes, and related metabolic disorders, heterogeneity in patients with haematological diseases (Gherardi, Bierme, Corberand, Vergnes) (78) 465
Pyruvate kinase, deficiency of, hereditary, in erythrocytes, molecular and functional studies of four mutant PK variants detected in Spain (Marie, Vives-Corrons, Kahn, Kernemp) (81) 153
Pyruvate kinase, diagnostic value in neuromuscular disease (Weinstock, Behrendt, Wiltshire, Jr., Keleman, Louis) (80) 415

Pyruvate kinase, in intact erythrocyte, influence of redox state of glutathione on (Sprengers, Van Berkel, Koster, Staal) (80) 495
Pyruvate kinase, in serum, in carriers of Duchenne muscular dystrophy (Yamuna, Valmikinathan, Burt, Emery) (79) 277
Pyruvate kinase isoenzymes, in serum and blood cells, and creatine phosphokinase, carrier detection in Duchenne muscular dystrophy (Smith, Thomson) (78) 439
PZ-Peptidase, in uterine cervix in pregnancy at term, activity of (Ito, Naganeo, Mori, Hirakawa, Hayashi) (78) 267

Q

Quality control, in the simultaneous assay of anticonvulsants using an automated gas chromatographic system with a nitrogen detector (Ayers, Goudie, Reed Burnett) (76) 113
Quality control (external) and scoring system, for clinical chemistry laboratories in The Netherlands (Jansen, Van Kampen, Leijnse, Meijers, Van Munster) (74) 191
Quinidine, in blood, gas-liquid chromatographic method for quantitative determination (Moulin, Kinsun) (75) 491

R

Radiochemical assay, of thromboxane B_2, 12-hydroxyeicosatetraenoic acid and 12-hydroxyheptadecatrienoic acid synthesized by human platelets (Lagarde, Gharib, Dechavanne) (79) 255

Radioimmunoassay, electro-, sensitive method for quantitation of α-foetoprotein (Sykes, Dennis) (79) 309

Radioimmunoassay, linearization of data for, and saturation-type competitive protein binding assay (Shaw, Smith, Spierto, Agnese) (76) 15

Radioimmunoassay, preparation of high-quality iodine-125-labelled pituitary human follicle-stimulating hormone for: comparison of enzymatic and chloramine-T iodination (Pinto, Lerario, Torres de Toledo e Souza, Wajchenberg, Mattar, Pieroni) (76) 25

Radioimmunoassay, (improved) processing of data of, by means of a desk-top calculator. Comparison of regression procedures applied to selected kinds of radioimmunoassay (Ichihara, Yamamoto, Kumahara, Miyai) (79) 331

Radioimmunoassay, (improved) processing of data of, by means of a programmable desk-top calculator. Study of indices for discrimination of standard curve with large aberrance (Ichihara, Yamamoto, Miyai) (80) 37

Radioimmunoassay, for aldosterone in unprocessed plasma and simple plasma extracts, development of, (Jowett, Slater) (80) 435

Radioimmunoassay, for aldosterone secretion rate measurement, versus double isotope dilution derivative assay (De Man, Benraad) (79) 489

Radioimmunoassay, for angiotensin I, influence of pH on antigen-antibody coupling. Consequences for determination of plasma renin activity (Vader, Vink, Geuskens) (75) 253

Radioimmunoassay, for angiotensin I, mechanism of interference by chelating agents and sucrose (Morris) (75) 503

Radioimmunoassay, for bile acids in serum, a critical evaluation of a procedure for measurement (Mihas, Spenney, Hirschowitz, Gibson) (76) 389

Radioimmunoassay, for calcitonin, characterization and application (Rojanasathit, Haddad Jr.) (78) 425

Radioimmunoassay, for calcitonin, effect of immunochemical heterogeneity of calcitonin in man on (Snider, Silva, Moore, Becker) (76) 1

Radioimmunoassay, for cholecystokinin-pancreozymin in human plasma and tissue, and immunohistochemical identification of pancreozymin-producing cells in the duodenum of humans (Schlegel, Raptis, Grube, Pfeiffer) (80) 305

Radioimmunoassay, for determination of influence of ions on antigen-antibody complex formation (Vader, Geuskens, Vink) (80) 361

Radioimmunoassay, for digoxin, comparison of the assay performances using tritiated and ^{125}I-radioiodinated tracers (Barbieri, Gandolfi) (77) 257

Radioimmunoassay, for digoxin, comparison of two RIAs with homogeneous enzyme immunoassay (EMIT) (Drost, Plomp, Teunissen, Maas, Maes) (79) 557

Radioimmunoassay, for digoxin, with ^{125}I-labelled digoxin (Blazey) (80) 403

Radioimmunoassay, for diphenylhydantoin using an iodinated tracer, evalution (Paxton, Rowell, Ratcliffe) (79) 81

Radioimmunoassay, for human growth hormone in different pituitary extracts with polyacrylamide gel electrophoresis as a bound-free separation system, (Bartolini, Marques de Assis, Schwarz, Pieroni) (79) 223

Radioimmunoassay, for immunoglobulin E in serum, by a conventional and a modified (sandwich) technique (Bruynzeel, Houben, Berrens) (80) 151

Radioimmunoassay, of (human) lactalbumin (Woods, Heath) (78) 129

Radioimmunoassay, for methotrexate, rapid, sensitive and specific (Paxton, Rowell) (80) 563

Radioimmunoassay, for oestriol in urine, modification of a commercial kit for serum analyses (Kallner, Lantto) (79) 325

Radioimmunoassay, for oestriol-16α-glucuronide in pregnancy plasma, specific direct determination (Kerr, Park, Dean) (77) 77

Radioimmunoassay, for peptide and steroid,

comparison of four curve-fitting models, computer program for evaluation, physicochemical characterization and optimization of competitive protein binding assays (Schöneshöfer) (77) 101
Radioimmunoassay, for prostaglandin A, rapid antibody production and sample preparation (Brouhard, Lagrone, Travis, Cunningham) (75) 287
Radioimmunoassay, for R-type binders of cobalamin (Morelli, Begley, Hall) (77) 365
Radioimmunoassay, for subunit B in isoenzymes CK-MB and CK-BB of creatine phosphokinase (Neumeier, Hofstetter, Glück) (79) 107
Radioimmunoassay, for thyroxine, on Sephadex columns, influence of some buffers on thyroxine-binding to serum proteins (Bartels, Goedemans, Roijers) (81) 63
Radioimmunosorbent technique, for determination of serum gastrin (Lundqvist, Wide) (79) 357
Radiosorbent technique, for determination of vitamin B-12 activity, effect of conjugated bile acids and detergents on (Andersen, Romslo) (76) 219
Reaction rate analyser, accuracy of a calculating system in transcribing output from (Goldberg, Spooner, Hobson) (76) 371
Reaction Rate Analyser, LKB, for estimation of L-alanine in serum or plasma (Skillen, Handa) (77) 431
Rectal biopsy tissue, acetylcholinesterase activity in, improved method for determination in patients with Hirschsprung's disease (Dale, Bonham, Riley, Wagget) (77) 407
Reflectance meter system, for measurement of plasma or blood glucose in the clinic or side ward (Telfer, Brunton, Steel, Percy-Robb) (75) 359
Reflomat system, see Reflectance meter system
Regression procedures, comparison of, applied to selected kinds of radioimmunoassay. An improved processing of radioimmunoassay data by means of a desk-top calculator (Ichihara, Yamamoto, Kumahara, Miyai) (79) 331
Renal cell, carcinoma of, comparison of soluble and membrane-bound neutral arylamidases from (Hiwada, Kokubu) (80) 395
Renal cell, carcinoma of, placental form of membrane-bound neutral arylamidase found in (Hiwada, Terao, Kokubu) (79) 569
Renal failure, chronic, interaction of calcium ions with serum albumin (Leme, Silva) (77) 287
Renal failure, chronic, plasma lipoprotein patterns in patients receiving dialysis therapy for (Cramp, Tickner, Varghese, Beale, Moorhead, Wills) (76) 233
Renal failure, chronic, plasma triglyceride secretion and metabolism in (Cramp, Tickner, Beale, Moorhead, Wills) (76) 237
Renal failure, chronic, seasonal variation of serum 25-hydroxyvitamin D in patients with, on regular haemodialysis (Cook, Pierides, Shannan) (76) 251
Renal failure, chronic, serum alkaline phosphatase isoenzyme patterns in patients with (Skillen, Pierides) (80) 339
Renal failure, chronic, serum γ-glutamyltransferase activity during regular haemodialysis and after successful renal transplantation (Pierides, Skillen) (77) 83
Renal failure, serum albumin measurements, inaccuracy in patients with, using a dye-binding method (Bergeron, Talbot, Gauvin, Loiselle, Page) (75) 49
Renal failure, post-traumatic acute, and urinary cyclic AMP (Vitek, Gold, Gill, Lang, Conn, Cowley) (75) 401
Renal tubular reabsorption of phosphate, assessment by a simple slide-rule method (Walton, Bijvoet) (81) 273
Renin, in plasma, activity of, consequences of influence of pH on antigen-antibody coupling in angiotensin I radioimmunoassay (Vader, Vink, Geuskens) (75) 253
Renin, in plasma, concentration after prolonged cold storage of human plasma (Lijnen, Amery, Fagard) (79) 51
Renin, secreted from kidney slices, improved method for assay (Wilton) (79) 47
Renin, substrate, separation from renin and a major contaminating albumin using a concanavalin A-Sepharose column (Hiwada, Tanaka, Nishimura, Kokubu) (74) 203
Retina, lipoperoxide level of, of chick embryo exposed to high concentration of oxygen (Yagi, Matsuoka, Ohkawa, Ohishi, Takeuchi, Sakai) (80) 355
Reye's syndrome, urinary organic acid profiles of patients with (Harrington, Liu, Lonsdale, Igou) (74) 247
Rh(D) system, membrane phospholipid composition and anaphylactical response of cardiac and smooth muscle fibers in

(Weicker, Kropp, Thill) (79) 31
Rheumatoid arthritis, levels of immunoglobulin E in paired examinations of serum and synovial fluid in, and in reactive synovitis of local origin (Hrnčíř, Tichý, Šimša, Salavec, Vavřina) (81) 293
Rhodamine B, for determination of inorganic phosphorus by the continuous-flow technique (Zahradníček, Kratochvíla, Garčic) (80) 431
Ribonuclease, in plasma and leukocytes, activity of, of malnourished children (Prabhavathi, Mohanram, Reddy) (79) 591
Ribonuclease, in serum, age and sex related reference values for (Coombes, Shakespeare, Batstone) (79) 271
Ribonuclease, in serum, cerebrospinal fluid, and urine, activity of (Rabin, Weinberger, Tattrie) (78) 235
Ribonuclease, alkaline, in urine, activity in children with burns and scalds (Barlow, Withear) (78) 331
Ribonuclease, alkaline, in urine from patients with nephrotic syndrome, purification and properties of (Yamanaka, Akagi, Murai, Hirao, Fujimi, Omae) (78) 191

S

Saliva, carbamazepine in, and in plasma, concentrations of, relationship between, determined by liquid chromatography (Westenberg, De Zeeuw, Van der Kleijn, Oei) (79) 155
Salivary, amylase of, type, ectopic production by adenocarcinoma cells, demonstration by a culture technique (Ueda, Kobayashi, Taketa, Sato) (80) 105
Sandwich technique (PRIST), and conventional radioimmunoassay (RIST), for determination of serum immunoglobulin E (Bruynzeel, Houben, Berrens) (80) 151
Sanfilippo disease, laboratory diagnosis of (Whiteman, Young) (76) 139
Sanfilippo disease, method for determination of amniotic-fluid glycosaminoglycans and its application to prenatal diagnosis of, and of Hurler disease (Whiteman, Henderson) (79) 99
Sanfilippo's disease, type A, sulphamidase activity in peripheral leukocytes of normal, heterozygous and homozygous individuals (Schmidt, Von Figura, Paschke, Kresse) (80) 7
Seasonal variation, in the composition of urine from normal subjects, a longitudinal study (Robertson, Hodgkinson, Marshall) (80) 347
Sephadex G-25, gel-exchange for measurement of total and free cortisol and corticosteroid binding globulin binding capacity in human peripheral plasma (Angeli, Frajria, Richiardi, Agrimonti, Gaidano) (77) 1
Serum, acid phosphatase in, determination in Gaucher's disease using 4-methylumbelliferyl phosphate (Chambers, Aquino, Glew, Lee, McCafferty) (80) 67
Serum, L-alanine in, and in plasma, estimation with the LKB Reaction Rate Analyser (Skillen, Handa) (77) 431
Serum, albumins in, electrophoretic patterns of, collected from different blood vessels (Kawaguchi) (80) 409
Serum, albumin in, inaccuracy of measurements of, in renal failure patients using a dye-binding method (Bergeron, Talbot, Gauvin, Loiselle, Page) (75) 49
Serum, albumin in, influence of fatty acids on binding of calcium to (Ladenson, Shyong) (75) 293
Serum, albumin in, interaction of calcium ions with, in chronic renal failure (Leme, Silva) (77) 287
Serum, alkaline phosphatase in, source of raised activity during prolonged lactation (Fenuku) (79) 265
Serum, (bone and liver) alkaline phosphatases in, activity of, in health and disease (Whitaker, Whitby, Moss) (80) 209
Serum, alkaline phosphatase isoenzyme patterns in, in patients with chronic renal failure (Skillen, Pierides) (80) 339
Serum, amine oxidase in, enzyme activity in severely burnt patients and in patients with cancer (Lewinsohn) (81) 247
Serum, amino acid-p-nitroanilide-splitting activities in (Unger, Struck) (78) 113
Serum, aminotransferase activity of, comparative determinations with so-called optimised methods (Jung, Grützmann) (81) 299
Serum, α-amylase activity in, measurement by chemically modified starch substrates (Marshall, Iodice, Whelan) (76) 277
Serum, angiotensin converting enzyme, elevated level of, and serum lysozyme, in Gaucher's disease in spleen and (Silverstein, Friedland) (74) 21
Serum, anticonvulsant drugs in, rapid gas-chromatographic method for simultaneous quantitative determination of (Heipertz, Pilz, Eickhoff) (77) 307
Serum, α_1-antitrypsin in, single-step isolation by double-layer polyacrylamide gel electrophoresis (Pajdak, Sznajd) (77) 98
Serum, antitrypsin in, total activity of, contribution of α_1-antitrypsin to, study of two phenotype PI OO individuals (Kahn, Schandevijl, Philipi, Frank) (80) 513
Serum, apoproteins of lipoproteins in, measurement by rocket immunoelectrophoresis (Onitiri, Lewis) (79) 39
Serum, L-aspartate aminotransferase in, and L-alanine aminotransferase in, suitability of commercial enzyme control sera for determination of (Jung, Grützmann, Egger, Fechner) (79) 515
Serum, aspartate aminotransferase apoenzyme in, in health and disease (Ratnaike, Moss) (74) 281
Serum, aspirin esterase activity in, in women with habitual aspirin intake (Gupta, Gupta) (81) 261
Serum, bile acids in, critical evaluation of a

procedure for measurement by radioimmunoassay (Mihas, Spenney, Hirschowitz, Gibson) (76) 389
Serum, bile acids in, gas-liquid chromatography of (Ho-Ngoc-Chau, Bali, Solère) (75) 41
Serum, bile acid in, in liver disease, estimation of, by fluorimetry (Osuga, Mitamura, Mashige, Imai) (75) 81
Serum, bile proteins in, of jaundiced rats (Hinton, Mullock) (78) 159
Serum, bile 5′-nucleotidase in, of jaundiced rats (Mullock, Issa, Hinton) (79) 129
Serum, bisalbuminaemic, thyroxine binding by albumins in (Yamamoto, Doi, Tsuchiya, Tsuchiya) (81) 287
Serum, of blood, chlorpromazine in, improved gas chromatographic analysis (Davis, Meyer, Fenimore) (78) 71
Serum, of blood, effect of kininogen on the activity of the kallikreinogen-kallikrein system of (Yarovaya, Dotsenko, Orekhovich) (78) 85
Serum, of blood, specificity and binding capacity of, for tetrahydropterins (Rembold, Buff, Hennings) (76) 329
Serum, (ionized) calcium in, improved procedure for electrochemical determination of (Hansen, Engel, Kildeberg, Wamberg) (79) 507
Serum, (total) carbon dioxide in, and in plasma, determination by a carbonate ion-selective membrane electrode (Rechnitz, Nogle, Bellinger, Lees) (76) 295
Serum, cephalothin and cefazolin in, simultaneous quantitative determination of, by high pressure liquid chromatography (Wold, Turnipseed) (78) 203
Serum, cholesterol in, effect of pectin on, and on faecal bile acids and biliary lipids in normolipidaemic and hyperlipidaemic individuals (Miettinen, Tarpila) (79) 471
Serum, cholesterol in, by a polarographic method (Kameno, Nakano, Baba) (77) 245
Serum, (total) cholesterol in, or in plasma, enzymatic assay of, by amperometric measurement of rate of oxygen depletion following saponification (Kumar, Christian) (74) 101
Serum, (total) cholesterol in, by gas-liquid chromatography, comparison with two other methods (Hindriks, Wolthers, Groen) (74) 207
Serum, choline-containing phospholipids in, enzymatic method (Takayama, Itoh, Nagasaki, Tanimizu) (79) 93
Serum, collagen glucosyltransferase activity in (Anttinen) (77) 323
Serum, of the cord, immunoglobulin and alpha-foetoprotein levels in, and their interrelationships (Schuurman, Hagenaars, Zegers) (79) 363
Serum, of the cord, neonatal, immunological characteristics of peroxidase protein in (Raam, Lewis, Cohen) (79) 533
Serum, of (umbilical) cord, concentration and composition of the lipoprotein classes in (Winkler, Schlag, Goetze) (76) 187
Serum, creatine kinase isoenzyme MB in, determination of, comparison of methods and clinical evaluation (Fiolet, Willebrands, Lie, Ter Welle) (80) 23
Serum, creatine kinase isoenzymes in, in Duchenne muscular dystrophy (Takahashi, Shutta, Matsuo, Takai, Takao, Imura) (75) 435
Serum, creatine kinase isoenzymes in, in liver failure with cerebral involvement (Lemberg, Werber Gilardoni, Magrino) (80) 385
Serum, creatine kinase Z in, measurement of, using a DEAE-cellulose mini-column method (Leroux, Jacobs, Rabkin, Desjardins) (80) 253
Serum, creatine kinase BB isoenzyme in, of patients undergoing aortocoronary bypass surgery, detection of (Vladutiu, Schachner, Schaefer, Schimert, Lajos, Lee, Siegel) (75) 467
Serum, creatine kinase B-subunit activity in, routine determination by an immunoinhibition method (Gerhardt, Ljungdahl, Börjesson, Hofvendahl, Hedenäs) (78) 29
Serum, creatine kinase S-CK B-subunit activity in, evaluation in the diagnosis of acute myocardial infarction (Ljungdahl, Hofvendahl, Gerhardt, Börjesson) (78) 43
Serum, creatine phosphokinase isoenzymes in, commercially available rapid methods (Dingeon, Roullet) (75) 343
Serum, effect on creatine phosphokinase isoenzymes?, changes induced by, in electrophoretic mobility (Bayer, Gergely, Gabl, Deutsch) (79) 261
Serum, enzymes in, effects of near maximum exercise on, exercise profile versus cardiac profile (Kaman, Goheen, Patton, Raven) (81) 145
Serum, ethanol in, determination by an enzymatic PMS-INT colorimetric method (Lim, Buttery) (75) 9
Serum, free fatty acids in, assay by extrac-

tion-photometric procedure (Chromý, Gergel, Vozníček, Krombholzová, Musil) (80) 327
Serum, gastrin in, determination with a radioimmunosorbent technique (Lundqvist, Wide) (79) 357
Serum, glucose in, new colorimetric method for determination of (Sugiura, Hirano) (75) 387
Serum, glucose in, enzyme thermistor assay for, using immobilized glucose oxidase (Danielsson, Gadd, Mattiasson, Mosbach) (81) 163
Serum, glucose in, evaluation of automated glucose oxidase methods: comparison to the hexokinase method of a colorimetric and an electrometric method (Koch, Nipper) (78) 315
Serum, γ-glutamyltransferase activity in, in chronic renal failure during regular haemodialysis and after successful renal transplantation (Pierides, Skillen) (77) 83
Serum, γ-glutamyltransferase activity in, of multiple sclerosis and other neurological diseases (Rieder, Zurfluh, Jegge) (79) 211
Serum, glycylproline p-nitroanilidase in, activity of, in blood cancers (Fujita, Hirano, Tokunaga, Nagatsu, Nagatsu, Sakakibara) (81) 215
Serum, glycylproline p-nitroanilidase in, activity of, in human hypertension (Fuyamada, Hino, Nagatsu, Ogawa, Sakakibara) (74) 177
Serum, hepatitis B surface antigen in, separation and purification of (Desmet, Boitieux) (74) 59
Serum, hydroxylysine in urine and, estimation of, in patients with chronic uraemia (Dubovsky, Geary, Jr., Chilcutt) (76) 41
Serum, 25-hydroxyvitamin D in, assay of, Evolution of chromatographic and non-chromatographic procedures (Skinner, Wills) (80) 543
Serum, 25-hydroxyvitamin D in, seasonal variation of, in patients with chronic renal failure on regular haemodialysis (Cook, Pierides, Shannan) (76) 251
Serum, immunoglobulin in, determination on the basis of their light-chain antigenic properties (Eickhoff, Heipertz) (78) 343
Serum, immunoglobulin E in, determination by conventional radioimmunoassay and a modified (sandwich) technique (Bruynzeel, Houben, Berrens) (80) 151
Serum, immunoglobulin E levels in, and in synovial fluid, in rheumatoid arthritis and reactive synovitis of local origin (Hrnčíř, Tichý, Šimša, Salavec, Vavřina) (81) 293
Serum, (free) insulin in, measurement by steady-state gel filtration (Asplin, Goldie, Hartog) (75) 393
Serum, lecithin:cholesterol acyltransferase activity in, in children with familial hyperbetalipoproteinaemia (Roberts, Round, Lloyd, Fosbrooke) (78) 311
Serum, lipids in, before and after parathyroidectomy in patients with primary hyperparathyroidism (Christensson, Einarsson) (78) 411
Serum, lipids and lipoproteins in, in healthy Africans (Onitiri, Sander, Boyo) (81) 57
Serum, lipoperoxide level in, in patients suffering from liver diseases (Suematsu, Kamada, Abe, Kikuchi, Yagi) (79) 267
Serum, lipoprotein in, a nomogram for estimation of (Smith) (79) 281
Serum, lipoproteins and enzymes in, in familial hyper-alpha-lipoproteinaemia (Avogaro, Cazzolato, Kostner, Holasek) (77) 139
Serum, (high-density) lipoproteins in, changes in, in women on oral contraceptives (Krauss, Lindgren, Silvers, Jutagir, Bradley) (80) 465
Serum, (β-migrating high-density) lipoproteins (Wada, Minamisono, Komoda, Akamatsu, Nakaoka, Mise, Ehrhart, Naito) (78) 295
Serum, lipoprotein X in, effect of phospholipase A on, and clearance of lipoprotein X in vitro (Rubies-Prat, Ras, Frison, Masdeu, Bacardi) (75) 117
Serum lysozyme, elevated in serum and spleen, in Gaucher's disease (Silverstein, Friedland) (74) 21
Serum, magnesium level in, and in erythrocytes, in burn patients (Lafarque, Guilbaud, Vauzelle) (80) 17
Serum, maternal, N-acetyl-β-hexosaminidase isoenzymes of, and of amniotic fluid; their relevance to prenatal diagnosis of the G_{M2} gangliosidoses (Potier, Boire, Dallaire, Melancon) (76) 309
Serum, methaemalbumin in, differential spectrophotometry for determination of (Kempisty, Zak) (80) 187
Serum, 3-methoxy-4-hydroxyphenethyleneglycol and vanilmandelic acid in, gas chromatography and mass spectrometry for assay (Takahashi, Godse, Warsh, Stancer) (81) 183
Serum, β_2-microglobulin in, in controls and cancer patients (Teasdale, Mander, Fifield, Keyser, Newcombe, Hughes) (78) 135
Serum, newborn, icteric, unbound bilirubin

in, microdetermination employing peroxidase and glucose oxidase (Nakamura, Lee) (79) 411
Serum, oxidation of α-hydroxybutyrate by (Naghizadeh) (81) 277
Serum, paracetamol in, quantitative extraction and determination (Hackett, Dusci) (74) 187
Serum, peptidase in, and in tissues, activity of, measurement using L-Leu-L-Leu as substrate (Sugiura, Ito, Hirano, Sasaki, Sawaki) (78) 381
Serum, phenprocoumon in plasma or in, estimation by gas chromatography (Brombacher, Cremers, Mol, Muijers, Van der Plas, Verheesen) (75) 443
Serum, proline imino-peptidase levels in, in normal adults and children (Nakano, Nomoto, Ohnishi, Ito) (81) 257
Serum, proteins in, and in cerebrospinal fluid, immunological study of, in epileptic patients (Mora, Quesada, Pena, Osorio, Shaw) (80) 55
Serum, proteins in, inducing enhancement of Tb^{3+} fluorescence (Romslo) (75) 171
Serum, proteins in, removal of background interference in nephelometric determination of (Kallner) (80) 293
Serum, proteins in, thyroxine binding to, influence of some buffers on (Bartels, Goedemans, Roijers) (81) 63
Serum, pyruvate kinase in, in carriers of Duchenne muscular dystrophy (Yamuna, Valmikinathan, Burt, Emery) (79) 277
Serum, pyruvate kinase isoenzymes and creatine phosphokinase in, and in blood cells, carrier detection in Duchenne muscular dystrophy (Smith, Thomson) (78) 439
Serum, ribonuclease in, activity of, and in cerebrospinal fluid and urine (Rabin, Weinberger, Tattrie) (78) 235
Serum, ribonuclease in, age and sex related reference values for (Coombes, Shakespeare, Batstone) (79) 271
Serum, sodium valproate in, and in plasma, gas-liquid chromatography for micro determination of (Fellenberg, Pollard) (81) 203
Serum, thyroxine in, minimal effects of free fatty acids on competitive protein-binding assay of, on reusable Sephadex columns (Bastomsky, McQuaid, Greenidge) (75) 475
Serum, thyroxine-binding globulin in, in human pregnancy, improved procedure for isolation of (Kågedal, Källberg) (78) 103
Serum, triglycerides in, colorimetric determination with lipoprotein lipase and glycerol dehydrogenase (Sugiura, Oikawa, Hirano, Maeda, Yoshimura, Sugiyama, Kuratsu) (81) 125
Serum, urate in, in subjects with hypercalcaemic hyperparathyroidism (Christensson) (80) 529
Serum, versus heparinized plasma, for alanine aminotransferase and aspartate aminotransferase of normal individuals (Hafkenscheid, Hectors) (78) 23
Serum, vitamin A in, evaluation of a microspectrofluorimetric method (Sivakumar) (79) 189
Skin, collagen galactosyltransferase and collagen glucosyltransferase activities in, age-related changes in (Anttinen, Oikarinen, Kivirikko) (76) 95
Skin lesions, lipids in, in Urbach-Wiethe disease (Aznar, Valles, Santos, Menezo, Sorni, Buesa) (80) 573
Sodium, in blood, and potassium in, automated analyzer for determination of (Durst) (80) 225
Sodium, pump activity, in erythrocyte, in normal subjects, age and sex differences (Hokin-Neaverson, Spiegel, Burckhardt, Jefferson) (76) 399
Sodium dipropylacetate, urinary metabolites of, in man, identification of; potential sources of interference in organic acid screening procedures (Gompertz, Tippett, Bartlett, Baillie) (74) 153
Sodium valproate, in plasma or serum, gas-liquid chromatography for micro determination of (Fellenberg, Pollard) (81) 203
Spectrofluorimetry, synchronous excitation, application to drug analysis (André, Baudot, Niclause) (76) 55
Spectrography, emission, for thallium in urine, and atomic absorption spectroscopy (Wall) (76) 259
Spectrometry, atomic absorption, for determination of gold in plasma and plasma fractions, comparison with neutron activation analysis (Ward, Danpure, Fyfe) (81) 87
Spectrophotometry, for carbon monoxide in blood, with carboxyhaemoglobin (Dijkhuizen, Buursma, Gerding, Van Kampen, Zijlstra) (80) 95
Spectrophotometry, for hypoxanthine-guanine phosphoribosyltransferase assay (Johnson, Gordon, Emmerson) (80) 203
Spectrophotometry, differential, for

methaemalbumin in serum (Kempisty, Zak) (80) 187
Spectrophotometry, dual-wavelength, for porphyrins in urine (Christensen, Johannessen, Romslo) (81) 229
Spectroscopy, atomic absorption, for thallium in urine, and emission spectrography (Wall) (76) 259
Spherocytosis, hereditary, erythrocyte membranes in, and normal ones, endogenous phosphorylation of proteins in (Moret, Michielin, Falezza, De Sandre) (77) 359
Sphingohydrolases, activators for, and the nature of sphingomyelinase deficiency in Niemann-Pick disease types A, B and C (Baraton, Revol) (76) 339
Sphingomyelin, ratio of lecithin to, photodensitometric measurement after elimination of acidic phospholipids from extracts of amniotic fluid specimens (Gosselin, Foidart) (81) 209
Sphingomyelinase, nature of deficiency of, and activators for sphingohydrolases, in Niemann-Pick disease types A, B and C (Baraton, Revol) (76) 339
Starch, action of human pancreatic and salivary isoamylases on, and on glycogen (Kaczmarek, Rosenmund) (79) 69
Steroid (and peptide), radioimmunoassays, comparison of four curve-fitting models; computer program for evaluation, physicochemical characterization and optimization of competitive protein binding assays (Schöneshöfer) (77) 101
Steroides, receptors of, in the human prostate. Detection of tissue-specific androgen binding in prostate cancer (Hawkins, Nijs, Brassinne) (75) 303
Sucrose, mechanism of interference by, and chelating agents in radioimmunoassay of angiotensin I (Morris) (75) 503
Sugars, thin-layer chromatography of (Müller, Sinn) (78) 17
Sulphamidase, in peripheral leukocytes of normal, heterozygous and homozygous individuals, activity of, Sanfilippo's disease type A (Schmidt, Von Figura, Paschke, Kresse) (80) 7
Sulphatases, in human liver, comparative activity of, on two synthetic substrates (Hultberg) (80) 423
Sulphhaemoglobin, spectrophotometric properties of, and interference with the determination of haemiglobin and haemiglobincyanide (Dijkhuizen, Buursma, Gerding, Zijlstra) (78) 479
Superoxide dismutase, in erythrocytes, and glutathione peroxidase in, determination in newborns in relation to neonatal haemolysis (Rotilio, Rigo, Bracci, Bagnoli, Sargentini, Brunori) (81) 131
Sweat, testing of, for cystic fibrosis, characteristics of a combination chloride ion-selective electrode (Bray, Clark, Moody, Thomas) (77) 69
Sweat test, for cystic fibrosis, errors associated with, using chloride ion selective electrodes (Bray, Clark, Moody, Thomas) (80) 333
Synovial fluid, immunoglobulin E levels in, and in serum, in rheumatoid arthritis and reactive synovitis of local origin (Hrnčíř, Tichý, Šimša, Salavec, Vavřina) (81) 293
Synovitis, reactive. of local origin, levels of immunoglobulin E in serum and synovial fluid in, and in rheumatoid arthritis (Hrnčíč, Tichý, Šimša, Salavec, Vavřina) (81) 293

T

Taurine, in plasma, rapid column chromatographic procedure for routine measurement of, in normals and depressed patients (Tachiki, Hendrie, Kellams, Aprison) (75) 455

Tay-Sachs disease, β-hexosaminidase assay in tears, an improved, fully-automated method for heterozygote identification (Goldberg, Truex, Desnick) (77) 43

Tay-Sachs heterozygote, identification of, using chromatographic separation of human hexosaminidase isozymes (Nakagawa, Kumin, Nitowsky) (75) 181

Tears, β-hexosaminidase activity in, an improved, fully-automated method for heterozygote identification of Tay-Sachs disease (Goldberg, Truex, Desnick) (77) 43

Tears, use of, for diagnosis of GM_1 gangliosidosis (Tsuboyama, Miki, Yoshida, Ogura, Miyatake) (80) 237

Testosterone, binding of, and of dihydrotestosterone and oestradiol with sex hormone binding globulin (Mean, Pellaton, Magrini) (80) 171

Testosterone, influence on urinary ^{15}N-balance in normal subjects and patients with testicular feminization (Zachmann, Zagalak, Völlmin, Gitzelmann, Prader) (77) 147

Testosterone, unconjugated, in urine, and 5α-dihydrotestosterone and oestradiol in, measurement of (Kjeld, Puah, Joplin) (80) 271

Δ^9-Tetrahydrocannabinol, in plasma, detection and quantitation by dansylation and double labelling (Scherrmann, Hoellinger, Nguyen-Hoang-Nam, Bourbon, Fournier) (79) 401

Tetrahydropterins, specificity and binding capacity of human blood serum for (Rembold, Buff, Hennings) (76) 329

β-Thalassaemia, urinary amino acid excretion by patients with (Blackburn, Peterson) (80) 503

Thallium, in urine, by atomic absorption spectroscopy and emission spectrography (Wall) (76) 259

Thiol-containing enzymes, immobilised on nylon, method for enhancing the stability of (Kricka, Carter) (79) 141

D-Threitol, conversion of D-xylose into, in patients without liver disease and in patients with portal liver cirrhosis (Pitkänen) (80) 49

Thrombin, semi micro or automated determination of, and of antithrombin and heparin cofactor, using the substrate H-D-Phe-Pip-Arg-p-nitroanilide · 2HCl (Scully, Kakkar) (79) 595

Thrombin, -stimulated platelets, effect of 2,3-diphosphoglycerate on oxygen consumption burst in (Del Principe, Menichelli, Damiano, Coppola, Bastianon) (75) 325

Thromboxane B_2, radiochemical assay of, and of 12-hydroxyeicosatetraenoic acid and 12-hydroxyheptadecatrienoic acid synthesized by human platelets (Lagarde, Gharib, Dechavanne) (79) 255

Thyroid hormones, for induction of thyroxine to triiodothyronine converting enzyme in rat liver (Grussendorf, Hüfner) (80) 61

Thyroxine, conversion of, to T_3 and rT_3 and their cytoplasmic binding: pH dependency (Höffken, Ködding, Hesch) (78) 261

Thyroxine, radioimmunoassay for, on Sephadex columns, influence of some buffers on thyroxine-binding to serum proteins (Bartels, Goedemans, Roijers) (81) 63

Thyroxine, in serum, minimal effects of free fatty acids on competitive protein-binding assay of, on reusable Sephadex columns (Bastomsky, McQuaid, Greenidge) (75) 475

Thyroxine, to triiodothyronine converting enzyme, induction of, in rat liver by thyroid hormones and analogs (Grussendorf, Hüfner) (80) 61

Thyroxine binding, by albumins in bisalbuminaemic serum (Yamamoto, Doi, Tsuchiya, Tsuchiya) (81) 287

Thyroxine binding, to serum proteins, influence of some buffers on (Bartels, Goedemans, Roijers) (81) 63

Thyroxine binding globulin, in human pregnancy serum, improved procedure for isolation (Kågedal, Källberg) (78) 103

Thyroxine binding globulin, ligand-binding assay on reusable Sephadex columns (Bastomsky, Kalloo, Frenkel-Leith) (74) 51

Thyroxine monodeiodination, no inhibition by Li^+ of, to 3,5,3′-triiodothyronine and 3,3′,5′-triiodothyronine (reverse triiodothyronine) (Blomqvist, Lindstedt, Lundberg, Wålinder) (79) 457

Thyroxine monodeiodinating system, in rat liver homogenate, properties of (Hüfner, Grussendorf, Ntokalou) (78) 251

Titration, fluorimetric, of calcium in biological fluids, simple automated method for (Holtkamp, Mantel, Brouwer, Liem, Van Zwam, Leijnse) (76) 125

Toluidine, ortho-, procedure for glucose estimation, effects of some variations in the procedure (Quek, Buttery) (75) 497

Transplantation, renal, serum γ-glutamyltransferase activity in chronic renal failure during regular haemodialysis and after successful (Pierides, Skillen) (77) 83

Trental, interfering with the analysis of pregnanediol in urine (Metcalf) (76) 285

Triacylglycerol, see Triglyceride

Triglyceride (fasting), in plasma, relationship to insulin secretion in untreated adult onset diabetes mellitus (Ballantyne, White, Strevens, Lawrie, Lorimer, Manderson, Morgan) (78) 323

Triglyceride, in plasma, secretion and metabolism of, in chronic renal failure (Cramp, Tickner, Beale, Moorhead, Wills) (76) 237

Triglycerides, in serum, colorimetric determination with lipoprotein lipase and glycerol dehydrogenase (Sugiura, Oikawa, Hirano, Maeda, Yoshimura, Sugiyama, Kuratsu) (81) 125

Triiodothyronine, 3,5,3′- and 3,3′,5′-, no inhibition by Li^+ of thyroxine monodeiodination to (Blomqvist, Lindstedt, Lundberg, Wålinder) (79) 457

Triiodothyronine (and reverse triiodothyronine), conversion of thyroxine to, and their cytoplasmic binding: pH dependency (Höffken, Ködding, Hesch) (78) 261

Trypsin, effect of bile salts on esterolytic assay of (Calvert, Legg) (80) 535

Trypsin, gelatin liquefaction for assay of (Westler, Neal) (78) 151

Trypsin (human and bovine, and chymotrypsin), kinetics of the inactivation by α_1-proteinase inhibitor and of their reactivation by α_2-macroglobulin (Aubry, Bieth) (78) 371

Tryptophan, free, in human blood, analysis by Ultrafiltrator, comparison with other methods (Baumann, Perey) (76) 223

Tryptophan, total and free, in plasma, comparison of methods for determination of (Wood, Swade, Harwood, Eccleston, Bishop, Coppen) (80) 299

Tumours, in breast, oestradiol receptors in, by polyacrylamide gel electrophoresis (Duffy, Duffy) (74) 161

Tumours, in breast, oestradiol receptors and glucose-6-phosphate dehydrogenase activity in (Duffy, Duffy) (74) 167

Turbidimetry, immuno assay with automated individual blank compensation (Van Munster, Hoelen, Samwel-Mantingh, Holtman-Van Meurs) (76) 377

Tyrosinaemia, glyceraldehyde, an unusual metabolite in the urine of a child with (Tomer, Rothman, Yudkoff, Segal) (81) 109

Tyrosinaemia, transient, new sulphur amino acid, named hawkinsin, identified in a baby with, and her mother (Niederwieser, Matasovic, Tippett, Danks) (76) 345

U

Ultrafiltrator, for analysis of free tryptophan in human blood, comparison with other methods (Baumann, Perey) (76) 223
Umbilical cord, serum of, concentration and composition of the lipoprotein classes in (Winkler, Schlag, Goetze) (76) 187
Uraemia, chronic, estimation of hydroxylysine in urine and serum of patients with (Dubovsky, Geary, Jr., Chilcutt) (76) 41
Uraemic patients, anaemic and non-anaemic, carbonic anhydrase isoenzyme B in erythrocytes of (Anker, Mondrup) (79) 341
Urate, in serum, in subjects with hypercalcaemic hyperparathyroidism (Christensson) (80) 529
Urbach-Wiethe disease, lipids in the skin lesions in, (Aznar, Valles, Santos, Menezo, Sorni, Buesa) (80) 573
Urea, in plasma, and plasma cortisol and corticosterone, in acute myocardial infarction: clinical and biochemical correlations (Wiener) (76) 243
Urinary excretion, of amino acids, by patients with β-thalassaemia (Blackburn, Peterson) (80) 503
Urinary excretion, of cyclic AMP, and post-traumatic acute renal failure (Vitek, Gold, Gill, Lang, Conn, Cowley) (75) 401
Urinary excretion, of enzymes, diurnal variations of (Maruhn, Strozyk, Gielow, Bock) (75) 427
Urinary excretion, increased, of glycerol, metabolic studies on a patient (Palo, Servo, Pitkänen, Tammisto) (80) 391
Urinary excretion, of the nucleosides pseudouridine and 1-methylinosine during normal menstrual cycle (Lehtiö, Mäenpää) (80) 181
Urinary excretion, of pregnanetriol, in hirsutism (Van 't Hoff, Bicknell, Horrocks, Fleetwood, Inthuprapa, Hall) (80) 373
Urinary metabolites, of sodium dipropylacetate in man, identification of; potential sources of interference in organic acid screening procedures (Gompertz, Tippett, Bartlett, Baillie) (74) 153
Urine, (+)L-alanine in, and in blood, rapid enzymic micromethod for quantitative determination of (Schutgens, Tjoe Awie, Beemer, Berntssen) (80) 1
Urine, alkaline ribonuclease activity in, in children with burns and scalds (Barlow, Withear) (78) 331
Urine, alkaline ribonucleases in, purification and properties of, from patients with nephrotic syndrome (Yamanaka, Akagi, Murai, Hirao, Fujimi, Omae) (78) 191
Urine, catecholamines in, semi-automated measurement using high-speed ion-exchange column chromatography (Ueda, Yoshida, Nishimura, Joh, Antoku, Tsukada, Ganno, Kokubu) (80) 447
Urine, N-dicarboxyl-mono-glycines in, demonstration by mass fragmentography in patients with dicarboxylic acidurias (Gregersen, Kølvraa, Rasmussen, Grøn) (78) 173
Urine, L-Dopa in semiautomated fluorometric method for estimation of small amounts of (Blau, Rosenmund) (75) 213
Urine, enzymes in, in viral hepatitis (Dart) (78) 499
Urine, enzyme activities in, in patients with transitional cell carcinoma of the bladder (Posey, Morgan) (74) 7
Urine, galactitol excretion in, of heterozygotes of both forms of galactosaemia (Sitzmann, Schmid, Kaloud) (75) 313
Urine, α-glucosidase in, for the detection of the adult form of Pompe's disease (Soyama, Ono, Shimada, Tanaka, Kusunoki) (77) 61
Urine, hippuric acid in, quantitative determination by high pressure liquid chromatography (Gossler, Schaller, Zschiesche) (78) 91
Urine, histamine levels in, and in blood, in normal and pathological states as measured by a radiochemical assay (Horakova, Keiser, Beaven) (79) 447
Urine, 5-hydroxyindole-3-acetic acid in, by high-speed liquid chromatography (Yoshida, Yamazaki, Sakai) (77) 95
Urine, hydroxylysine in serum and, estimation of, in patients with chronic uraemia (Dubovsky, Geary, Jr., Chilcutt) (76) 41
Urine, indole profile of, of Bufo melanostictus during hydroquinone-induced leucoderma and its regeneration (Chakraborty, Chatterjee) (79) 399
Urine, α-keto-γ-methylthiobutyric acid in, in hypermethioninaemia, determination by gas chromatography and flame photometry (Favier, Caillat) (79) 419

Urine, luteinizing hormone (and human chorionic gonadotrophin) in, by haemagglutination inhibition assay (Johnson, Yoder, Adams) (77) 331
Urine, lysozyme phenotypes of, in monocytic leukaemia (Virella, Goudswaard, Tischendorf, Fudenberg) (79) 503
Urine, ^{15}N-balance in, influence of testosterone on, in normal subjects and patients with testicular feminization (Zachmann, Zagalak, Völlmin, Gitzelmann, Prader) (77) 147
Urine, neutral arylamidase in, in healthy and nephrotic children (Hiwada, Yamaguchi, Inaoka, Kokubu) (75) 31
Urine, oestriol in, determination by radioimmunoassay. Modification of a commercial kit for serum analyses (Kallner, Lantto) (79) 325
Urine, (total) oestrogens in, during pregnancy, use of magnesium silicate before gas-liquid chromatography for determination of (Ronco, Desmet, Bezoc) (81) 119
Urine, organic acids in, (2-ethoxyethoxy)-acetic acid, unusual compound found in gas chromatographic analysis of (Kamerling, Duran, Bruinvis, Ketting, Wadman, De Groot, Hommes) (77) 397
Urine, organic acids in, gas chromatographic and mass spectrometric studies on, in a patient with congenital lactic acidosis due to pyruvate decarboxylase deficiency (Chalmers, Lawson, Borud) (77) 117
Urine, organic acids in, profiles of, of Reye's syndrome patients (Harrington, Liu, Lonsdale, Igou) (74) 247
Urine, oxalate in, estimation of (Olthuis, Markslag, Klein Elhorst, Krugers Dagneaux) (75) 123
Urine, β-phenylethylamine in, determination by fluorimetry (Suzuki, Yagi) (78) 401
Urine, porphyrins in, assay by dual-wavelength spectrophotometry (Christensen, Johannessen, Romslo) (81) 229
Urine, pregnanediol in, Trental interfering with the analysis of (Metcalf) (76) 285
Urine, propionic acid and dipropylacetic acid in, of patients treated with dipropylacetic acid (Schmid) (74) 39
Urine, ribonuclease activity in, and in serum and cerebrospinal fluid (Rabin, Weinberger, Tattrie) (78) 235
Urine, seasonal variations in composition of, in normal subjects, a longitudinal study (Robertson, Hodgkinson, Marshall) (80) 347
Urine, steroid profiles in, automated determination by capillary column gas-liquid chromatography and a computing integrator (Fantl, Gray) (79) 237
Urine, Tamm and Horsfall glycoprotein in, determination of by electroimmunoassay (Wieslander, Bygren, Heinegård) (78) 391
Urine, thallium in, determination by atomic absorption spectroscopy and emission spectrography (Wall) (76) 259
Urine, unconjugated sex hormones in, rise of, on storage (Kjeld, Puah, Joplin) (80) 285
Urine, unconjugated testosterone, 5α-dihydrotestosterone and oestradiol in, measurement of (Kjeld, Puah, Joplin) (80) 271
Urine, unusual pattern of metabolites in, of a child with tyrosinaemia, glyceraldehyde (Tomer, Rothman, Yudkoff, Segal) (81) 109
Uterine cervix, PZ-peptidase activity in, in pregnancy at term (Ito, Naganeo, Mori, Hirakawa, Hayashi) (78) 267

V

Valproate, in plasma, by gas-liquid chromatography (Wood, Sampson, Hensley) (77) 343

Vanilmandelic acid, by a modification of the Pisano method using high pressure liquid chromatography (Felice, Kissinger) (76) 317

Vanilmandelic acid, in serum, and 3-methoxy-4-hydroxyphenethyleneglycol in, gas chromatography and mass spectrometry for assay (Takahashi, Godse, Warsh, Stancer) (81) 183

Vitamin A, in serum, by a microspectrofluorimetric method, evaluation (Sivakumar) (79) 189

Vitamin B-6, effects of; homocysteine and cysteine loads in patients with homocystinuria due to cystathionine synthase deficiency (Rassin, Longhi, Sternowsky, Sturman, Gaull) (79) 197

Vitamin B-12, by radiosorbent technique, effect of conjugated bile acid and detergents on (Andersen, Romslo) (76) 219

X

Xanthine oxidase, and guanase activities in normal and psoriatic epidermis (Kizaki, Matsuo, Sakurada) (75) 1
D-Xylose, conversion into D-threitol, in patients without liver disease and in patients with portal liver cirrhosis (Pitkänen) (80) 49

Z

Zimmerman reaction, interference of, by organic solvents (Rademaker, Poortman, Thijssen) (76) 158
Zinc, in blood, and activity of δ-aminolaevulinic acid dehydratase in human erythrocytes, relationship between (Allain, Foussard, Boyer) (78) 183

Announcing the first volume in a major new series

Lipoproteins, Atherosclerosis and Coronary Heart Disease

edited by N. E. MILLER *and* B. LEWIS

METABOLIC ASPECTS OF CARDIOVASCULAR DISEASE Volume 1

Advisory Board: J. F. GOODWIN, B. LEWIS, R. I. LEVY, N. E. MILLER and M. F. OLIVER

Atherosclerosis is the major cause of death and morbidity in the western world. Research into the role of plasma lipids in atherogenesis has been conducted for over a century, but in the past few years important developments have been made. This book provides an up-to-date, concise summary of this rapidly expanding but still controversial field. The book comprises a collection of authoritative essays on our present understanding of plasma lipoprotein in man, the pathogenesis of atherosclerosis, the evidence for a relationship between plasma lipoproteins and atherogenesis in man, the mechanisms by which lipoproteins might influence the atherogenic process, lipid-lowering therapy, the evidence from animal and human studies that such therapy can retard or reverse atherosclerosis, and the results of primary and secondary prevention trials of coronary heart disease prevention by means of diet and drugs. Twelve chapters are arranged in a logical sequence commencing with a basic account of atherogenesis and lipoprotein metabolism and ending with the results of the prevention trials. Each chapter is written by a recognised authority in a particular field
The first book to encompass this specific field, it will be of value to clinical cardiologists, vascular surgeons, pathologists, epidemiologists, students of lipid metabolism and haemeostasis, nutritionists, and pharmacologists, in addition to researchers in the field and members of the pharmaceutical industry.

CONTENTS: FOREWORD. SECTION I: PLASMA LIPOPROTEIN METABOLISM AND THE NATURE OF THE ATHEROSCLEROTIC LESION. *Chapters:* 1. The Physiology of Plasma Lipoproteins *(P. J. Nestel and N. H. Fidge).* 2. Metabolism of Lipoproteins at the Cellular Level in Relation to Atherogenesis *(D. Steinberg).* 3. The Histopathology of Atherosclerosis *(G. A. Gresham).* SECTION II: THE EVIDENCE FOR A RELATIONSHIP BETWEEN LIPOPROTEINS AND ATHEROGENESIS IN MAN. 4. The Epidemiology of Plasma Lipoproteins and Atherosclerotic Disease *(G. J. Miller).* 5. Atherosclerosis in Inherited and Acquired Disorders of Plasma Lipoprotein Metabolism *(J. D. Brunzell and N. E. Miller).* SECTION III: MECHANISMS BY WHICH LIPOPROTEINS MIGHT INFLUENCE ATHEROGENESIS. 6. Lipoprotein Filtration in Atherogenesis: Evidence from Experimental and Human Pathology *(C. W. M. Adams).* 7. Lipoproteins, Platelet Function and Blood Coagulation *(N. G. Ardlie).* SECTION IV: MODIFICATION OF LIPOPROTEIN METABOLISM: EFFECTS ON ATHEROSCLEROSIS AND ITS CLINICAL COMPLICATIONS. 8. Dietary and Pharmacological Control of Lipoprotein Metabolism *(G. R. Thompson).* 9. Regression of Experimentally Induced Atherosclerosis in Animals *(G. A. Gresham).* 10. Is Human Atherosclerosis Reversible? *(E. A. Nikkilä).* 11. Coronary Heart Disease Prevention: Trials using Drugs to Control Hyperlipidaemia *(M. F. Oliver).* 12. Coronary Heart Disease Prevention: Trials of Diets to Control Hyperlipidaemia *(J. I. Mann and J. W. Marr).*

1981 214 pages
Price: US $33.75/Dfl. 69.00
ISBN 0-444-80265-7

ELSEVIER/NORTH-HOLLAND
BIOMEDICAL PRESS
P.O. Box 211, Amsterdam, The Netherlands

Distributor in the U.S.A. and Canada:
ELSEVIER NORTH HOLLAND, INC., 52 Vanderbilt Ave., New York, NY 10017

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations

FL217

TRENDS IN BIOCHEMICAL SCIENCES

TIBS is an informative and entertaining monthly magazine publishing articles and reviews of a high scientific standard. Each review, written by experts, deals with specific topics and brings together recent findings and ideas in different areas of biochemistry and related disciplines.

Subscription Information:

Library edition 1981 – Vol. 6 in 12 issues plus 1 annual compendium Dfl. 220.00 add Dfl. 6.00 outside Europe, U.S.A. and Canada for additional postage and handling costs.

Personal Edition 1981 – 12 issues. U.K. £ 20.00, U.S.A. Canada US $42.40, Europe Dfl. 91.50. Rest of the world Dfl. 95.50. All prices include air delivery worldwide.

For further information and/or free sample copy please write to:

ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS

P.O. Box 211, Amsterdam, The Netherlands.

In the U.S.A. & Canada Elsevier/North-Holland Inc., 52, Vanderbilt Avenue, New York, NY 10017

In the U.K. 66 Hills Road, Cambridge CB2 1LA, England

Periodical
RB1
C5
Index
v. 74-81

LIBRARY USE ONLY